# SPECTRUM® Mathematical Section 1988 Mathematic



# Focused Practice for Math Mastery

- Positive and negative integers
- Ratios and proportions
  - Algebraic equations and inequalities
    - Geometric problem-solving
      - Probability and statistics
      - Answer key



# Support your child's educational journey throughout the year!

For over 40 years, Carson Dellosa has provided quality educational products that help children excel at school and home.

Aa	<b>(</b> *		X"	Ö
Readiness	Skills & Standards	Testing	Enrichment & Application	Summer Learning
Preparing your child for the upcoming school year	Supporting your child with subject- and skill-based practice	Providing your child with the essential skills and strategies for test-day success	Extending your child's learning with real-world applications	Keeping your child's skills sharp all summer long

### Carson Dellosa—your partner in education from PreK through 8<sup>th</sup> grade





## Math

Grade 7

Spectrum® An imprint of Carson Dellosa Education P.O. Box 35665 Greensboro, NC 27425 USA

© 2015 Carson Dellosa Education. Except as permitted under the United States Copyright Act, no part of this publication may be reproduced, stored, or distributed in any form or by any means (mechanically, electronically, recording, etc.) without the prior written consent of Carson Dellosa Education. Spectrum® is an imprint of Carson Dellosa Education.

#### **Table of Contents** Grade 7

Chapter I Adding and Subtracting Rational Numbers	
Chapter   Pretest	5
essons 1-9	18
Chapter   Posttest	19
Chapter 2 Multiplying and Dividing Rational Numbers	
Chapter 2 Pretest	21
essons 1-9	35
Chapter 2 Posttest	36
Chapter 3 Expressions, Equations, and Inequalities	
Chapter 3 Pretest	38
essons 1-5	50
Chapter 3 Posttest	51
Chapter 4 Ratios and Proportional Relationships	
Chapter 4 Pretest	53
essons 1-6	67
Chapter 4 Posttest	68
Chapters I–4 Mid-Test	70
Chapter 5 Geometry	
Chapter 5 Pretest	74
essons I-13	02
Chapter 5 Posttest	03

#### Table of Contents, continued

Chapter 6 Statistics	
Chapter 6 Pretest	5
Lessons 1-5	6
Chapter 6 Posttest	7
Chapter 7 Probability	
Chapter 7 Pretest	9
Lessons 1-8	9
Chapter 7 Posttest14	0
Chapters I-7 Final Test	2
Scoring Record for Posttests, Mid-Test, and Final Test	7
Grade 7 Answers	0



#### **Check What You Know**

#### Adding and Subtracting Rational Numbers

Evaluate each expression.

C

- I. opposite of 45 \_\_\_\_\_
- 2. opposite of 21 \_\_\_\_\_
- 3. opposite of 52
- **4.** |7| =
- **5.** -|35| = \_\_\_\_\_

b

- opposite of -9
- opposite of 6 \_\_\_\_\_
- opposite of -89 \_\_\_\_\_

C

- opposite of -10 \_\_\_\_\_
- opposite of -31
- opposite of 18\_\_\_\_\_

Identify the property of addition described as commutative, associative, or identity.

- 6. The sum of any number and zero is the original number.
- 7. When two numbers are added, the sum is the same regardless of the order of addends.
- **8.** When three or more numbers are added, the sum is the same regardless of how the addends are grouped. \_\_\_\_\_\_

a

- 9. 7 + (1 + 9) = (7 + 1) + 9
- 10. 9+5=5+9
- 6 + (-6) = 0
- 12. 15 + 0 = 15

b

$$3 + 0 = 3$$

$$8 + 10 = 10 + 8$$

$$(6+3)+7=6+(3+7)$$

$$13 + 2 = 2 + 13$$



#### Check What You Know

#### Adding and Subtracting Rational Numbers

Add or subtract. Write fractions in simplest form.

C

b

C

d

13.

$$2\frac{1}{4}$$

$$2\frac{1}{8} + 4\frac{2}{3}$$

$$1\frac{5}{7} + 2\frac{4}{5}$$

14.

$$6\frac{1}{3}$$
 $-2\frac{1}{4}$ 

$$-\frac{\frac{3}{8}}{\frac{1}{4}}$$

$$5\frac{3}{10}$$
 $-2\frac{4}{5}$ 

$$3\frac{4}{7}$$
  $-1\frac{1}{2}$ 

a

b

C

$$-7 + 6 =$$

-2 - 4 =

#### Solve each problem.

18. One box of clips weighs  $4\frac{2}{3}$  ounces. Another box weighs  $5\frac{3}{8}$  ounces. What is the total weight of the two boxes?

The total weights is \_\_\_\_\_ ounces.

19. Luggage on a certain airline is limited to 2 pieces per person. Together, the 2 pieces can weigh no more than  $58\frac{1}{2}$  pounds. If a passenger has one piece of luggage that weighs  $32\frac{1}{3}$  pounds, what is the most the second piece can weigh?

The second piece can weigh \_\_\_\_\_ pounds.

20. Mavis spends I \(\frac{1}{4}\) hours on the bus every weekday (Monday through Friday). How many hours is she on the bus each week?

She is on the bus \_\_\_\_\_ hours each week.

18.

19.

#### Lesson I.I Understanding Absolute Value

The **absolute value** of a number is a number that is the same distance from zero on a number line as the given number, but on the opposite side of zero.



-8 and 8 are absolute value because they are the same distance from zero on opposite sides of the number line.

Evaluate the expressions below.

C

- I. opposite of 19 \_\_\_\_\_
- 2. opposite of 28 \_\_\_\_\_
- **3.** opposite of 92 \_\_\_\_\_
- **4.** opposite of 936 \_\_\_\_\_
- **5.** opposite of -32 \_\_\_\_\_
- **6.** opposite of 55 \_\_\_\_\_
- **7.** opposite of -6 l
- **8.** opposite of 25 \_\_\_\_\_
- 9. opposite of 71 \_\_\_\_\_
- 10. opposite of 40 \_\_\_\_\_
- 11. opposite of -52 \_\_\_\_\_
- **12.** opposite of 15 \_\_\_\_\_


b

- opposite of -7 \_\_\_\_\_
- opposite of -50 \_\_\_\_\_
- opposite of -31
- opposite of 76 \_\_\_\_\_
- opposite of -36 \_\_\_\_
- opposite of -47
- opposite of 37 \_\_\_\_\_
- opposite of 68 \_\_\_\_\_
- opposite of -99 \_\_\_\_\_
- opposite of 44 \_\_\_\_\_
- opposite of 66 \_\_\_\_\_
- opposite of -20 \_\_\_\_\_

- opposite of -2 \_\_\_\_\_
- opposite of 10
- opposite of -74
- opposite of 65 \_\_\_\_\_
- opposite of 73
- opposite of 87 \_\_\_\_\_
- opposite of -23 \_\_\_\_\_
- opposite of -53 \_\_\_\_\_
- opposite of 90 \_\_\_\_\_
- opposite of -77 \_\_\_\_\_
- opposite of -95 \_\_\_\_\_
- opposite of -9

#### Lesson 1.2 Absolute Values and Integers

The **absolute value** of a number is the distance between 0 and the number on a number line. Remember that distance is always a positive quantity (or zero). Absolute value is shown by vertical bars on each side of the number.



Evaluate the expressions below.

**12.** 
$$|-344| =$$

$$|-19| =$$
\_\_\_\_\_

$$|0| =$$
\_\_\_\_\_

#### Lesson 1.3 Subtraction as an Inverse Operation

Subtraction is the same as the process of adding the additive inverse, or opposite, of a number to another number.

$$7 - 4 = 7 + (-4)$$

Write an equivalent equation using the additive inverse.

a

$$8 - 3 =$$

11. 
$$83 - 67 =$$

b

$$45 + (-6) =$$

#### Lesson 1.4 Adding Fractions and Mixed Numbers

To add fractions or mixed numbers when the denominators are different, rename the fractions so the denominators are the same.

$$\frac{\frac{2}{3}}{\frac{+\frac{3}{7}}{7}} = \frac{\frac{2}{3} \times \frac{7}{7}}{\frac{+\frac{3}{7} \times \frac{3}{3}}{2}} = \frac{\frac{\frac{14}{21}}{21}}{\frac{23}{21}} = \frac{2}{21}$$

$$\frac{3\frac{1}{2}}{+2\frac{2}{3}} = \frac{3\frac{3}{6}}{+2\frac{4}{6}} = 6\frac{1}{6}$$

Add. Write each answer in simplest form.

d

b

C

d

I.

$$+\frac{\frac{3}{4}}{\frac{5}{8}}$$

 $+\frac{\frac{1}{2}}{\frac{1}{3}}$ 

 $+\frac{\frac{3}{4}}{5}$ 

 $+\frac{\frac{1}{6}}{\frac{1}{3}}$ 

2.

$$+\frac{\frac{3}{8}}{\frac{4}{5}}$$

$$+\frac{\frac{1}{2}}{10}$$

$$+\frac{\frac{2}{3}}{12}$$

$$\frac{\frac{3}{4}}{10}$$

3.

$$+\frac{\frac{1}{4}}{8}$$

$$+\frac{2}{5} + \frac{3}{7}$$

$$+\frac{\frac{1}{7}}{8}$$

$$\frac{2}{3} + \frac{1}{5}$$

4.

$$1\frac{1}{3} + 2\frac{1}{4}$$

$$3\frac{3}{8} + 7\frac{1}{2}$$

$$4\frac{2}{7} + 2\frac{1}{3}$$

$$1\frac{2}{5} + 3\frac{3}{10}$$

5.

$$+3\frac{1}{3}$$

$$\frac{1 \frac{1}{8}}{+ 1 \frac{7}{10}}$$

$$2\frac{1}{6} + 3\frac{5}{8}$$

$$1\frac{3}{7} + 2\frac{1}{5}$$

$$3\frac{1}{2} + 2\frac{1}{4}$$


$$2\frac{5}{6} + 1\frac{5}{9}$$

$$3\frac{4}{7}$$
 +  $1\frac{1}{10}$ 


$$4\frac{1}{3} + 2\frac{1}{2}$$

#### **Lesson 1.5** Adding Integers


The sum of two positive integers is a positive integer.



The sum of two negative integers is a negative integer.



To find the sum of two integers with opposite signs, subtract the digit of lesser value from the digit of greater value and keep the sign of the greater digit.




Add.

$$-8 + (-8)$$
 \_\_\_\_\_

#### Lesson 1.5 Adding Integers

To find the sum of two integers with different signs, find their absolute values. Remember, **absolute value** is the distance (in units) that a number is from 0, expressed as a positive quantity. Subtract the lesser number from the greater number. Absolute value is written as |n|.

The sum has the same sign as the integer with the larger absolute value.



4 > 3, so the sum is negative.

#### Add.

I.

a

b

$$-1 + 2 =$$
\_\_\_\_

$$7 + (-17) =$$

6. 
$$-45 + 21 =$$

$$41 + 44 = ____$$

$$3 + (-3) =$$

8. 
$$-12 + (-12) =$$

$$-9 + (-6) =$$

$$-47 + 36 =$$


10. 
$$4 + 5 =$$

$$-43 + 35 =$$

$$24 + (-33) =$$

#### Lesson 1.6 Subtracting Integers

To subtract an integer, add its opposite (except in the case of 0).



Subtract.

a

b

$$-||-(-|)| = \underline{\hspace{1cm}}$$

$$-11 - 0 =$$
\_\_\_\_\_

$$-13 - 3 =$$
\_\_\_\_\_

$$-24 - (-38) =$$

$$15 - (-1) =$$

10. 
$$-33 - 12 =$$

$$-37 - (-40) =$$

#### Lesson 1.6 Subtracting Integers

Subtract.

a

$$-30 - (-36) =$$

$$-31 - 34 =$$

$$-31 - (-13) =$$

$$18 - 28 =$$

$$-32 - (-21) =$$

$$14 - (-20) =$$

$$-13 - (-39) =$$

10. 
$$-50 - 19 =$$

$$-14 - (-39) =$$

11. 
$$-18 - (-4) =$$

$$-11 - 34 =$$
\_\_\_\_\_

$$24 - (-17) =$$

13. 
$$31 - (-31) = \underline{\phantom{0}}$$

$$-83 - (-3) =$$

#### Lesson 1.7 Subtracting Fractions and Mixed Numbers

To subtract fractions or mixed numbers when the denominators are different, rename the fractions so the denominators are the same.

$$\frac{\frac{\frac{4}{5}}{5}}{-\frac{1}{10}} = \frac{\frac{\frac{4}{5} \times \frac{2}{2}}{\frac{1}{10}}}{-\frac{1}{10}} = \frac{\frac{8}{10}}{-\frac{1}{10}}$$

$$\frac{\begin{array}{ccc} 4\frac{1}{4} \\ -2\frac{1}{2} \end{array}}{-1} & = \frac{\begin{array}{ccc} 4\frac{1}{4} \\ -2\frac{2}{4} \end{array}}{-1} & = \frac{3\frac{5}{4}}{-2\frac{2}{4}} \\ & = \frac{3\frac{5}{4}}{1\frac{3}{4}} \end{array}$$

Subtract. Write each answer in simplest form.

C

k

C

d

I.

 $-\frac{\frac{1}{2}}{10}$ 

 $-\frac{\frac{7}{8}}{\frac{1}{2}}$ 

 $-\frac{\frac{4}{5}}{\frac{1}{3}}$ 

2.

$$-\frac{\frac{5}{6}}{\frac{1}{3}}$$

$$-\frac{\frac{2}{3}}{\frac{1}{5}}$$

$$-\frac{\frac{5}{8}}{\frac{1}{6}}$$

$$-\frac{\frac{7}{10}}{\frac{1}{2}}$$

3.

$$-\frac{\frac{3}{4}}{2}$$

$$-\frac{\frac{5}{9}}{\frac{1}{2}}$$

$$-\frac{\frac{1}{2}}{3}$$

$$-\frac{7}{11}$$
 $-\frac{2}{9}$ 

4.

$$2\frac{3}{8}$$
  $-1\frac{2}{9}$ 

$$3\frac{1}{4}$$
  $-1\frac{1}{3}$ 

$$4\frac{1}{2}$$
 $-3\frac{3}{4}$ 

$$6\frac{5}{8}$$
 $-4\frac{6}{7}$ 

**5.** 

$$3\frac{2}{11}$$
 $-1\frac{5}{8}$ 

$$7\frac{2}{3}$$
 $-3\frac{2}{5}$ 

$$5\frac{1}{3}$$
 $-2\frac{1}{2}$ 

$$2\frac{5}{6}$$
 $-1\frac{2}{7}$ 

$$4\frac{7}{9}$$
 $-2\frac{2}{3}$ 

$$3\frac{1}{5}$$
 $-1\frac{3}{4}$ 

$$4\frac{5}{6}$$
 $-2\frac{1}{8}$ 

$$3\frac{1}{8}$$
  $-1\frac{3}{4}$ 

#### **Lesson 1.8** Adding Using Mathematical Properties

The Commutative Property of Addition states: a + b = b + a

The **Associative Property of Addition** states: (a + b) + c = a + (b + c)

The **Identity Property of Addition** states: a + 0 = a

Rewrite each equation using your knowledge of addition properties.

$$1. 17 + n =$$

$$n + 0 =$$
\_\_\_\_\_

**2.** 
$$= (x + y) + 2$$

$$r + s =$$

3. 
$$0 + x =$$

$$(3 + g) + h =$$
\_\_\_\_\_

**4.** 
$$(9 + r) + 5 =$$

$$t + h =$$

Solve each equation. Use the properties of addition to help.

$$(5+3)+0=$$

$$(17 + 0) + 2 =$$

$$(4 + 5) + 0 =$$

$$(8 + 0) + 10 =$$

Tell which property is used in each equation (commutative, associative, or identity).

$$4 + 6 = 6 + 4$$

10. 
$$(11+2)+8=11+(2+8)$$
  $9+0=9$ 

$$9 + 0 = 9$$

11. 
$$6 + (4 + 3) = (6 + 4) + 3$$
 \_\_\_\_\_\_  $5 + 9 = 9 + 5$  \_\_\_\_\_

Solve each problem.

1. At closing time, the bakery had  $2\frac{1}{4}$  apple pies and  $1\frac{1}{2}$  cherry pies left. How much more apple pie than cherry pie was left?

There was \_\_\_\_\_ more of an apple pie than cherry.

**2.** The hardware store sold  $6\frac{3}{8}$  boxes of large nails and  $7\frac{2}{5}$  boxes of small nails. In total, how many boxes of nails did the store sell?

The store sold \_\_\_\_\_\_ boxes of nails.

3. Nita studied  $4\frac{1}{3}$  hours on Saturday and  $5\frac{1}{4}$  hours on Sunday. How many hours did she spend studying?

She spent \_\_\_\_\_ hours studying.

**4.** Kwan is  $5\frac{2}{3}$  feet tall. Mary is  $4\frac{11}{12}$  feet tall. How much taller is Kwan?

Kwan is \_\_\_\_\_ foot taller.

5. This week, Jim practiced the piano  $1\frac{1}{8}$  hours on Monday and  $2\frac{3}{7}$  hours on Tuesday. How many hours did he practice this week? How much longer did Jim practice on Tuesday than on Monday?

Jim practiced \_\_\_\_\_ hours this week.

Jim practiced \_\_\_\_\_ hours longer on Tuesday.

6. Oscar caught a fish that weighed  $4\frac{1}{6}$  pounds and then caught another that weighed  $6\frac{5}{8}$  pounds. How much more did the second fish weigh?

The second fish weighed \_\_\_\_\_\_ pounds more.

1.

2.

3.

4.

5.

#### Lesson 1.9 Problem Solving

Solve each problem.

1. One cake recipe calls for  $\frac{2}{3}$  cup of sugar. Another recipe calls for  $1\frac{1}{4}$  cups of sugar. How many cups of sugar are needed to make both cakes?

\_\_\_\_\_ cups of sugar are needed.

2. Nicole and Daniel are splitting a pizza. Nicole eats  $\frac{1}{4}$  of a pizza and Daniel eats  $\frac{2}{3}$  of it. How much pizza is left?

\_\_\_\_ of the pizza is left.

3. The Juarez family is making a cross-country trip. On Saturday, they traveled 450.8 miles. On Sunday, they traveled 604.6 miles. How many miles have they traveled so far?

They have traveled \_\_\_\_\_ miles.

4. Kathy's science book is 1<sup>1</sup>/<sub>6</sub> inches thick. Her reading book is 1<sup>3</sup>/<sub>8</sub> inches thick. How much thicker is her reading book than her science book?

It is \_\_\_\_\_ inches thicker.

**5.** A large watermelon weighs 10.4 pounds. A smaller watermelon weighs 3.6 pounds. How much less does the smaller watermelon weigh?

It weighs \_\_\_\_\_ pounds less.

**6.** Terrance picked 115.2 pounds of apples on Monday. He picked 97.6 pounds of apples on Tuesday. How many pounds of apples did Terrance pick altogether?

Terrance picked \_\_\_\_\_ pounds of apples.

Ι.

2.

3.

4.

**5.** 



**CHAPTER I POSTTEST** 



#### Check What You Learned

#### Adding and Subtracting Rational Numbers

Evaluate each expression.

b

C

**4.** 
$$|-35| =$$

Identify the property of addition described as commutative, associative, or identity.

6. When two numbers are added, the sum is the same regardless of the order of addends.

7. When three or more numbers are added, the sum is the same regardless of how the addends are grouped.

8. The sum of any number and zero is the original number.

$$_{-}I + (-I) = 0$$

**10.** 
$$(1+8)+2=1+(8+2)$$
  $3+5=5+3$ 

11. 
$$8 + 0 = 8$$
 \_\_\_\_\_  $2 + (6 + 4) = (2 + 6) + 4$  \_\_\_\_\_

$$(8 + 5) + 3 = 8 + (5 + 3)$$



#### **Check What You Learned**

#### Adding and Subtracting Rational Numbers

Add or subtract. Write fractions in simplest form.

h

C

d

13.

$$\frac{\frac{3}{8}}{+ \frac{5}{7}}$$

$$1\frac{5}{6} + 2\frac{7}{8}$$

$$4\frac{3}{4}$$
  $+2\frac{3}{8}$ 

14.

$$4\frac{2}{3}$$
 $-1\frac{1}{4}$ 

$$-\frac{\frac{7}{8}}{\frac{1}{2}}$$

$$\frac{4\frac{3}{10}}{-1\frac{6}{7}}$$

$$5\frac{1}{4}$$
 $-2\frac{5}{6}$ 

a

$$7 + (-3) =$$

$$-5 + (-2) =$$

$$-4 + (-8) =$$

Solve each problem.

**18.** A large patio brick weighs  $4\frac{3}{8}$  pounds. A small patio brick weighs  $2\frac{1}{3}$  pounds. How much more does the large brick weigh?

The large brick weighs \_\_\_\_\_ pounds more.

19. A small bottle holds  $\frac{1}{3}$  of a liter. A large bottle holds 4  $\frac{1}{2}$  liters. How much more does the large bottle hold?

The large bottle holds \_\_\_\_\_ liters more.

**20**. The basketball team practiced  $3\frac{1}{4}$  hours on Monday and  $2\frac{1}{3}$  hours on Tuesday. How many hours has the team practiced so far this week?

The team has practiced \_\_\_\_\_ hours this week.

18.

20.



#### **Check What You Know**

#### Multiplying and Dividing Rational Numbers

Rewrite each expression using the distributive property.

a

b

1. 
$$(x \times 3) + (x \times 7) =$$

$$8 \times (b + 12) =$$

**2.** 
$$4 \times (3 + c) =$$

$$(5 \times m) + (5 \times n) =$$

Identify the property described as commutative, associative, identity, or zero.

3. The product of any number and one is that number.

**4.** When two numbers are multiplied together, the product is the same regardless of the order of the factors.

5. When a factor is multiplied by zero, the product is always 0.

**6.** When three or more numbers are multiplied together, the product is the same regardless of how the factors are grouped.

a

b

**7.** 
$$6 \times 0 = 0$$

$$(5 \times 4) \times 6 = 5 \times (4 \times 6)$$

8. 
$$a \times 1 = a$$

$$8 \times 9 = 9 \times 8$$

Change each rational number into a decimal using long division.

9. 
$$\frac{3}{5} =$$

$$\frac{4}{8} =$$
\_\_\_\_\_\_

10. 
$$\frac{1}{4} =$$
\_\_\_\_\_

$$\frac{7}{10} =$$
\_\_\_\_\_\_



12.

#### **Check What You Know**

#### Multiplying and Dividing Rational Numbers

Multiply or divide. Write answers in simplest form.

C

 $6\frac{1}{9} \div 2\frac{4}{7} =$ 

11. 
$$\frac{3}{8} \times \frac{4}{5} =$$
\_\_\_\_\_

b

$$\frac{1}{2} \times \frac{3}{7} =$$
\_\_\_\_\_

C

$$2\frac{3}{4} \times 1\frac{2}{7} =$$
\_\_\_\_\_

$$3\frac{2}{3} \div 8 =$$

$$5\frac{1}{2} \div 1\frac{2}{5} = \underline{\hspace{1cm}}$$

14. 
$$-18 \div 9 =$$

#### **SHOW YOUR WORK**

Solve each problem.

**15.** A ribbon that is  $22\frac{3}{4}$  inches long must be cut into 7 equal pieces. How long will each piece be?

Each piece will be \_\_\_\_\_ inches long.

16. Fifteen cups of flour are to be stored in containers. Each container holds 2 ½ cups. How many containers will the flour fill? What fraction of another container will it fill?

The flour will fill \_\_\_\_\_ full containers and \_\_\_\_\_ of another container.

17. There are 7½ bottles of lemonade. Each bottle holds 15 quarts. How many quarts of lemonade are there?

There are \_\_\_\_\_ quarts of lemonade.

**18.** If the length of the pool is  $14\frac{1}{2}$  feet, the width is  $6\frac{1}{2}$  feet, and the depth is  $6\frac{1}{2}$  feet, what is the volume of the pool?

The volume of the pool is \_\_\_\_\_\_

15.

16.

17.

#### Lesson 2.1 Multiplying and the Distributive Property

The **distributive property** combines multiplication with addition or subtraction. The property states:

$$a \times (b + c) = (a \times b) + (a \times c)$$

$$a \times (b - c) = (a \times b) - (a \times c)$$

$$3 \times (6 + 4) = (3 \times 6) + (3 \times 4)$$

$$3 \times (10) = (18) + (12)$$

Rewrite each expression using the distributive property.

a

$$(a \times 4) + (a \times 3) =$$

2. 
$$4 \times (a + b) =$$

3. 
$$(d \times 5) - (d \times 2) =$$

**4.** 
$$d \times (8 - h) =$$

5. 
$$r \times (16 + s) =$$

**6.** 
$$(8 \times a) + (b \times 8) =$$

7. 
$$(6 \times 12) - (w \times 6) =$$

8. 
$$15 \times (y + 0) =$$

9. 
$$(a \times 2) + (a \times 3) + (a \times 4) =$$

10. 
$$(a \times b) + (a \times c) - (a \times d) =$$

b

$$b \times (6 + 12) =$$

$$(3 \times a) + (3 \times b) =$$

$$5 \times (8 + p) =$$

$$12 \times (s - 10) =$$

$$(35 \times t) + (35 \times y) =$$

$$r \times (q - s) =$$

$$p \times (15 + z) =$$

$$(d \times d) + (d \times b) =$$

$$p \times (a + b + 4) =$$

$$8 \times (a + b + c) =$$

#### **Lesson 2.2** Multiplying Fractions and Mixed Numbers

Reduce to simplest form if possible. Then, multiply the numerators and multiply the denominators.

$$\frac{3}{8} \times \frac{5}{6} \times \frac{1}{7} = \frac{\cancel{\cancel{3}} \times \cancel{5} \times \cancel{1}}{\cancel{\cancel{8}} \times \cancel{\cancel{6}} \times \cancel{7}} = \frac{\cancel{\cancel{1}} \times \cancel{5} \times \cancel{1}}{\cancel{\cancel{8}} \times \cancel{2} \times \cancel{7}} = \frac{5}{\cancel{\cancel{112}}}$$

Rename the numbers as improper fractions. Reduce to simplest form. Multiply the numerators and denominators. Simplify.

$$3\frac{1}{5} \times 2\frac{2}{3} \times 1\frac{1}{8} = \frac{16 \times \cancel{8} \times \cancel{9}}{5 \times \cancel{3} \times \cancel{8}} = \frac{16 \times 1 \times 3}{5 \times 1 \times 1} = \frac{48}{5} = 9\frac{3}{5}$$

Multiply. Write each answer in simplest form.

C

Ι.

$$\frac{1}{2} \times \frac{3}{4}$$

$$\frac{2}{3} \times \frac{4}{5}$$

$$\frac{3}{4} \times \frac{3}{4}$$

$$\frac{4}{5} \times \frac{1}{8}$$

2.

$$\frac{3}{5} \times \frac{7}{8}$$

$$\frac{1}{3} \times \frac{3}{5}$$

$$\frac{3}{7} \times \frac{1}{5}$$

$$\frac{3}{10} \times \frac{4}{5}$$

3.

$$\frac{5}{8} \times \frac{3}{8}$$

$$\frac{2}{3} \times \frac{1}{2}$$

$$\frac{5}{6} \times \frac{2}{3}$$

$$\frac{4}{7} \times \frac{1}{3}$$

4.

$$3 \times 1^{\frac{2}{7}}$$

$$3 \times 1\frac{2}{7}$$
  $2\frac{1}{4} \times 3\frac{1}{3}$   $1\frac{1}{9} \times 3\frac{1}{4}$   $2\frac{1}{4} \times 6$ 

$$1\frac{1}{9}\times3\frac{1}{11}$$

$$2\frac{1}{11}\times 6$$

**5.** 

$$1\frac{2}{3} \times 3\frac{7}{9}$$

$$2\frac{1}{7} \times 1\frac{1}{2}$$

$$4\frac{1}{2}\times2\frac{1}{3}\times3$$

$$1\frac{2}{3} \times 3\frac{7}{8}$$
  $2\frac{1}{7} \times 1\frac{1}{3}$   $4\frac{1}{2} \times 2\frac{1}{3} \times 3$   $5\frac{1}{4} \times 2\frac{1}{2} \times 1\frac{1}{3}$ 

$$4\frac{1}{8}\times3\frac{2}{7}\times7$$

$$\frac{5}{6} \times 1\frac{1}{3} \times 2$$

$$\frac{2}{3} \times 1\frac{5}{8} \times 3\frac{1}{4}$$

$$4\frac{1}{8} \times 3\frac{2}{7} \times 7$$
  $\frac{5}{6} \times 1\frac{1}{3} \times 2$   $\frac{2}{3} \times 1\frac{5}{8} \times 3\frac{1}{4}$   $1\frac{1}{2} \times 2\frac{2}{3} \times 1\frac{1}{8}$ 

#### **Lesson 2.3** Multiplying Integers

The product of two integers with the same sign is positive.

$$3 \times 3 = 9$$
$$-3 \times -3 = 9$$

The product of two integers with different signs is negative.

$$3 \times (-3) = -9$$
  
 $-3 \times 3 = -9$ 

Multiply.

a

b

C

d

1. 
$$3 \times 2 =$$

$$-4 \times 6 =$$
 \_\_\_\_\_

$$8 \times (-3) =$$

1. 
$$3 \times 2 =$$
  $-4 \times 6 =$   $8 \times (-3) =$   $-3 \times (-4) =$ 

**2.** 
$$-8 \times 7 =$$
 \_\_\_\_  $6 \times (-5) =$  \_\_\_\_  $-3 \times (-8) =$  \_\_\_\_  $-4 \times 11 =$  \_\_\_\_

$$-3 \times (-8) =$$

**3.** 
$$16 \times (-2) =$$
 \_\_\_\_\_  $-4 \times (-1) =$  \_\_\_\_\_  $8 \times (-11) =$  \_\_\_\_\_  $-7 \times (-10) =$  \_\_\_\_\_

$$-4 \times (-1) =$$

$$-7 \times (-10) =$$

**4.** 
$$5 \times 8 =$$
 \_\_\_\_\_  $6 \times (-6) =$  \_\_\_\_\_  $-13 \times (-2) =$  \_\_\_\_\_  $-9 \times 9 =$  \_\_\_\_\_

5. 
$$17 \times (-1) =$$
  $5 \times (-2) =$   $-14 \times 3 =$   $-7 \times (-5) =$ 

$$5 \times (-2) =$$

$$-14 \times 3 =$$
\_\_\_\_\_

$$-7 \times (-5) =$$

$$7 \times 3 =$$

**6.** 
$$(-6) \times 0 =$$
  $7 \times 3 =$   $6 \times (-10) =$   $(-3) \times (-5) =$ 

**7.** 
$$8 \times (-2) =$$

$$3 \times 5 =$$
\_\_\_\_\_

**8.** 
$$9 \times (-4) =$$
  $10 \times 4 =$   $10 \times (-4) =$   $5 \times 9 =$ 

$$10 \times (-4) =$$

$$(-4) \times (-12) =$$

10. 
$$(-4) \times (-6) =$$

10. 
$$(-4) \times (-6) =$$
 \_\_\_\_\_ (-10)  $\times (-2) =$  \_\_\_\_\_ 3  $\times$  12 = \_\_\_\_ 4  $\times$  7 = \_\_\_\_

$$4 \times 7 =$$

#### Lesson 2.3 Multiplying Integers

Multiply.

a

b

$$-12 \times (-12) =$$

3. 
$$10 \times (-1) =$$

**4.** 
$$(-2) \times 1 =$$

$$(-11) \times 2 =$$
\_\_\_\_\_

$$12 \times 3 =$$
\_\_\_\_\_

$$(-12) \times 7 =$$

**6.** 
$$8 \times 5 =$$

$$(-4) \times (-3) =$$

8. 
$$2 \times 7 =$$
\_\_\_\_\_

$$3 \times (-7) =$$

9. 
$$(-6) \times (-3) =$$

$$(-8) \times 8 =$$

$$(-4) \times 8 =$$

$$6 \times (-5) =$$
\_\_\_\_\_

11. 
$$12 \times 32 =$$
\_\_\_\_\_

$$7 \times (-14) =$$
\_\_\_\_\_

$$-19 \times (-4) =$$

$$13 \times (-5) =$$

$$(-11) \times 36 =$$

$$(-6) \times (-92) =$$

#### **Lesson 2.4** Dividing Fractions and Mixed Numbers

To divide by a fraction, multiply by its reciprocal.

$$\frac{2}{3} \div \frac{5}{8} = \frac{2}{3} \times \frac{8}{5} = \frac{16}{15} = 1\frac{1}{15}$$

$$1\frac{2}{3} \div 2\frac{5}{9} = \frac{5}{\cancel{3}} \times \frac{\cancel{9}}{\cancel{23}} = \frac{15}{23}$$

Divide. Write each answer in simplest form.

1. 
$$3\frac{1}{2} \div \frac{2}{3} =$$
  $4\frac{3}{4} \div 1\frac{7}{8} =$   $2\frac{2}{3} \div \frac{1}{8} =$   $2\frac{2}{3} \div \frac{1}{8} =$ 

$$4\frac{3}{4} \div 1\frac{7}{8} =$$
\_\_\_\_\_

$$\frac{3}{4} \div \frac{1}{2} = \underline{\hspace{1cm}}$$

$$2\frac{2}{3} \div \frac{1}{8} =$$

**2.** 
$$7 \div \frac{3}{5} =$$
 \_\_\_\_\_  $2\frac{1}{12} \div 1\frac{1}{3} =$  \_\_\_\_\_  $2\frac{1}{7} \div \frac{3}{4} =$  \_\_\_\_\_  $3 \div 5 =$  \_\_\_\_\_

$$2\frac{1}{12} \div 1\frac{1}{3} =$$

$$2\frac{1}{7} \div \frac{3}{4} =$$
\_\_\_\_\_

**3.** 
$$| \frac{1}{8} \div \frac{1}{10} =$$
  $| \frac{2}{5} \div 2\frac{1}{3} =$   $| \frac{1}{2} =$   $| \frac{1}{2} =$   $| \frac{1}{2} =$ 

$$1\frac{2}{5} \div 2\frac{1}{3} =$$

$$5 \div |_{\frac{1}{2}} =$$
\_\_\_\_\_

$$3\frac{1}{4} \div 1\frac{1}{2} =$$
\_\_\_\_\_

**4.** 
$$6\frac{2}{3} \div \frac{2}{3} =$$
  $3\frac{1}{8} \div \frac{2}{7} =$   $4\frac{1}{4} \div \frac{1}{12} =$   $14 \div \frac{1}{7} =$ 

$$3\frac{1}{8} \div \frac{2}{7} =$$

$$4\frac{1}{4} \div \frac{1}{12} =$$
\_\_\_\_\_

$$14 \div \frac{1}{7} =$$
\_\_\_\_\_

**5.** 
$$2\frac{3}{5} \div 1\frac{2}{7} =$$
  $1\frac{1}{9} \div \frac{7}{11} =$   $12 \div 15 =$   $2\frac{4}{5} \div 3 =$ 

$$\left| \frac{1}{9} \div \frac{7}{11} \right| = \underline{\hspace{1cm}}$$

$$2\frac{4}{5} \div 3 =$$

#### **Lesson 2.5** Understanding Integer Division

Because multiplication and division are inverse operations, you can use what you know about integer multiplication to solve division problems.

$$-6 \div 2 = x$$
  
 $-6 = x \times 2$ 

$$x = -3$$

Use multiplication as an inverse operation to solve the following integer division problems.

C

I. 18 ÷ (-2) = \_\_\_\_

Inverse operation:

**2.** 20 ÷ (-4) = \_\_\_\_\_

Inverse operation:

3.  $15 \div (-3) =$ 

Inverse operation:

**4.** -25 ÷ 5 = \_\_\_\_\_

Inverse operation:

5.  $81 \div (-9) = \underline{\hspace{1cm}}$ 

Inverse operation:

**6.** −72 ÷ 8 = \_\_\_\_

Inverse operation:

**7.** 22 ÷ (-11) = \_\_\_\_\_

Inverse operation:

b

 $-7 \div I =$ \_\_\_\_\_

Inverse operation:

-84 ÷ (-6) = \_\_\_\_

Inverse operation:

 $-54 \div (-9) =$ 

Inverse operation:

 $-39 \div (-13) =$ 

Inverse operation:

-48 ÷ 4 = \_\_\_\_

Inverse operation:

 $36 \div (-12) = \underline{\hspace{1cm}}$ 

Inverse operation:

18 ÷ (-6) = \_\_\_\_

Inverse operation:

#### Lesson 2.6 Dividing Integers

The quotient of two integers with the same sign is positive.

$$8 \div 2 = 4$$
  
 $-8 \div (-2) = 4$ 

The quotient of two integers with different signs is negative.

$$8 \div (-2) = -4$$
  
 $-8 \div 2 = -4$ 

Divide.

a

**2.** 
$$7 \div (-1) = \underline{\hspace{1cm}}$$

$$-14 \div 7 =$$
\_\_\_\_

3. 
$$81 \div (-3) =$$

$$-55 \div (-5) =$$

**4.** 
$$21 \div (-7) =$$

5. 
$$12 \div (-12) = \underline{\hspace{1cm}}$$

$$-60 \div (-10) =$$
\_\_\_\_\_

**6.** 
$$20 \div 2 =$$

$$30 \div (-10) =$$

$$(-50) \div (-10) =$$

7. 
$$288 \div (-18) =$$

$$(-85) \div (-5) =$$

$$(-200) \div 20 =$$

$$14 \div (-7) =$$
\_\_\_\_\_

$$(-120) \div (-8) =$$

#### Lesson 2.6 Dividing Integers

Divide.

a

b

1. 
$$(-140) \div (-10) =$$
\_\_\_\_\_

$$(-210) \div 15 = \underline{\hspace{1cm}}$$

$$(-224) \div (-14) =$$

**2.** 
$$(-13) \div (-1) = \underline{\hspace{1cm}}$$

$$120 \div 8 =$$

3. 
$$400 \div (-20) =$$

$$39 \div (-13) =$$

$$(-3) \div 1 = ____$$

**4.** 
$$(-200) \div 10 =$$

$$(-60) \div 12 =$$

$$(-90) \div 6 =$$

$$90 \div (-10) =$$

$$(-306) \div 17 =$$

$$(-64) \div 4 = ____$$

9. 
$$35 \div 5 =$$
\_\_\_\_

10. 
$$51 \div 3 =$$

$$(-18) \div (-9) =$$

$$(-33) \div (-3) =$$

$$(-180) \div 15 =$$

$$(-105) \div (-7) =$$

$$(-54) \div (-9) =$$
\_\_\_\_\_

13. 
$$(-156) \div (-12) =$$

$$(-248) \div 4 = ____$$

$$(-272) \div (-34) =$$

14. 
$$(-1037) \div (-17) = ____$$

#### **Lesson 2.7** Multiplying and Dividing Using Mathematical Properties

Commutative Property: The order in which numbers are multiplied does not change the product.

$$a \times b = b \times a$$

**Associative Property:** The grouping of factors does not  $a \times (b \times c) = (a \times b) \times c$ change the product.

$$a \times (b \times c) = (a \times b) \times c$$

**Identity Property:** The product of a factor and I is the factor.

$$a \times 1 = a$$

**Properties of Zero:** The product of a factor and 0 is 0. The  $a \times 0 = 0$   $0 \div a = 0$ quotient of the dividend 0 and any divisor is 0.

$$a \times 0 = 0$$
  $0 \div a = 0$ 

Write the name of the property shown by each equation.

1. 
$$3 \times (2 \times r) = (3 \times 2) \times r$$

$$15 \times 1 = 15$$

**2.** 
$$12 \times p = p \times 12$$

$$35 \times 0 = 0$$

 $(8 \times 9) \times 12 = 8 \times (9 \times 12)$ 

**3.** 
$$0 \div 76 = 0$$

Rewrite each expression using the property indicated.

**4.** commutative: 
$$15 \times z$$

zero: 
$$16 \times 0$$

5. identity:  $12a \times 1$ 

associative: 
$$14 \times (3 \times p)$$

**6.** zero: 0 ÷ 68

associative: 
$$(6 \times 4) \times n$$

#### **Lesson 2.8** Converting Rational Numbers Using Division

Rational numbers can be converted into decimals using long division. All fractions will be turned into decimals that either terminate or repeat.

#### **Terminating**

#### Repeating

Use long division to change each rational number into a decimal. Then, circle to indicate if each is terminating (T) or repeating (R).

a

b

1. 
$$\frac{1}{4} =$$
\_\_\_\_\_ T or R  $\frac{5}{8} =$ \_\_\_\_\_ T or R

$$2\frac{3}{5} = \text{T or R}$$

$$\frac{5}{8} =$$
\_\_\_\_\_ T or R

**2.** 
$$\frac{3}{5} =$$
 \_\_\_\_\_ T or R

$$\frac{7}{200} =$$
 \_\_\_\_\_ T or R  $\frac{8}{33} =$  \_\_\_\_\_ T or R

$$\frac{8}{33} =$$
\_\_\_\_\_ T or R

3. 
$$\frac{6}{11} =$$
\_\_\_\_\_ T or R

$$\frac{7}{50} =$$
 \_\_\_\_\_ T or R

**3.** 
$$\frac{6}{11} =$$
 T or R  $\frac{7}{50} =$  T or R  $\frac{17}{125} =$  T or R

**4.** 
$$\frac{7}{20} =$$
 \_\_\_\_\_ T or R

$$\frac{1}{111} =$$
\_\_\_\_\_ T or  $\mathbb{R}$ 

$$\frac{1}{111} =$$
\_\_\_\_\_ T or R  $\frac{1}{125} =$ \_\_\_\_ T or R

#### Lesson 2.8 Converting Rational Numbers Using Division

Rational numbers can be converted into decimals using long division. All fractions will be turned into decimals that either terminate or repeat.

#### Repeating

<u>Terminating</u>

$$\begin{array}{ccc} \frac{1}{12} & 0.08\overline{33} \\ 12)1.0000 \end{array}$$

Add a line above digits to show they repeat.

$$\frac{1}{25}$$
  $\frac{0.04}{25}$  1.00

Change each rational number into a decimal using long division. Place a line above any digits which repeat.

a

b

$$\frac{4}{10} =$$

$$\frac{2}{3} =$$
\_\_\_\_\_

$$\frac{5}{10} =$$
\_\_\_\_\_

**2.** 
$$\frac{3}{8} =$$
 \_\_\_\_\_

$$\frac{2}{11} =$$
\_\_\_\_\_

$$\frac{3}{7} =$$
\_\_\_\_\_

3. 
$$\frac{1}{6} =$$

$$\frac{4}{6} =$$
\_\_\_\_\_

$$\frac{11}{22} =$$
\_\_\_\_\_

**4.** 
$$\frac{1}{4} =$$

$$\frac{8}{10} =$$
\_\_\_\_\_

$$\frac{3}{10} =$$
\_\_\_\_\_\_

5. 
$$\frac{6}{10} =$$
\_\_\_\_\_

$$\frac{5}{7} =$$
\_\_\_\_\_

$$\frac{2}{11} =$$
\_\_\_\_\_

**6.** 
$$\frac{1}{10} =$$

$$\frac{5}{6} =$$
\_\_\_\_\_

$$\frac{3}{6} =$$
\_\_\_\_\_\_

#### Lesson 2.9 Problem Solving

**SHOW YOUR WORK** 

Solve each problem. Write each answer in simplest form.

1. David worked  $7\frac{1}{3}$  hours today and planted 11 trees. It takes him about the same amount of time to plant each tree. How long did it take him to plant each tree?

It took him \_\_\_\_\_ hour to plant each tree.

**2.** A car uses  $3\frac{1}{8}$  gallons of gasoline per hour when driving on the highway. How many gallons will it use after  $4\frac{2}{3}$  hours?

It will use \_\_\_\_\_ gallons.

**3.** A board was  $24\frac{3}{8}$  inches long. A worker cut it into pieces that were  $4\frac{7}{8}$  inches long. The worker cut the board into how many pieces?

The worker cut the board into \_\_\_\_\_ pieces.

**4.** Susan must pour  $6\frac{1}{2}$  bottles of juice into 26 drink glasses for her party. If each glass gets the same amount of juice, what fraction of a bottle will each glass hold?

Each glass will hold \_\_\_\_\_\_ bottles.

5. The standard size of a certain bin holds  $2\frac{2}{3}$  gallons. The large size of that bin is  $1\frac{1}{4}$  times larger. How many gallons does the large bin hold?

The large bin holds \_\_\_\_\_ gallons.

6. Diana has 3 <sup>1</sup>/<sub>4</sub> bags of nuts. Each bag holds 4 <sup>1</sup>/<sub>2</sub> pounds. How many pounds of nuts does Diana have?

Diana has \_\_\_\_\_ pounds of nuts.

7. There is a stack of 7 crates. Each crate is  $10\frac{2}{3}$  inches high. How many inches high is the stack of crates?

The stack of crates is \_\_\_\_\_ inches high.

Ι.

2.

3.

4.

**5.** 

6.

#### Lesson 2.9 Problem Solving

**SHOW YOUR WORK** 

Solve each problem. Write each answer in simplest form.

Each month, Kelsey donates <sup>1</sup>/<sub>5</sub> of her allowance to her school for supplies. <sup>1</sup>/<sub>2</sub> of that amount goes to the chorus class. How much of her allowance goes to supplies for the chorus class?

chorus classes.

**2.** Alvin cuts  $\frac{3}{4}$  of a piece of cheese. He gives  $\frac{1}{8}$  of it to Matt. How much of the cheese does Alvin give to Matt?

Alvin gives \_\_\_\_\_ of the cheese to Matt.

**3.** Katie has  $16\frac{3}{4}$  hours to finish 3 school projects. How much time may she spend on each project, if she plans to spend the same amount of time on each?

Katie will spend \_\_\_\_\_ hours on each project.

**4.** Martha spent \$2.90 on  $3\frac{1}{2}$  pounds of bananas. How much did she spend on each pound of bananas?

She spent \_\_\_\_\_ on each pound.

**5.** Monica has  $5\frac{1}{2}$  cups of sugar to make pies. If each pie uses  $\frac{1}{3}$  cup of sugar, how many pies can Monica make?

Monica can make \_\_\_\_\_ pies.

**6.** Vince has  $12\frac{1}{2}$  hours to mow the lawn, do the laundry, make dinner, and finish his homework. How much time can Vince spend on each task, if he plans to spend the same amount of time on each?

Vince will spend \_\_\_\_\_ hours on each project.

7. Drew spent \$38.97 on  $3\frac{1}{4}$  pounds of shrimp. How much did he spend on each pound of shrimp?

Drew spent \_\_\_\_\_ on each pound of shrimp.

١.

2.

3.

4.

5.

0.



## Check What You Learned

# Multiplying and Dividing Rational Numbers

b

$$1.7 \times (10 + a) =$$

$$(2 \times c) + (2 \times d) =$$

**2.** 
$$(y \times 2) + (y \times 6) =$$

$$5 \times (k + 4) =$$

Identify the property described as commutative, associative, identity, or zero.

- 3. When three or more numbers are multiplied together, the product is the same regardless of how the factors are grouped.
- 4. When zero is divided by any number, the quotient is always 0.
- 5. The product of any number and 1 is that number.
- 6. When two numbers are multiplied together, the product is the same regardless of the order of the factors.

**7.** 
$$y \times x = x \times y$$

$$(a \times b) \times c = a \times (b \times c)$$

8. 
$$5 \times 1 = 5$$

$$0 \div 6 = 0$$

Change each rational number into a decimal using long division. Place a line over digits which repeat.

9. 
$$\frac{2}{9} =$$
\_\_\_\_\_

$$\frac{4}{9} =$$
\_\_\_\_\_\_

10. 
$$\frac{1}{11} =$$
\_\_\_\_\_

$$\frac{2}{5} =$$
\_\_\_\_\_

36





#### Check What You Learned

#### Multiplying and Dividing Rational Numbers

Multiply or divide. Write answers in simplest form.

11. 
$$\frac{3}{4} \times \frac{1}{6} =$$
 \_\_\_\_\_

13. 
$$7 \times (-6) =$$

 $5\frac{1}{4} \div 1\frac{3}{9} =$ 

$$\frac{5}{7} \times \frac{2}{3} =$$
\_\_\_\_\_

$$6\frac{4}{7} \div 12 = ____$$

$$-15 \div (-5) =$$

$$5\frac{1}{2} \times 1\frac{1}{4} =$$
\_\_\_\_\_

$$|\frac{1}{2} \div \frac{3}{5}| =$$
\_\_\_\_\_\_

$$-5 \times (-2) =$$

#### **SHOW YOUR WORK**

Solve each problem.

**15.** A bucket that holds  $5\frac{1}{4}$  gallons of water is being used to fill a tub that can hold  $34\frac{1}{8}$  gallons. How many buckets will be needed to fill the tub?

buckets are needed to fill the tub.

**16.** A black piece of pipe is  $8\frac{1}{3}$  centimeters long. A silver piece of pipe is  $2\frac{3}{5}$  times longer. How long is the silver piece of pipe?

The silver piece is \_\_\_\_\_ centimeters long.

17. One section of wood is  $3\frac{5}{8}$  meters long. Another section is twice that long. When the two pieces are put together, how long is the piece of wood that is created?

The piece of wood is \_\_\_\_\_ meters long.

18. Danielle wants to fill a box with dirt to start a garden. If the box is  $2\frac{1}{5}$  feet long, by  $1\frac{1}{3}$  feet wide, and  $1\frac{1}{2}$  feet deep, how much dirt does Danielle need to fill up the box for her garden?

Danielle needs \_\_\_\_\_ cubic feet of dirt.

15.

16.

17.

#### Check What You Know

## Expressions, Equations, and Inequalities

Rewrite each expression using the property indicated.

a

b

I. associative: 
$$(5 + 6) + 7$$

identity: 
$$56 \times 1$$

commutative: 
$$8 \times 9$$

3. distributive: 
$$3 \times (5-2)$$

associative: 
$$(7 \times 2) \times 3$$

Write each phrase as an expression or equation.

10. 12 less than a number is 5



#### Check What You Know

**SHOW YOUR WORK** 

#### Expressions, Equations, and Inequalities

Solve each problem.

- Alicia had \$22 to spend on pencils. If each pencil costs \$1.50, how many pencils can she buy?
  Let p represent the number of pencils.
  Equation or Inequality: \_\_\_\_\_\_\_\_ pencils.
- 12. The sum of three consecutive numbers is 51. What is the smallest of these numbers?
  Let n represent the smallest number of the set.
  Equation or Inequality: \_\_\_\_\_
  The smallest of these numbers is \_\_\_\_\_
- 13. Mark bought 8 boxes. A week later, half of all his boxes were destroyed in a fire. There are now only 20 boxes left. With how many did he start?
  Let b represent how many boxes he started with.
  Equation or inequality: \_\_\_\_\_\_
  Mark began with \_\_\_\_\_\_ boxes.
- 14. Jillian sold half of her comic books and then bought 15 more. She now has 30. With how many did she begin?Let c represent the number of comic books with which she began.

Equation or inequality: \_\_\_\_\_\_ CDs.

11.

12.

13.

14.

# Lesson 3.1 Mathematical Properties & Equivalent Expressions

**Commutative Property:** The order in which numbers are added does not change the sum. The order in which numbers are multiplied does not change the product.

$$a + b = b + a$$
  
 $a \times b = b \times a$ 

**Associative Property:** The grouping of addends does not change the sum. The grouping of factors does not change the product.

$$a + (b + c) = (a + b) + c$$
  
 $a \times (b \times c) = (a \times b) \times c$ 

**Identity Property:** The sum of an addend and 0 is the addend. The product of a factor and 1 is the factor.

$$a + 0 = a$$
  
 $a \times 1 = a$ 

**Properties of Zero:** The product of a factor and 0 is 0. The quotient of the dividend 0 and any divisor is 0.

$$a \times 0 = 0$$
  
 $0 \div a = 0$ 

**Distributive Property:** If two addends or the minuend and subtrahend in an equation are being multiplied by the same factor, the equation can be rewritten by factoring out the common factor.

$$a \times (b + c) = (a \times b) + (a \times c)$$
  
 $a \times (b - c) = (a \times b) - (a \times c)$ 

Rewrite each expression using the property indicated.

C

b

**1.** associative: 
$$(7 + 6) + y =$$

identity: 
$$724 + 0 =$$

2. commutative:  $z \times 8 =$ 

zero: 
$$61 \times 0 =$$

3. distributive:  $6 \times (a + b) =$ 

**4.** commutative: 7 + y =

associative: 
$$5 \times (6 \times 3) =$$

**5.** identity: 45 × 1 =

distributive: 
$$(7 \times 3) + (7 \times 7) =$$

\_\_\_\_

#### **Lesson 3.1** Mathematical Properties & Equivalent Expressions

Use phrases to help you understand which operations to use in word problems.

<b>Addition Phrases</b>	<b>Subtraction Phrases</b>	<b>Multiplication Phrases</b>	<b>Division Phrases</b>
more than	less than	the product of times	the quotient of
the sum of	decreased by		divided by

Write each phrase as an expression or equation.

a

- 1. three increased by d the product of eight and w
- 2. seven less than 12 two more than a number is nine
- 3. a number divided by 6 is 8 nine more than 15
- 4. the sum of five and six is eleven the quotient of twelve and s is 4
- 5. three less than t is five the product of two and b is 4
- 6. the product of five and three is y twenty divided by a number is five
- 7. 12 more than 20 the sum of 4 and 11 is 15
- 8. the quotient of 30 and f is 3 7 times b is 63

# **Lesson 3.2** Solving Problems with Equivalent Expressions

Sometimes, it is easier to solve equations by writing them in different ways.

A number increased by 10% can be written as:

- $n + (0.10 \times n)$
- 1.10 × n

A number divided by 7 equals 3 can be written as:

- $n \div 7 = 3$
- $3 \times 7 = n$

Write two equivalent expressions for each statement.

a

I. a number decreased by 7%

**2.** \$25 plus a 5% tip

\_\_\_\_\_

3. a number divided by 5 equals 9

\_\_\_\_

**4.** 12 times the difference of 15 and a number

\_\_\_\_

5. the sum of 7 and a number times 10

\_\_\_\_\_

9 times the sum of 7 and a number

the sum of a number and 4 times the number

a number increased by  $\frac{1}{5}$ 

\_\_\_\_\_

\$44 plus a 20% tip

a number decreased by  $3\frac{1}{4}$ 

## **Lesson 3.3** Creating Expressions to Solve Problems

Write expressions to solve problems by putting the unknown number, or **variable**, on one side of the equation and the known values on the other side of the equation. Then, solve for the value of the variable.

Francine is making earrings and necklaces for six friends. Each pair of earrings uses 6 centimeters of wire and each necklace uses 30 centimeters. How much wire will Francine use?

Let w represent the amount of wire used.

Equation:  $w = 6 \times (6 + 30)$ 

Another way of writing this expression is:  $w = (6 \times 6) + (6 \times 30)$ 

How much wire did Francine use? w = 216 centimeters

# **SHOW YOUR WORK**

#### Solve each problem.

I. A jaguar can run 40 miles per hour while a giraffe can run 32 miles per hour. If they both run for 4 hours, how much farther will the jaguar run?

Let *d* represent the distance.

Equation:

Another way of writing this is:

The jaguar will run \_\_\_\_\_ miles farther.

2. Charlene sold 15 magazine subscriptions for the school fundraiser. Mark sold 17 subscriptions and Paul sold 12. How many magazine subscriptions did they sell in all?

Let s represent subscriptions.

Equation:

Another way of writing this is:

They sold \_\_\_\_\_ subscriptions in all.

3. Shara bought 3 bags of chocolate candies for \$1.25 each and 3 bags of gummy bears for \$2.00 each. How much did she spend in all?

Let *m* represent the money spent.

Equation:

Another way of writing this is:

Shara spent \_\_\_\_\_ on candy.

١.

2.

#### **Lesson 3.3** Problem Solving

**SHOW YOUR WORK** 

Solve each problem.

Elsa sold 37 pairs of earrings for \$20 each at the craft fair. She is going to use \(\frac{1}{4}\) of the money to buy new CDs and is going to put the rest of the money in her savings account. How much money will she put into her savings account? Let s stand for the amount of money saved.

Equation:

How much money did she spend on CDs? \_\_\_\_\_

How much money did she put in her savings account?

2. Jason deposits \$5 into his savings account twice a week for 6 weeks. How much money will he have saved after 6 weeks?

Let s stand for the amount of money saved.

Equation:

How much money did he save?

3. Four friends went to the movies. Each ticket cost \$8 and each person bought popcorn and a soda for \$5. How much did they spend in all?

Let *m* stand for the amount of money spent.

Equation:

What is another way to write the above equation?

How much money did they spend?

4. An online store increased the price of a shirt by 17% and charged \$3 to ship the shirt to a customer. The customer paid \$43 for the shirt. What was the original price of the shirt?
Let p stand for the price of the shirt.

Equation:

How much was the shirt before the increase and shipping?

**5.** David and Eric went out to dinner. Their total bill was \$45. They added 20% gratuity to the bill. If they split the bill in half, how much did each person spend?

Let t stand for the amount each person spent.

Equation:

How much money did each person spend? \_

١.

2.

3.

ш

# **Lesson 3.4** Using Variables to Solve Problems

Write an equation to represent the problem, using the variable n for the unknown number. Then, solve for the value of the variable. Look at the following problem as an example.

George and Cindy are saving for bicycles. Cindy has saved \$15 less than twice as much as George has saved. Together, they have saved \$120. How much did each of them save?

Let n stand for the amount George has saved. What stands for the amount Cindy has saved? 2n - 15 What equals the total amount? n + (2n - 15) = 120 Simplify: 3n - 15 = 120 Solve.

How much has George saved? \$\frac{\$45}{}\$
How much has Cindy saved? \$\frac{\$75}{}\$

**SHOW YOUR WORK** 

#### Solve each problem.

Nate and Laura picked apples. Laura picked ½ as many as Nate picked. Together they picked 90 apples. How many did each of them pick?

Let n stand for the number Nate picked.

Equation:

How many apples did Nate pick? \_\_\_\_\_

How many apples did Laura pick? \_\_\_\_\_

**2.** Jordan travels  $\frac{3}{4}$  of a mile longer to school each day than Harrison does. Combined, they travel  $5\frac{1}{4}$  miles to school. How far does each travel?

Let *n* stand for the distance Jordan travels.

Equation:

How far does Jordan travel?

How far does Harrison travel?

**3.** Two jackets have a combined cost of \$98. Jacket A costs \$12 less than Jacket B. How much does each jacket cost?

Let n stand for the cost of Jacket A.

Equation:

Jacket A costs \_\_\_\_\_.

Jacket B costs \_\_\_\_\_\_.

ı.

2.

#### Lesson 3.4 Problem Solving

#### **SHOW YOUR WORK**

Solve each problem.

William purchased a new car. The total price he will pay for the car, including interest, is \$17,880. If he splits his car payments over 60 months, how much will he pay each month?

Let p represent each payment.

Equation:

William will pay \_\_\_\_\_ each month.

2. Tracy has \$1.55 in quarters and dimes. If she has 3 quarters, how many dimes does she have?

Let *d* represent the number of dimes. Equation:

Tracy has \_\_\_\_\_ dimes.

3. Kavon is saving money to buy a bicycle that costs \$150. He has been saving his \$5 weekly allowance for the last 8 weeks and he saved \$50 from his birthday money. How much more money does Kavon need to buy his bicycle?

Let m represent the money Kavon needs.

Equation: \_\_\_\_\_

Kavon needs \_\_\_\_\_

**4.** Lincoln Middle School won their football game last week by scoring 23 points. If they scored two 7-point touchdowns, how many 3-point field goals did they score?

Let f represent the number of field goals.

Equation:

They scored \_\_\_\_\_\_ field goals.

5. Walker is reading a book that is 792 pages. He reads 15 pages a day during the week, and 25 pages a day during the weekend. After 5 weeks of reading, how many pages does Walker still have left to read before he finishes the book?

Let r represent the pages left to read.

Equation:

Walker has \_\_\_\_\_ pages left to read.

1.

2.

3.

4.

### **Lesson 3.4** Problem Solving

**SHOW YOUR WORK** 

Solve each problem.

1. Peaches are on sale at the farmer's market for \$1.75 per pound. If Ida buys \$8.75 worth of peaches, how many pounds of peaches did she buy?

Let p represent pounds of peaches.

Equation: \_\_\_\_

Ida bought \_\_\_\_\_ pounds of peaches.

2. Kylie makes \$8.50 an hour working at a restaurant. If she brings home \$170 in her paycheck, how many hours did she work?

Let h represent the number of hours Kylie works.

Equation: \_\_\_\_

Kylie worked \_\_\_\_\_

3. Larry and 3 friends went to a basketball game. They paid \$5.00 for each of their tickets and each bought a bag of candy. If they spent a total of \$28, how much was each bag of candy?

Let c represent bags of candy.

Equation: \_\_\_\_\_

Each bag of candy cost \_\_\_\_

4. Three hoses are connected end to end. The first hose is 6.25 feet. The second hose is 6.5 feet. If the length of all 3 hoses when connected is 20 feet, how long is the third hose?

Let h represent the length of the third hose.

Equation: \_\_\_\_\_ feet long.

5. Quinn and her mom went to the movies. They paid \$10.50 for each of their tickets and each bought a tub of popcorn. If they spent a total of \$38.50, how much was each tub of popcorn?

Let p represent tubs of popcorn.

Equation: \_\_\_\_

Each tub of popcorn cost

2.


3.

4.

# **Lesson 3.5** Using Variables to Express Inequalities

An **inequality** is a mathematical sentence that states that two expressions are not equal.  $2\times 5>6$ 

Inequalities can be solved the same way as you solve equations.




When you multiply or divide by a negative number, you must flip the inequality sign.


Solve each inequality and graph its solution.


a

b

$$\frac{y}{5} \le -\frac{3}{5}$$









# **Lesson 3.5** Using Variables to Express Inequalities

Word problems can be solved by creating inequality statements.

Aria has \$55 to spend on flowers. She wants to buy two rose bushes, which will cost \$20, and spend the rest of her money on lilies. Each lily costs \$10. Write an inequality to show how many lilies Aria can buy.

Let I represent the number of lilies she can buy.

Inequality:  $10 \times 1 + 20 \le 55$ 

$$10 \times 1 + 20 - 20 \le 55 - 20$$

$$10 \times 1 \div 10 \le 35 \div 10$$

$$1 \le 3.5$$

Aria can buy 3 lilies.

#### **SHOW YOUR WORK**

Solve each problem by creating an inequality.

I. Andrew had \$20 to spend at the fair. If he paid \$5 to get into the fair, and rides cost \$2 each, what is the maximum number of rides he could go on?

Let r represent the number of rides.

Inequality: \_\_\_\_\_

Andrew could go on \_\_\_\_\_ rides.

2. Sandra has \$75 to spend on a new outfit. She finds a sweater that costs twice as much the skirt. What is the most the skirt can cost?

Let s represent the cost of the skirt.

Inequality:

The most the skirt can cost is \_\_\_\_\_\_.

**3.** Alan earns \$7.50 per hour at his after-school jobs. He is saving money to buy a skateboard that costs \$120. How many hours will he have to work to earn enough money for the skateboard?

Let h represent the number of hours Alan will have to work.

Inequality: \_\_\_\_\_

Alan will have to work \_\_\_\_\_ hours.

I.

2.

# **Lesson 3.5** Problem Solving

**SHOW YOUR WORK** 

Solve each problem by creating an inequality.

1. Blue Bird Taxi charges a \$2.00 flat rate in addition to \$0.55 per mile. Marcy only has \$10 to spend on a taxi ride. What is the farthest she can ride without going over her limit?

Let d equal the distance Marcy can travel.

Inequality:

Marcy can travel \_\_\_\_\_ miles without going over her limit

2. The school store is selling notebooks for \$1.50 and T-shirts for \$10.00 to raise money for the school. They have a goal of raising \$250 to buy supplies for the science lab. If they have sold 60 notebooks, how many T-shirts will they need to sell to reach their goal?

Let t equal the number of T-shirts.

Inequality: \_\_\_\_\_ T-shirts.

3. There are 178 7th grade students and 20 chaperones going on the field trip to the aquarium. Each bus holds 42 people. How many buses will the group have to take?

Let b represent the number of buses.

Inequality:

They will need to take \_\_\_\_\_\_ buses.

4. Sofia's parents gave her an allowance for summer camp of \$125. If she is going to be at camp for 6 weeks, what is the most she can spend each week while she is at camp? Let *m* represent the amount Sofia can spend each week.

Inequality:

The most Sofia can spend each week is

5. The cell phone company allows all users 450 text messages a month. Any text messages over the allowed amount are charged \$0.25 per message. Craig only has \$26 extra to spend on his cell phone bill. How many messages can he go over the allowed amount for the month without breaking his budget of \$26? Let p represent the amount of text messages Craig can go over.

Inequality: Craig can send and receive \_\_\_\_\_ extra text

messages without breaking his budget of \$26.

2.

3.

4.





## Check What You Learned

## Expressions, Equations, and Inequalities

Rewrite each expression using the property indicated.

C

b

**I.** commutative: 
$$4 \times 5$$

distributive: 
$$6 \times (8 - 5)$$

2. associative: 
$$(12 \times 7) \times 8$$

associative: 
$$(3 + 4) + 5$$

3. identity: 
$$32 \times 1$$

zero: 
$$0 \times 4$$

Write each phrase as an expression or equation.

10. fifteen less than a number



# Check What You Learned

# **SHOW YOUR WORK**

# Expressions, Equations, and Inequalities

Solve each problem by creating an equation or inequality.

н.	Yael bought two magazines for \$5 and some erasers that cost \$1.00 each. He could only spend \$25. How many erasers could he buy?	11.
	Let e represent the number of erasers he was able to buy.	
	Equation or Inequality:	
	Yael can buy erasers.	
I <b>2</b> .	The sum of three consecutive numbers is 75. What is the smallest of these numbers?	12.
	Let $n$ represent the smallest number.	
	Equation or Inequality:	
	is the smallest number in the set.	
13.	Summer won 40 super bouncy balls playing Skee Ball at her school's fall festival. Later, she gave 3 to each of her friends. She only has 7 remaining. How many friends does she have?	13.
	Let f represent the number of friends.	
	Equation or Inequality:	
	Summer shared with friends.	
14.	Mrs. Watson had some candy to give to her students. She first took ten pieces for herself and then evenly divided the rest among her students. Each student received two pieces. If she started with 50 pieces of candy, how many students does she teach?	14.
	Let s represent the number of students.	
	Equation or Inequality:	
	Mrs. Watson teaches students.	
15.	The Cooking Club made some cakes to sell at a baseball game to raise money for the school library. The cafeteria contributed 5 cakes to the sale. Each cake was then cut into 10 pieces and sold. There were a total of 80 pieces to sell. How many cakes did the club make?	15.
	Let c represent the number of cakes.	
	Equation or Inequality:	
	The club made cakes	



## Check What You Know

#### Ratios and Proportional Relationships

Solve each proportion.

C

1. 
$$\frac{8}{15} = \frac{24}{n}$$
  $\frac{7}{n} = \frac{14}{16}$ 

$$\frac{3}{6} = \frac{n}{2}$$

$$\frac{7}{n} = \frac{14}{16}$$

**2.** 
$$\frac{8}{n} = \frac{1}{3}$$
  $\frac{6}{n} = \frac{16}{24}$   $\frac{6}{n} = \frac{16}{24}$ 

$$\frac{n}{10} = \frac{4}{8}$$

$$\frac{6}{n} = \frac{16}{24}$$

Circle the ratios that are equal. Show your work.

 $\frac{3}{9}$ ,  $\frac{1}{3}$ 3.

 $\frac{6}{18}$ ,  $\frac{2}{6}$ 

 $\frac{1}{2}$ ,  $\frac{1}{4}$ 

12 4

Find the constant of proportionality for each set of values.


4.

_	5	'	ļ		)	0		
4	6	8		у		2	3	
			-					

$$k =$$

$$k =$$

Find the constant of proportionality.



# Check What You Know

# **SHOW YOUR WORK**

# Ratios and Proportional Relationships

OIVE	e each problem.	
6.	Three baskets of oranges weigh 120 pounds. How many pounds are in 4 baskets?	6.
	There are pounds in 4 baskets.	
<b>7.</b>	There are 60 pencils in 4 pencil boxes. How many pencils are in 7 boxes?	7.
	There are pencils in 7 boxes.	
8.	The supply store sells 4 pencils for every 5 pens. The store sold 28 pencils yesterday. How many pens did it sell?	8.
	The store sold pens.	
9.	A restaurant charges an automatic 20% tip for groups of 6 or more. A group of 8 people had a bill of \$187. How much was their tip?	9.
	Their tip was	
10.	A mail order company charges $4\frac{1}{2}\%$ for shipping and handling on all orders. If the total for an order is \$54.34, how much was the order total before shipping and handling?	10.
	Let $r$ stand for the order total.	
	Equation:	
	The order before shipping and handling	
	is	
11.	Elizabeth can run 5 miles in $24\frac{1}{2}$ minutes. Dez can run 8 miles in $32\frac{1}{3}$ minutes. Who can run faster?	11.
	Let <i>e</i> represent Elizabeth's speed and <i>d</i> represent Dez's speed.	
	Equivalent Ratio 1:	
	Equivalent Ratio 2:	
	can run faster.	

#### Lesson 4.1 Unit Rates with Fractions

A **rate** is a special ratio in which two terms are in different units. A **unit rate** is when one of those terms is expressed as a value of 1. Rates can be calculated with whole numbers or with fractions.

Emily ate  $\frac{1}{4}$  of an ice-cream cone in  $\frac{1}{2}$  of a minute. How long would it take her to eat one ice-cream cone?

- 1. Set up equivalent ratios using the information from the problem and 1 to represent the ice cream cone. Let t represent the time.
- 2. Use cross multiplication.
- 3. Isolate the variable.
- 4. Solve.

- $\frac{\frac{1}{2}}{\frac{1}{4}} = \frac{t}{1}$   $\frac{1}{4} \times t = \frac{1}{2} \times 1$
- $\frac{1}{4} \times t \div \frac{1}{4} = \frac{1}{2} \times 1 \div \frac{1}{4}$
- t = 2

**SHOW YOUR WORK** 

#### Find the unit rate in each problem.

1. For Bill's birthday his mom is bringing donuts to school. She has a coupon to get 2½ dozen donuts for \$8.00. How much would just one dozen donuts cost at this price?

Let c represent the cost of the donuts.

Equivalent ratios:

One dozen donuts would cost .

2. Jake ate 4½ pounds of candy in one week. If he ate the same amount of candy every day, how much candy did he eat each day?

Let c represent the amount of candy.

Equivalent ratios:

He ate \_\_\_\_\_ pounds of candy each day.

**3.** A bakery used  $6\frac{1}{4}$  cups of flour this morning to make 5 batches of cookies. How much flour went into each batch of cookies?

Let f represent the amount of flour.

Equivalent ratios:

Each batch of cookies used \_\_\_\_\_ cups of flour.

2.

#### esson 4.1 Unit Rates with Fractions

Using unit rates can help you compare two items.

Mike's car can travel 425 miles on  $10\frac{1}{2}$  gallons of gas. Jason's car can travel 275 miles on 5<sup>4</sup>/<sub>5</sub> gallons of gas. Which car gets better gas mileage?

Let m represent Mike's car and i represent Jason's car.

Equivalent Ratio 1:  $\frac{425}{10\frac{1}{2}} = \frac{m}{1}$   $m = 40\frac{10}{21}$  miles per gallon

Equivalent Ratio 2:  $\frac{275}{5\frac{4}{5}} = \frac{j}{1}$   $j = 47\frac{12}{29}$  miles per gallon

Jason's car gets better gas mileage because it can go farther on one gallon of gas.

**SHOW YOUR WORK** 

Calculate unit rates to solve each problem.

1. Cara can run 3 miles in  $27\frac{1}{2}$  minutes. Melanie can run 6 miles in  $53\frac{1}{3}$  minutes. Who can run faster?

Let c represent Cara's speed and m represent Melanie's speed.

Equivalent Ratio 1:

Equivalent Ratio 2:

can run faster.

**2.** Bob goes to Shop and Save and buys  $3\frac{1}{3}$  pounds of turkey for \$10.50. Sonia goes to Quick Stop and buys  $2\frac{1}{2}$  pounds of turkey for \$6.25. Who got a better deal?

Let b represent Bob's price and s represent Sonia's price.

Equivalent Ratio 1: \_\_\_\_\_

Equivalent Ratio 2:

got a better deal on turkey.

3. Thomas went for a long hike and burned 675 calories in  $2\frac{1}{2}$  hours. Marvin decided to go for a bike ride and burned 1,035 calories in  $3\frac{1}{4}$  hours. Who burned the most calories per hour?

Let t represent Thomas's calories burned and m represent Marvin's calories burned.

Equivalent Ratio 1:

Equivalent Ratio 2: \_\_\_\_\_

burned the most calories per hour.

Ι.

2.

3.

56


# **Lesson 4.2** Testing Proportional Relationships

Relationships are proportional if they indicate the relationship between values stays constant. Graphing values can help determine if the relationship is proportional.

X	2	4	6	8	10
У	3	6	9	12	15



If the line connecting points on a grid is straight, the relationship between the quantities is proportional.




Graph the points to determine if the relationship in the table is proportional.

х	7.5	10	17.5	20
У	4.5	6	10.5	12

18 17 16 15 14 13 12  $\Pi$ 10 8 7 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

Proportional?

X	2	4	5	7
У	_	3	2.5	3.5



Proportional?

# **Lesson 4.2** Testing Proportional Relationships

A ratio is a comparison of two numbers. A proportion expresses the equality of two ratios.

A ratio can be expressed as 1 to 2, 1:2, or  $\frac{1}{2}$ , and it means that for every 1 of the first item, there are 2 of the other item.

Cross-multiply to determine if two ratios are equal.

$$\frac{2}{4}$$
,  $\frac{3}{6}$  2 × 6

$$2 \times 6 = 12$$
  $3 \times 4 = 12$   $\frac{2}{4} = \frac{3}{6}$ 

$$\frac{2}{4} = \frac{3}{6}$$

Circle the ratios that are equal. Show your work.

$$\frac{1}{3}, \frac{2}{6}$$

b

$$\frac{3}{8}$$
,  $\frac{1}{4}$ 

C

$$\frac{3}{5}$$
,  $\frac{9}{15}$ 

2. 
$$\frac{3}{4}$$
,  $\frac{9}{12}$ 

$$\frac{1}{2}$$
,  $\frac{4}{8}$ 

$$\frac{5}{6}$$
,  $\frac{15}{18}$ 

3. 
$$\frac{5}{8}$$
,  $\frac{4}{7}$ 

$$\frac{1}{2}$$
,  $\frac{1}{4}$ 

$$\frac{4}{3}$$
,  $\frac{16}{12}$ 

**4.** 
$$\frac{6}{18}$$
,  $\frac{2}{6}$ 

$$\frac{3}{25}$$
,  $\frac{6}{50}$ 

$$\frac{1}{8}$$
,  $\frac{2}{10}$ 

5. 
$$\frac{1}{4}$$
,  $\frac{2}{4}$ 

$$\frac{5}{10}$$
,  $\frac{3}{6}$ 

$$\frac{4}{24}$$
,  $\frac{7}{42}$ 

6. 
$$\frac{3}{5}$$
,  $\frac{5}{3}$ 

$$\frac{7}{8}$$
,  $\frac{21}{24}$ 

$$\frac{8}{23}$$
,  $\frac{9}{46}$ 

7. 
$$\frac{7}{4}$$
,  $\frac{28}{16}$ 

$$\frac{3}{9}$$
,  $\frac{1}{3}$ 

$$\frac{16}{20}$$
,  $\frac{9}{10}$ 

8. 
$$\frac{8}{100}$$
,  $\frac{80}{50}$ 

$$\frac{8}{12}$$
,  $\frac{10}{14}$ 

$$\frac{15}{20}$$
,  $\frac{3}{4}$ 

9. 
$$\frac{9}{2}$$
,  $\frac{12}{3}$ 

$$\frac{6}{3}$$
,  $\frac{8}{4}$ 

$$\frac{1}{3}$$
,  $\frac{11}{33}$ 

10. 
$$\frac{12}{7}, \frac{36}{21}$$

$$\frac{10}{12}$$
,  $\frac{15}{20}$ 

$$\frac{3}{4}$$
,  $\frac{9}{16}$ 

# **Lesson 4.2** Testing Proportional Relationships

Cross-multiply to check each proportion. Circle the ratios that are true.

d

1. 
$$\frac{4}{3} = \frac{6}{4}$$

b

$$\frac{1}{4} = \frac{3}{12}$$

C

$$\frac{4}{5} = \frac{16}{20}$$

2. 
$$\frac{8}{12} = \frac{2}{3}$$

$$\frac{30}{25} = \frac{6}{5}$$

$$\frac{7}{3} = \frac{5}{2}$$

3. 
$$\frac{9}{1} = \frac{18}{3}$$

$$\frac{15}{4} = \frac{45}{12}$$

$$\frac{2}{5} = \frac{4}{12}$$

**4.** 
$$\frac{7}{4} = \frac{21}{12}$$

$$\frac{9}{2} = \frac{18}{6}$$

$$\frac{5}{6} = \frac{15}{18}$$

5. 
$$\frac{5}{9} = \frac{10}{19}$$

$$\frac{4}{3} = \frac{16}{12}$$

$$\frac{7}{4} = \frac{14}{10}$$

**6.** 
$$\frac{12}{8} = \frac{18}{12}$$

$$\frac{14}{7} = \frac{6}{3}$$

$$\frac{1}{5} = \frac{3}{16}$$

**7.** 
$$\frac{2}{1} = \frac{6}{2}$$

$$\frac{8}{6} = \frac{12}{8}$$

$$\frac{5}{4} = \frac{10}{8}$$

8. 
$$\frac{2}{5} = \frac{6}{15}$$

$$\frac{14}{6} = \frac{21}{8}$$

$$\frac{4}{5} = \frac{10}{16}$$

9. 
$$\frac{3}{5} = \frac{9}{20}$$

$$\frac{1}{3} = \frac{4}{12}$$
\_\_\_\_\_

$$\frac{9}{6} = \frac{12}{8}$$

10. 
$$\frac{7}{5} = \frac{28}{20}$$

$$\frac{5}{4} = \frac{25}{16}$$

$$\frac{10}{13} = \frac{30}{26}$$
 \_\_\_\_\_

11. 
$$\frac{4}{5} = \frac{20}{22}$$

$$\frac{1}{5} = \frac{3}{18}$$

$$\frac{6}{7} = \frac{78}{91}$$

12. 
$$\frac{2}{9} = \frac{30}{135}$$

$$\frac{8}{3} = \frac{96}{36}$$

$$\frac{5}{2} = \frac{75}{20}$$

# **Lesson 4.3** Constants of Proportionality

A unit rate can also be called a **constant of proportionality**. The constant of proportionality describes the rate at which variables in an equation change.

Х	2	3	5	6
У	6	9	15	18

Step I: Set up an equation in which the constant (k) is equal to  $y \div x$ .

Step 2: Check the equation across multiple points to verify the constant.

Step 3: 
$$6 \div 2 = 3$$
;  $9 \div 3 = 3$ ;  $15 \div 5 = 3$ ;  $k = 3$ 

Find the constant of proportionality for each set of values.

C

 x
 1
 2
 3
 8

 y
 1.5
 3
 4.5
 12

b

Х	0.4	0.8	1.4	1.8
У	2	4	7	9

$$k =$$


	Х	4.5	6	10.5	12
ĺ	у	7.5	10	17.5	20

$$k =$$

# **Lesson 4.3** Constants of Proportionality

Find the constant of proportionality for each set of values.

a



b

X	3	6	9	12
У	2	4	6	8

Х	5	10	15	25
У	4	8	12	20

3.	X	18	30	42	54
	У	3	5	7	9

х	0.25	I	3	4
У	0.5	2	6	8

#### **Lesson 4.4** Using Equations to Represent Proportions

Sometimes words are used to describe the proportional relationship in a problem. The words can tell how to write an equation to represent a proportional relationship.

A handicapped-access ramp starts at ground level and rises to 27 inches over a distance of 30 feet. What is the equation to find the height of the ramp based on how far along the ramp you have traveled?

- 1. Use the equation to find the constant of proportionality:  $k = \frac{y}{x}$ . For simplicity, use the known value (27) of the variable you will be solving for (height) as y when setting up the proportion.
- **2.** In this problem,  $k = \frac{27}{30}$ , where 27 is the height of the ramp (y) and 30 is the distance it covers (x).
- **3.** Simplify to  $k = \frac{9}{10}$ . This is the constant of proportionality for this problem, so you can plug this value into the equation in step 1 to get  $\frac{9}{10} = \frac{y}{x}$ .
- **4.** With this proportion, you can find the height at any point along the ramp. Just isolate the variable you are solving for (x, y) or height) on one side of the equation. So,  $y = \frac{9}{10} \times x$ .

**SHOW YOUR WORK** 

Write the equation to solve each problem. Use y as the variable you solve for.

I. A recipe to make 4 pancakes calls for 6 tablespoons of flour. Tracy wants to make 10 pancakes using this recipe. What equation will she need to use to find out how many tablespoons of flour to use?

Equation:

2. A picture measures 11 inches tall by 14 inches wide. Nathan wants to enlarge the picture to fit in a frame that is 16 inches wide. What equation will he need to use to find out how tall the picture should be after it is enlarged?

Equation:

3. A car uses 8 gallons of gasoline to travel 290 miles. Juanita wants to take a trip that is 400 miles. What equation will she need to use to find out how much gas the trip will use?

Equation:

**4.** After Marco has worked for 5 hours, he has earned \$29.00. He is planning to work 30 hours this week. What equation will he need to use to find out how much he will be paid?

Equation:

I.

2.

3.

#### Lesson 4.4 Problem Solving

Write the equation to solve each problem. Use x as the variable you solve for.

1. Chester wants to plant a flower bed that is 80 square feet. Each packet of seeds gives him enough flowers to cover 10 square feet of the flower bed. What equation will he use to find out how many packets of seeds to buy for his flower bed?

Equation: \_\_\_\_\_

2. At the Charming Chair Factory, they make 20 chairs per day when 5 workers are on duty. If they need to make 100 chairs in one day, what equation should they use to figure out how many workers to schedule?

Equation:

3. Henry is an artist who can produce 5 paintings every 2 months. He is getting ready for an exhibit and has to make 8 new paintings. What equation should he use to figure out how long it will take him to get his paintings ready?

Equation:

**4.** Andrea rents a bike for 8 hours and pays \$42.00 for the rental. Tomorrow, she wants to rent the same bike, but only needs it for 6 hours. What equation can she use to figure out how much she will need to pay?

Equation:

5. Sara can bake 12 cookies with 2 scoops of flour. If she wants to make 36 cookies, what equation should she use to help her find out how many scoops of flour to use?

Equation: \_\_\_\_\_

Ι.


2.

3.

4.

# Lesson 4.5 Proportional Relationships on the Coordinate Plane

When proportional relationships are graphed, the points the line runs through can be used to find the constant of proportionality.



This line runs through points (2, 2), (4, 4), (6, 6), and (8, 8).


First, find the proportion of this relationship by choosing one point and inserting its coordinates into the proportion equation.


$$k = \frac{y_2 - y_1}{x_2 - x_1}$$
 or  $k = \frac{4 - 2}{4 - 2} = \frac{2}{2} = 1$ 


The constant of proportionality for this line is 1.


Find the constant of proportionality for each graph.

ı.










# Lesson 4.5 Proportional Relationships on the Coordinate Plane


Find the constant of proportionality for each graph.

ı.




k = \_\_\_\_

b




k = \_\_\_\_\_

2.




k = \_\_\_\_\_




k = \_\_\_\_

3.



k = \_\_\_\_\_



k = \_\_\_\_\_

# **Lesson 4.6** Problem Solving

Proportional relationships can be used to solve ratio and percent problems.

Mika's lunch costs \$12.50. She wants to leave an 18% tip. How much should she leave?

Set up a proportion.

$$\frac{x}{12.50} = \frac{18}{100}$$

Solve for the variable.

$$225 = 100x$$

So, Mika should leave a \$2.25 tip.

$$2.25 = x$$

**SHOW YOUR WORK** 

#### Solve each problem.

I. A store is having a 25% off sale. If an item originally cost \$19.36, how much should be taken off the price?

should be taken off the original price.

**2.** Dario bought a new bike for \$90.00. Sales tax is  $5\frac{1}{2}$ %. How much tax does he have to pay? How much is his total bill?

Dario's tax is \_\_\_\_\_.

Dario's total bill is .

3. A flower arrangement has 8 carnations for every 4 roses. There are 14 carnations. How many roses are in the arrangement?

There are roses in the arrangement.

4. There are 18 girls in the school choir. The ratio of girls to boys is 1 to 2. How many boys are in the choir?

There are \_\_\_\_\_\_ boys in the choir.

5. A baseball player strikes out 3 times for every 2 hits he gets. If the player strikes out 15 times, how many hits does he get? If the player gets 46 hits, how many times does he strike out?

The player gets \_\_\_\_\_ hits for every 15 times he strikes out.

If the player gets 46 hits, he strikes out \_\_\_\_\_ times.

2.

3.

4.

## Lesson 4.6 Problem Solving

**SHOW YOUR WORK** 

Solve each problem.

1. Mr. Johnson borrowed \$750 for 1 year. He has to pay 6% simple interest. How much interest will he pay?

Mr. Johnson will pay \_\_\_\_\_ in interest.

2. Mrs. Soto invested in a certificate of deposit that pays 8% interest. Her investment was \$325. How much interest will she receive in 1 year?

Mrs. Soto will receive \_\_\_\_\_ in interest.

3. Andrea put \$52 in a savings account that pays 4% interest. How much interest will she earn in 1 year?

Andrea will earn \_\_\_\_\_ in interest.

**4.** Jonas purchased a 42-month ( $3\frac{1}{2}$  year) certificate of deposit. It cost \$600 and pays 7% interest each year. How much interest will he get? How much will the certificate be worth when he cashes it in?

Jonas will get \_\_\_\_\_ in interest.

The certificate will be worth \_\_\_\_\_.

5. Rick borrowed \$50 from his sister for 3 months (<sup>1</sup>/<sub>4</sub> year). She charged him 14% interest. How much does Rick have to pay to his sister?

Rick must pay his sister a total of \_\_\_\_\_.

6. The grocery store borrowed \$15,000 to remodel. The term is 7 years and the yearly interest rate is 4¼%. How much interest will the store pay? What is the total amount to be repaid?

The store will pay \_\_\_\_\_ in interest.

The total amount to be repaid is \_\_\_\_\_.

I.

2.

3.

4.

5.



# Check What You Learned

# Ratios and Proportional Relationships

Solve each proportion.

b

1. 
$$\frac{3}{2} = \frac{n}{6}$$
  $\frac{17}{34} = \frac{1}{n}$   $\frac{n}{16} = \frac{6}{4}$  ......

$$\frac{17}{34} = \frac{1}{n}$$

$$\frac{n}{16} = \frac{6}{4}$$

2. 
$$\frac{7}{n} = \frac{21}{12}$$
  $\frac{5}{8} = \frac{n}{40}$   $\frac{1}{2} = \frac{56}{n}$ 

$$\frac{5}{8} = \frac{n}{40}$$
\_\_\_\_\_

$$\frac{1}{2} = \frac{56}{n}$$

Circle the ratios that are equal. Show your work.

3. 
$$\frac{15}{20}$$
,  $\frac{3}{4}$ 

$$\frac{8}{12}$$
,  $\frac{10}{14}$ 

$$\frac{4}{3}$$
,  $\frac{16}{12}$ 

Find the constant of proportionality for each set of values.


4.

CHAPTER 4 POSTTEST

X	I	2	3	4
У	5	10	15	20

$$k = \underline{\hspace{1cm}}$$

Find the constant of proportionality.





#### **Check What You Learned**

#### **SHOW YOUR WORK**

#### Ratios and Proportional Relationships

Solve each problem.

- 6. Lisa ran 3½ miles in 21 minutes. At that rate, how long would it take her to run 5 miles?
  It would take Lisa \_\_\_\_\_ minutes to run 5 miles.
- 7. Manuel biked 12½ miles in 45 minutes. At that rate, how far could he go in 1 hour?
  Manuel could bike \_\_\_\_\_\_ miles in 1 hour.
- **8.** A recipe to make 5 cupcakes calls for 10 tablespoons of sugar. Alicia wants to make 10 cupcakes using this recipe. What equation will she need to use to find out how many tablespoons of sugar to use? Equation:
- 9. Luis has \$660 in his savings account earning  $4\frac{1}{2}$  % interest. How much interest will he earn in 2 years? How much money will be in the account? Luis will earn \_\_\_\_\_\_ in interest. He will have a total of \_\_\_\_\_\_ in his account.
- 10. Mrs. Cole borrowed \$1,200 for 6 months ( $\frac{1}{2}$  year) at  $3\frac{1}{4}$  % interest. How much interest will she pay? What is the total amount she will pay?

  Mrs. Cole will pay \_\_\_\_\_\_ in interest.

She will pay a total of \_\_\_\_\_.

11. Flo worked for 9 hours and has earned \$108.00. She is planning to work 40 hours this week. What equation will she need to use to find out how much she will be paid?

Equation:

12. Ansley went for a long hike and burned 452 calories in 2<sup>1</sup>/<sub>4</sub> hours. Bobbi decided to go for a jog and burned 1,045 calories in 3<sup>1</sup>/<sub>2</sub> hours. Who burned the most calories per hour?

Let a represent Ansley's and b represent Bobbi's calories burned.

Equivalent Ratio 1: \_\_\_\_\_\_Equivalent Ratio 2: \_\_\_\_\_

burned the most calories per hour.

6.

**7.** 

8.

9.

10.

11.

# Mid-Test Chapters 1-4

Add, subtract, multiply, or divide. Write each answer in simplest form.

d

$$\frac{5}{6} + \frac{1}{6} =$$

$$\frac{3}{4} + \frac{2}{3} =$$
\_\_\_\_\_

**2.** 
$$\frac{7}{8} - \frac{5}{8} =$$

$$\frac{5}{6} - \frac{2}{3} =$$

**2.** 
$$\frac{7}{8} - \frac{5}{8} =$$
  $\frac{5}{6} - \frac{2}{3} =$   $\frac{5}{4} - 2\frac{2}{3} =$   $\frac{6\frac{1}{2}}{1} - 3\frac{5}{6} =$   $\frac{1}{2} - 3\frac{5}{6} =$ 

3. 
$$\frac{1}{4} \times \frac{5}{6} =$$
\_\_\_\_\_

$$\frac{3}{8} \times \frac{2}{3} =$$
\_\_\_\_\_

$$2\frac{5}{7} \times \frac{4}{9} =$$
\_\_\_\_\_\_

**3.** 
$$\frac{1}{4} \times \frac{5}{6} = \underline{\phantom{0}} \quad \frac{3}{8} \times \frac{2}{3} = \underline{\phantom{0}} \quad 2\frac{5}{7} \times \frac{4}{9} = \underline{\phantom{0}} \quad \frac{1}{2} \times \frac{3}{5} \times \frac{1}{8} = \underline{\phantom{0}} \quad \underline{\phantom{0}}$$

**4.** 
$$\frac{2}{3} \div \frac{4}{7} =$$
 \_\_\_\_\_\_  $\frac{4}{9} \div \frac{1}{12} =$  \_\_\_\_\_  $\frac{2}{3} \div \frac{1}{8} =$  \_\_\_\_\_\_

$$3\frac{1}{2} \div \frac{5}{6} =$$

$$\frac{4}{9} \div \frac{1}{12} =$$
\_\_\_\_\_

$$2\frac{2}{3} \div 1\frac{1}{8} =$$

$$(-10) + (-7) =$$

$$(-6) + 12 =$$

$$(-45) + 9 =$$

$$(-4) - 3 =$$

$$(-3) - 9 =$$

### Mid-Test Chapters 1-4

Multiply or divide.

b

C

d

9. 
$$6 \times (-4) =$$

$$(-6) \times 5 =$$

10. 
$$35 \div (-5) =$$
 (-8)  $\div 4 =$  (-24)  $\div 4 =$  (-8)  $\div (-2) =$  (-8)

$$(-8) \div 4 =$$

$$(-8) \div (-2) =$$

Change each rational number into a decimal.

C

11. 
$$\frac{3}{5} =$$
  $\frac{7}{50} =$   $\frac{1}{111} =$ 

$$\frac{7}{50} =$$
\_\_\_\_\_

Evaluate the following expressions.

b

**12.** 
$$|-5| =$$
 \_\_\_\_\_  $|-3| =$  \_\_\_\_  $|32| =$  \_\_\_\_\_

$$-|46| =$$

Write yes or no to tell if each set of ratios is proportional.

13. 
$$\frac{5}{6}$$
,  $\frac{7}{8}$ 

$$\frac{4}{5}$$
,  $\frac{12}{15}$ 

$$\frac{6}{7}$$
,  $\frac{12}{14}$ 

$$\frac{1}{3}$$
,  $\frac{2}{5}$ 

14.  $\frac{7}{8}$ ,  $\frac{14}{16}$ 

$$\frac{9}{10}$$
,  $\frac{27}{30}$ 

$$\frac{2}{3}$$
,  $\frac{16}{25}$ 

Write the name of the property shown by each equation.

C

15. 
$$42 + 0 = 42$$

$$(7 \times 2) \times 5 = 7 \times (2 \times 5)$$
  $2 + 6 = 6 + 2$ 

$$2 + 6 = 6 + 2$$

# Mid-Test Chapters 1–4

Find the constant of proportionality for each set of values.

16.

х	3	6	9	12
У	4	8	12	16

b

x	2	6	8	10
У	7	21	28	35

17.

X	4	8	12	16
У		2	3	4

$$k = \underline{\hspace{1cm}}$$

Write each phrase as an expression, equation, or inequality.

18. six times a number is greater than 12 the product of three and the opposite of 4


19. the sum of 2 and the quotient of 45 and 9

the difference between 4 and 9


Solve each inequality and graph its solution.

20.

$$j \div 4 < -18$$



$$-5k \ge -20$$



**72** 

# CHAPTERS 1-4 MID-TEST

### Mid-Test Chapters 1–4

### **SHOW YOUR WORK**

Solve each problem.

**21.** A can of mixed nuts has 5 peanuts for every 2 cashews. There are 175 peanuts in the can. How many cashews are there?

There are cashews in the can.

**22.** A savings account pays  $4\frac{1}{2}$  % interest. How much interest will be earned on \$450 in 3 years? How much money will be in the account in 3 years?

The account will earn \_\_\_\_\_ in interest in 3 years.

There will be \_\_\_\_\_ in the account in 3 years.

- 23. The Kendalls make monthly deposits into their savings plan. In 7 months, they have deposited \$224. If they continue at this rate, how much will they have deposited in 12 months? The will have deposited \_\_\_\_\_\_.
- **24.** For a field trip, 6 students rode in cars and the rest filled 8 buses. How many students were in each bus if 326 students were on the trip?

Let s represent the number of students on each bus.

Equation:

There were \_\_\_\_\_\_ students on each bus.

21.

22.


23.

24.

Graph the points to determine if the relationship in the table is proportional.

**25.** 


X	4	6	2	7
У		3	4	8
	`			



Proportional?

Find the constant of proportionality.

26.



k =




### Check What You Know

### Geometry

Find the area of each figure.


a

l. <sub>2</sub>




\_\_\_\_\_ square yards

b



square centimeters


C



\_\_\_\_\_ square centimeters

Find the circumference and area of each circle. Use 3.14 for  $\pi$ .

2.



A = \_\_\_\_\_ square meters

 $C = \underline{\hspace{1cm}}$  meters

14 ft.

A = \_\_\_\_\_ square feet

C = feet


37 yd.

 $A = \underline{\hspace{1cm}}$  square yards

 $C = \underline{\hspace{1cm}}$  yards

Find the length of the missing side for the pair of similar triangles.


3.




25 30

Write ratios to determine if the sides are proportional. Then, write *similar* or *not similar*.

4.





Use the angles and side lengths given to create a triangle. Label the measurements on your drawing.

**5.** Angles: 60° and 100°

Side: 2 inches

Will the following measurements make a triangle? Circle *yes* or *no*.

**6.** 5 meters, 9 meters, 20 meters

yes

no




### Check What You Know

### Geometry


Find the volume of each figure.

$$s = 14$$
 in.

V =



C



$$V = in.^3$$

Tell what shape is created by each cross section.

8.








9.



Use the figure below to answer the questions.



- 10. Name an angle complementary to angle
- II. Name an angle supplementary to angle MOQ. \_\_\_\_\_

Solve each problem.

12. A scale drawing of a car is 3 inches to 12 inches. If the car is 48 inches high, how high is the drawing?

The drawing is \_\_\_\_\_ inches high.

13. On a map, each inch represents 25 miles. What is the length of a highway if it is 6 inches long on a map?

The highway is miles long.


14. Adam needs to wrap a package that is 11 inches long, 8.5 inches wide, and 6 inches high. What is the volume of the package?

The package's volume is \_\_\_\_\_\_ cubic inches.

- 12.
- 13.

# **Lesson 5.1** Scale Drawings

Two triangles are similar if their corresponding (matching) angles are congruent (have the same measure) and the lengths of their corresponding sides are proportional.




These triangles are similar. All the sides are proportional.

$$\frac{AB}{DF} = \frac{12}{8} = \frac{3}{2}$$

$$\frac{BC}{FF} = \frac{12}{8} = \frac{3}{2}$$

$$\frac{AB}{DE} = \frac{12}{8} = \frac{3}{2}$$
  $\frac{BC}{EF} = \frac{12}{8} = \frac{3}{2}$   $\frac{AC}{DF} = \frac{9}{6} = \frac{3}{2}$ 

The angle measures are congruent.



These triangles are not similar. The sides are not proportional. They do not all create the same ratio. The angle measures are not all congruent.


$$\frac{GH}{IK} = \frac{1}{3}$$


$$\frac{HI}{KL} = \frac{6}{5.86}$$

$$\frac{GH}{IK} = \frac{4}{3} \qquad \frac{HI}{KI} = \frac{6}{5.86} \qquad \frac{GI}{II} = \frac{5}{5} = \frac{1}{1}$$

For each pair of triangles, check that their sides are proportional. Circle similar or not similar.

Ι.






$$\frac{KL}{V'L'} = ----= ----$$

$$\frac{ML}{MU} = ---- = ----$$
 not similar

2.




12 m

$$\frac{PO}{P'O'} = ----=$$

$$\frac{NO}{NO} = ---- = ---$$
 not similar

3.



40 ft. 36 ft. 32 ft.

$$\frac{QR}{Q'R'} = ----= = ----$$

$$\frac{RS}{R'S'} = ---- = ----$$
 not similar

# **Lesson 5.1** Scale Drawings

When you know that two triangles are similar, you can use the ratio of the known lengths of the sides to figure the unknown length.

What is the length of EF?

$$\frac{AC}{DF} = \frac{BC}{EF}$$

$$\frac{4}{6} = \frac{12}{n}$$


Use a proportion.


$$4n = 72$$

12 ft.

$$n = 18$$

Cross multiply.





Find the length of the missing side for each pair of similar triangles. Label the side with its length.


Ι.






27 ft.

b




8 m

2.




18 ft.


16 m








3.







24 ft. 24 ft.


16 ft.

# Lesson 5.1 Scale Drawings

Two figures are **similar** if their corresponding angles are congruent and the lengths of their corresponding sides are proportional. Write a ratio to determine if the sides are proportional.









$$\frac{AB}{SR} = \frac{BC}{ST}$$
 ?  $\frac{1}{2} = \frac{2}{4}$ 


$$\frac{AB}{WX} = \frac{BC}{XY}$$
 ?  $\frac{1}{2} \neq \frac{2}{2}$ 


$$\frac{1}{2} \neq \frac{2}{2}$$


In the following figures, the angle marks indicate which angles are congruent. Use the measures given for the lengths of the sides. Write ratios to determine if the sides are proportional. Then, write similar or not similar for each pair of figures.













# **Lesson 5.2** Problem Solving

A scale drawing is a drawing of a real object in which all of the dimensions are proportional to the real object. A scale drawing can be larger or smaller than the object it represents. The **scale** is the ratio of the drawing size to the actual size of the object.

A drawing of a person has a scale of 2 inches = 1 foot. If the drawing is 11 inches high, how tall is the person?

$$\frac{2}{1} = \frac{11}{n}$$

 $\frac{2}{1} = \frac{11}{n}$  Write a proportion.

$$\frac{1 \times 11}{2} = n$$
 Solve for  $n$ .

$$5\frac{1}{2} = n$$

 $5\frac{1}{2} = n$  The person is  $5\frac{1}{2}$  feet tall.

**SHOW YOUR WORK** 

Solve each problem. Write a proportion in the space to the right.

1. A bridge is 440 yards long. A scale drawing has a ratio of I inch = I yard. How long is the drawing?

The drawing is \_\_\_\_\_ inches long.

2. A map of the county uses a scale of 2 inches = 19 miles. If the county is 76 miles wide, how wide is the map?

The map is \_\_\_\_\_ inches wide.

3. A picture of a goldfish has a scale of 8 centimeters to 3 centimeters. If the actual goldfish is 12 centimeters long, how long is the drawing?

The drawing is \_\_\_\_\_ centimeters long.

4. An architect made a scale drawing of a house to be built. The scale is 2 inches to 3 feet. The house in the drawing is 24 inches tall. How tall is the actual house?

The actual house is \_\_\_\_\_\_ feet tall.

2.

3.

### **Lesson 5.2** Problem Solving

**SHOW YOUR WORK** 

Solve each problem. Write a proportion in the space to the right.

1. On an architect's blueprint, the front of a building measures 27 inches. The scale of the blueprint is I inch = 2 feet. How wide will the front of the actual building be?

The building will be \_\_\_\_\_ feet wide.

2. The model of an airplane has a wingspan of 20 inches. The model has a scale of 1 inch = 4 feet. What is the wingspan of the actual airplane?

The wingspan is \_\_\_\_\_ feet.

**3.** A picture of a car uses a scale of 1 inch =  $\frac{1}{2}$  foot. The actual car is  $8\frac{1}{2}$  feet wide. How wide will the drawing of the car be?

The drawing will be \_\_\_\_\_ inches wide.

**4.** On a map, two cities are  $4\frac{1}{4}$  inches apart. The scale of the map is  $\frac{1}{2}$  inch = 3 miles. What is the actual distance between the towns?

The actual distance is \_\_\_\_\_ miles.

5. Marisa is making a scale drawing of her house. Her house is 49 feet wide. On her drawing, the house is 7 inches wide. What is the scale of Marisa's drawing?

The scale is .

6. The bed of Jeff's pick-up truck is 8 feet long. On a scale model of his truck, the bed is 10 inches long. What is the scale of the model?

The scale is \_\_\_\_\_\_.

Ι.

2.

3.

4.

5.

6.

80

### **Lesson 5.3** Drawing Geometric Shapes: Triangles


When given two angle measures and one side length, a protractor and ruler can be used to create a triangle.

Draw a triangle that has angles of 30° and 80° and a side between them of two inches.

**Step 1:** Use a ruler to draw a line that is 2 inches.

- **Step 2:** Use a protractor to draw a line that creates the desired angle with the first line (30°).
- **Step 3:** Use the protractor to measure the 2<sup>nd</sup> known angle from the other end of your original line.

**Step 4:** Label the triangle.



Use the angles and side lengths given to create triangles. Label the measurements on your drawing.

a

angles: 50° and 55°

side: I inch

b

angles: 120° and 30°

side: 2 cm

**2.** angles: 75° and 40°

side: 3 inches

angles:  $60^{\circ}$  and  $100^{\circ}$ 

side: 2 inches

### **Lesson 5.3** Drawing Geometric Shapes: Triangles

When given the length of two sides and the measure of an angle that is not between the sides, a triangle can be drawn.

Draw a triangle that has sides of 2 inches and  $1\frac{1}{2}$  inches and a non-included angle of 45°.

**Step I:** Draw a line of any length.


**Step 2:** Use a protractor to draw a 2-inch line that creates the desired angle with the

first line (45°).

**Step 3:** Use a compass set at  $1\frac{1}{2}$  inches to find where the third line will intersect the base.

**Step 4:** Label the triangle.

Ι.



Use the angles and side lengths given to create triangles. Label the measurements on your drawing.

anale: 50°

sides: I inch and 2 inches

angle: 140°

sides: 3 cm and 4 cm

angle: 85° 2.

sides: 2 inches and 4 inches

angle: 100°

sides: 2 cm and 5 cm

82


# Lesson 5.3 Drawing Geometric Shapes: Triangles

When given the lengths of three line segments, determine if the segments make a triangle by examining their relationship. Each pair of sides added together must be greater than the remaining side.

$$a + b > c$$

$$a + c > b$$

$$b + c > a$$



$$4 + 2 > 3$$

$$4 + 3 > 2$$

Because the measurements follow the rules, the side lengths make a triangle.

Using the given lengths, determine if they will make a triangle. Circle yes or no.

C

- I. Side I: 5 inches
  - Side 2: 3 inches
  - Side 3: 2 inches
  - yes no
- 2. Side I: 5 centimeters
  - Side 2: 8 centimeters
  - Side 3: 20 centimeters
  - yes no
- 3. Side 1: 4 millimeters
  - Side 2: 9 millimeters
  - Side 3: 9 millimeters
  - yes no
- 4. Side 1: 3 centimeters
  - Side 2: 3 centimeters
  - Side 3: 10 centimeters
  - yes no


b

- Side 1: 3 feet
- Side 2: 8 feet
- Side 3: 7 feet
- yes no
- Side 1: 5 meters
- Side 2: 9 meters
- Side 3: 20 meters
- yes no
- Side 1: 4 inches
- Side 2: 4 inches
- Side 3: 7 inches
- yes no
- Side 1: 4 yards
- Side 2: 8 yards
- Side 3: 6 yards
- yes no

- C
- Side 1: 10 inches
- Side 2: 4 inches
- Side 3: 12 inches
- yes no
- Side 1: 10 inches
- Side 2: 10 inches
- Side 3: 19 inches
- yes no
- Side 1: 7 centimeters
- Side 2: 5 centimeters
- Side 3: 14 centimeters
- yes no
- Side 1: 2 meters
- Side 2: 3 meters
- Side 3: 4 meters
- yes no

### **Lesson 5.4** Cross Sections of 3-Dimensional Figures

A cross section of a 3-dimensional figure is the place where a plane cuts through the figure. The shape and size of the cross section depends on where the plane slices the figure.



When the plane intersects a rectangular prism at a right angle, another rectangle is created.





When the plane intersects a rectangular prism at an angle, it will create a quadrilateral, but not necessarily a rectangle.

Name the shape that is created by the cross section.


١.









2.




3.






84

# **Lesson 5.4** Cross Sections of 3-Dimensional Figures




When the plane intersects a square pyramid parallel to the base, a square is created.




When the plane intersects a square pyramid at a 90° angle to the base, a triangle is created.

Tell what shape is created by the cross section.


١.




2.





3.



b








### Lesson 5.5 Circles: Circumference

A **circle** is a set of infinite points that are all the same distance from a given point, called the **center**. The perimeter of a circle is called the **circumference**. The **diameter** is a segment that passes through the center of the circle and has both endpoints on the circle. The **radius** is a segment that has as its endpoints the circle and the center. The relationship between the circumference (C) and the diameter (d) is  $C \div d = \pi$ . Pi ( $\pi$ ) is approximately  $3\frac{1}{7}$  or 3.14. To find the circumference, diameter, or radius of a circle, use the formulas  $C = \pi \times d$  or  $C = 2 \times \pi \times r$ .



Complete the table. Use 3.14 for  $\pi$ .

a

b

C

	•	1	r.	•	•	
	Dian	neter	Rac	lius	Circumf	erence
ı.		_ feet		_ feet	4.71 feet	
2.	3.5 meters			_ meters		_ meters
3.		_ inches	3.25 inches			inches
4.		_ yards		_ yards	26.69 yards	
5.	7.5 centimeter	rs		_ centimeters		. centimeters
6.		_ inches	15 inches			inches
<b>7.</b>		_ meters		_ meters	7.85 meters	
8.	5 kilometers			kilometers		kilometers
9.		_ feet		_ feet	31.4 feet	
10.		_ centimeters	45 centimeters	S		centimeters

yards

miles

86

4 yards

miles

\_ yards

9.42 miles

### Lesson 5.5 Circles: Circumference

Complete the chart for each circle described below. Use 3.14 for  $\pi$ . When necessary, round to the nearest hundredth.

-	
	7
•	з.

### Radius

### 2 m

Ι.

8. 
$$3\frac{1}{2}$$
 ft.

### **Diameter**

18 cm

\_\_\_\_\_ ft.

13 cm

### Circumference

### Lesson 5.5 Circles: Circumference

Find the circumference for each circle below. Use 3.14 for  $\pi$ . When necessary, round to the nearest hundredth.

a

ı.



\_\_\_\_\_ m

2.



km

3.



\_\_\_\_\_ yd.

4.



\_\_\_\_\_ m

5.



\_\_\_\_\_ cm

6.



\_\_\_\_ mi.

b




\_\_\_\_\_ cm



ft.




\_\_\_\_ cm



cm



\_\_\_\_\_ in.



\_\_\_\_\_ yd.

C



\_\_\_\_\_ in.



\_\_\_\_\_ m



\_\_\_\_\_ mm



in.



ft.




\_\_\_\_\_ m

### Lesson 5.6 Circles: Area

To find the area of a circle, use the formula  $A = \pi \times r^2$ . Remember, the radius (r) is half the diameter. It is the distance from the center of the circle to its outer edge.


Find the area of each circle below. Use 3.14 for  $\pi$ . Round your answer to the nearest tenth.

١.



\_\_\_\_\_sauare feet

b




\_\_\_\_\_ square meters

C



\_\_\_\_\_ square centimeters


2.



\_\_\_\_\_ square yards



\_\_\_\_\_ square kilometers



\_\_\_\_\_ square inches

Complete the chart for each circle described below. Use 3.14 for  $\pi$ . When necessary, round to the nearest tenth.

**Diameter** 

### **Radius**

Area

- **3.** \_\_\_\_\_ inches
- 3 inches

\_\_\_\_\_ square inches

**4.** 18 feet

- \_\_\_\_\_ feet
- \_\_\_\_\_ square feet

- **5.** 17 meters
- \_\_\_\_\_ meters
- \_\_\_\_\_\_ square meters

- 6. \_\_\_\_\_ centimeters
- 32 centimeters
- \_\_\_\_\_ square centimeters

### Lesson 5.6 Circles: Area

Complete the chart for each circle described below. Use 3.14 for  $\pi$ . When necessary, round to the nearest hundredth.

C

R	ac	liı	JS

4 in.

**2.** ft

**3.** 1.5 m

١.

**4.** | | | in.

**5.** km

**6.** 90 mm

**7.** 5 ft.

**8.** \_\_\_\_\_ in.

**9.** \_\_\_\_\_ cm

**10.** \_\_\_\_\_ m

11. 3 cm

12. 12 in.

**13.** \_\_\_\_\_ km

14. 9 m

**15.** \_\_\_\_\_ cm

b

**Diameter** 

\_\_\_\_\_ in.

12 ft.

\_\_\_\_\_ m

\_\_\_\_\_ in.

0.8 km

\_\_\_\_\_ mm

\_\_\_\_\_ ft.

9 in.

8.2 cm

II m

\_\_\_\_\_ cm

\_\_\_\_\_ in.

28 km

\_\_\_\_\_ m

22 cm

C

Area

\_\_\_\_\_ in.<sup>2</sup>

\_\_\_\_\_ km<sup>2</sup>

\_\_\_\_\_ mm<sup>2</sup>

\_\_\_\_\_ 11.

\_\_\_\_\_ in.<sup>2</sup>

 $\underline{\hspace{1cm}}$  cm<sup>2</sup>

\_\_\_\_\_ m<sup>2</sup>

\_\_\_\_\_ cm<sup>2</sup>

\_\_\_\_\_ in.<sup>2</sup>

\_\_\_\_\_ km<sup>2</sup>

\_\_\_\_\_ m<sup>2</sup>

\_\_\_\_\_ cm<sup>2</sup>

### Lesson 5.6 Circles: Area

Find the area for each circle below. Use 3.14 for  $\pi$ . When necessary, round to the nearest hundredth.

a

ı.



\_\_\_\_\_ m<sup>2</sup>

2.



\_\_\_\_ km<sup>2</sup>

3.



\_\_\_\_\_ yd.<sup>2</sup>

4.



 $_{---}$  m<sup>2</sup>

**5.** 



 $\_\_\_$  cm<sup>2</sup>

6.



\_\_\_\_\_ mi.<sup>2</sup>

b




 $\_\_\_$  cm<sup>2</sup>



\_\_\_\_\_ft.<sup>2</sup>




 $\_\_\_$  cm $^2$ 



 $\_\_\_$  cm $^2$ 



in.<sup>2</sup>



\_\_\_\_\_ yd.<sup>2</sup>


C



\_\_\_\_\_ in.<sup>2</sup>



 $_{\rm m}^2$ 




\_\_\_\_\_ mm<sup>2</sup>



in.<sup>2</sup>



\_\_\_\_\_ ft.<sup>2</sup>



\_\_\_\_\_ m<sup>2</sup>

# **Lesson 5.7** Angle Relationships


When two lines intersect, they form angles that have special relationships.

**Vertical** angles are opposite angles that have the same measure.


**Supplementary** angles are two angles whose measures have a sum of 180°.

**Complementary** angles are two angles whose measures have a sum of 90°.

A **bisector** divides an angle into two angles of equal measure.



∠ABC and ∠DBE are vertical. ∠ABD and ∠DBE are supplementary.




 $\angle WXZ$  and  $\angle ZXY$  are complementary.

 $\overrightarrow{XZ}$  is the bisector of  $\angle WXY$ .


Identify each pair of angles as supplementary or vertical.

- I.  $\angle AGB$  and  $\angle HGE$
- 2. ∠BGE and ∠HGE
- **3.**  $\angle GEC$  and  $\angle CED$
- **4.** ∠GEC and ∠DEF
- 5. ∠AGH and ∠BGE
- **6.** ∠*GEF* and ∠*DEF* \_\_\_\_\_



### Solve each problem.


- **7.**  $\angle A$  and  $\angle G$  are vertical angles. The measure of  $\angle A$  is 72°. What is the measure of  $\angle G$ ?
- **8.**  $\angle Y$  and  $\angle Z$  are supplementary angles. The measure of  $\angle Y$  is 112°. What is the measure of  $\angle Z$ ?
- **9.**  $\angle A$  and  $\angle B$  are complementary angles. The measure of  $\angle A$  is 53°. What is the measure of  $\angle B$ ?
- 10.  $\angle RST$  is bisected by ray SW. The measure of  $\angle WST$  is 30°, what is the measure of  $\angle RST$ ?



# Lesson 5.7 Angle Relationships


Use the figure at the right to answer questions 1-6.

- I. Name an angle that is vertical to ∠EHF.
- 2. Name an angle that is vertical to ∠EHM.
- 3. Name an angle that is supplementary to ∠IMJ.
- 4. Name the bisector of ∠HMK.
- 5. Name an angle that is vertical to \(\triangle JMK. \)
- 6. Name an angle that is supplementary to ∠JMK.



Use the figure at the right to answer questions 7–10.

- 7. Name an angle complementary to ∠BFC. \_\_\_\_\_
- 8. Name an angle complementary to  $\angle AFG$ .
- 9. Name an angle that is supplementary to ∠CFD. \_\_\_\_\_
- 10. Name an angle that is supplementary to ∠GFE.



Solve.

**11.**  $\angle RST$  is supplementary to angle  $\angle PSO$ . The measure of  $\angle RST$  is 103°.

What is the measure of ∠PSO? \_\_\_\_\_

**12.**  $\angle MNO$  and  $\angle NOP$  are complementary. The measure of  $\angle NOP$  is 22°.

What is the measure of  $\angle MNO$ ?

**13.**  $\angle XYZ$  is bisected by  $\overrightarrow{YW}$ . The measure of  $\angle XYW$  is 52°.

What is the measure of  $\angle WYZ$ ? What is the measure of  $\angle XYZ$ ?

The measure of  $\angle WYZ$  is \_\_\_\_\_\_. The measure of  $\angle XYZ$  is \_\_\_\_\_.


**14.**  $\angle BCD$  is bisected by  $\overrightarrow{CE}$ . The measure of  $\angle DCE$  is 79°.


What is the measure of  $\angle BCE$ ? What is the measure of  $\angle BCD$ ?

The measure of  $\angle BCE$  is \_\_\_\_\_\_. The measure of  $\angle BCD$  is \_\_\_\_\_\_.

# **Lesson 5.7** Angle Relationships

Use 3 letters to name each angle in the figures below.





I. Which pairs of angles are complementary?

2. Which pairs of angles are supplementary?

3. Which pairs of angles are vertical angles?

- 4. Name a point on an angle bisector.
- 5. Which angle does the angle bisector named in question 4 bisect?

Mark the right angles on the figures above. Then, solve each problem.

6. If ∠DBE measures 39°, what does ∠FBE measure? \_\_\_\_\_

**7.** If  $\angle HU$  measures 45°, what does  $\angle KU$  measure? \_\_\_\_\_

**8.** If  $\angle IIH$  measures 135°, what does  $\angle KIJ$  measure? \_\_\_\_\_

9. If ∠CBE measures 131°, what does ∠DBE measure? \_\_\_\_\_


**10.** If  $\angle ABD$  measures 149°, what does  $\angle ABC$  measure? \_\_\_\_\_

94


### Lesson 5.8 Problem Solving

Use angle relationships to solve the problems.


**I.** Find the measure of angle z.




**2.** Find the measure of angle r.




3. Find the measure of angle s.




**4.** Find the measure of angle w.



**5.** Find the measure of angle p.



**6.** Find the measure of angle g.



١.

2.

3.

4.

5

# Lesson 5.9 Area: Rectangles

The **area** of a figure is the number of square units inside that figure. Area is expressed in **square** units or units<sup>2</sup>.

The area of a rectangle is the product of its length and its width.

$$5 \text{ cm}$$

$$A = \ell \times w$$

$$A = 5 \times 10 = 50 \text{ cm}^2$$

$$A = 5 \times 5$$

5 cm 
$$A = 5 \times 5$$

$$A = 5 \times 5 \text{ or } 5^2$$

$$A = 25 \text{ cm}^2$$

If you know the area of a rectangle and either its length or its width, you can determine the unknown measure.

$$A = 24 \text{ m}^{2}$$

$$A = 24 \text{ m}^{2}$$

$$A = 6 \times w$$

$$\frac{24}{6} = \frac{6w}{6}$$


$$4 = w$$

The width is 4 meters.

Find the unknown measure for each rectangle.


١.

a



$$area = cm^2$$

b



$$area = m^2$$

C



$$area = in.^2$$

2.


$$A = 150 \text{ ft.}^2$$
 10 ft.

$$length = ft.$$

$$A = 72 \text{ m}^2$$

$$\mathsf{width} = \mathsf{m}$$

$$area = in.^2$$



$$A = 62.5 \text{ ft.}^2$$
 5 ft.

$$length = ft.$$


$$A = 121 \text{ m}^2$$

$$side = m$$

# Lesson 5.10 Area: Triangles

To find the area of a triangle, find  $\frac{1}{2}$  the product of the measure of its base and its height.

$$A = \frac{1}{2} \times b \times h$$



b = 6 in. and h = 8 in.


Find A.

$$A = \frac{1}{2} \times b \times h$$

$$A = \frac{1}{2} \times 6 \times 8$$

$$A = 24 \text{ in.}^2$$


The height is the distance from the base to the highest point on the triangle, using a line perpendicular to the base.




Find the area of each triangle.

base


١.




$$area = m^2$$




$$area = ft.^2$$




2.




$$area = cm^2$$




$$area = m^2$$




$$area = cm^2$$



$$area = ft.^2$$






$$area = cm^2$$

# Lesson 5.11 Volume: Rectangular Prisms

**Volume** is the amount of space a solid (three-dimensional) figure occupies. You can calculate the volume of a rectangular solid by multiplying the area of its base by its height: V = Bh.



The area of the base is found by multiplying length and width.  $B = \ell \times w$ , so the volume can be found by using the formula  $V = \ell \times w \times h$ .

If  $\ell = 10$  m, w = 11 m, and h = 7 m, what is the volume of the solid?


$$V = 10 \times 11 \times 7$$
  $V = 770 \text{ m}^3 \text{ or } 770 \text{ cubic meters.}$ 

Because the measure is in 3 dimensions, it is measured in **cubic units** or **units**<sup>3</sup>.

Find the volume of each rectangular solid.


ı.

a




$$V = cm^{\circ}$$

b




$$V = \text{mm}^3$$

C




$$V = cm^3$$


2.




$$V = ft.$$




$$V = in.$$




$$V = ft.^3$$



$$V = m^3$$




$$V = in.$$



$$V =$$
 m<sup>3</sup>

# Lesson 5.12 Volume: Pyramids


**Volume** is the amount of space a solid figure occupies. The **volume of a pyramid** is calculated as  $\frac{1}{3}$  base  $\times$  height. This is because a pyramid occupies  $\frac{1}{3}$  of the volume of a rectangular



prism of the same height. Because the base of a square pyramid is square,  $B = s^2$ .

So,  $V = \frac{1}{3}Bh$  or  $\frac{1}{3}s^2h$ . Volume is given in **cubic units**, or **units**<sup>3</sup>.

If s = 10 cm and h = 9 cm, what is the volume?




$$V = \frac{1}{3}s^2h$$
  $V = \frac{1}{3}10^2 \times 9$   $V = \frac{900}{3}$   $V = 300 \text{ cm}^3$ 

If you do not know the height but you do know the slant height or **length** of a triangle, you can use the Pythagorean Theorem to find the height.  $a = \frac{1}{2}$  of the side length, b = the height of the pyramid, c = length


If s = 6 m and  $\ell = 5$  m, what is h?  $a^2 + b^2 = c^2$   $3^2 + b^2 = 25$  m  $b^2 = 16$ 

Find the volume of each pyramid. Round answers to the nearest hundredth.


ı.



b




C




$$V = \text{ft.}^3$$

$$/ = in.^3$$


2.



$$V = m^3$$




$$V = cm^3$$




$$V = in.^3$$


3.



 $V = \text{ft.}^3$ 



$$V = m$$



$$V = \text{cm}^3$$


### Lesson 5.13 Problem Solving

Solve each problem.

I. On a map, each centimeter represents 45 kilometers. Two towns are 135 kilometers apart. What is the distance between the towns on the map?


The towns are \_\_\_\_\_ centimeters apart on the map.

2. This hotel lobby is being carpeted. Each unit length represents I yard. Carpet costs \$22.50 per square yard. How much will it cost to carpet the room?



It will cost \_\_\_\_\_\_ to carpet the hotel lobby.

3. Hal is going to put tiles down for his patio. Each unit represents I square foot. If he wants this shape and tiles cost \$3.15 per square foot, how much will Hal end up spending for his patio?



Hal will spend to tile his patio.

**4.** A scale drawing shows a room as 10 cm by 7 cm. The scale of the drawing is 2 cm = 5 m. What is the actual area of the room?

The room is \_\_\_\_\_\_ square meters.

5. A circular rug is 8 feet in diameter. What is its area?

The rug's area is \_\_\_\_\_\_square feet.

Ι.

2.

3.

4.


### Lesson 5.13 Problem Solving

Solve each problem.

I. Shawn built a fort in his yard that is 6 feet tall and 6 feet long on all sides. He wants to paint the inside of it (walls, ceiling, and floor). If each bucket of paint will cover 300 square feet, how many buckets of paint should Shawn buy?

Shawn will need to buy \_\_\_\_\_\_bucket of paint.

**2.** Find the surface area of this figure.



The surface area is \_\_\_\_\_\_ square meters.

**3.** Rita builds a pool in her backyard. The pool measures 60 feet long, 32 feet wide, and 8 feet deep. How much water will fit in the pool?

\_\_\_\_ cubic feet of water will fit in the pool.

**4.** Carrie bought a gift that is inside a box that is 3 feet by 2 feet by 3 feet. How much wrapping paper is needed to cover the box?

Carrie needs \_\_\_\_\_ square feet of wrapping paper.

5. The rectangular top of a table is twice as long as it is wide. Its width is 1<sup>1</sup>/<sub>4</sub> meters. What is the area of the tabletop?

The tabletop is \_\_\_\_\_\_ square meters.

6. Ian bought enough carpet to cover 500 square feet. He wants to cover a room that is 10 feet 5 inches long by 9 feet 7 inches. About how much will he have left over for the rest of the house?

Ian will have about \_\_\_\_\_ square feet left over.

I.

2.

3.

4.

5.

### **Lesson 5.13** Problem Solving

**SHOW YOUR WORK** 

Solve each problem.

I. A cereal box is shaped like a rectangular prism with a height of 14 in., length of 8 in., and width of 3 in. How much cereal will fit in the box?

cubic inches of cereal will fit in the box?

2. Mr. and Mrs. Hastings are adding a basement to their house. The basement will be 40 feet by 25 feet by 10 feet. How much dirt will have to be removed from under the house to make room for the construction?

cubic feet of dirt will have to be removed.

3. Jonas is going to have a square cake for his birthday. The cake will be made with two layers that measure 12 inches by 12 inches by  $1\frac{1}{2}$  inches. How much icing will be needed to cover the cake, including putting icing between the layers?

Jonas will need \_\_\_\_\_\_ square inches of icing.

4. The glass for a picture frame that is 10 inches by 12 inches has broken. A new piece of glass costs \$0.35 per square inch. How much will a new piece of glass cost?

The glass will cost

5. An Olympic-size swimming pool measures 50 meters by 15 meters. What size pool cover will be needed to cover the pool for the winter?

A pool cover that is square meters will be needed.

6. Ebony built a model of an Egyptian pyramid. Her model measures 0.5 meters along the bottom of one side and 0.3 meters tall. What is the volume of her pyramid?

Ebony's pyramid has a volume of \_\_\_\_\_ cubic meters.

2.

3.

4.

5.






### Check What You Learned

### Geometry

Find the area of each figure.

ı.




square meters



square feet

C



square meters

Find the area and circumference of each circle. Use 3.14 for  $\pi$ . Round to the nearest hundredth.

2.



A = square meters

C = meters



A = \_\_\_\_\_ square centimeters A = \_\_\_\_ square feet


C = \_\_\_\_\_ centimeters



C = feet

Find the length of the missing side for the pair of similar triangles.

3.



20 16 12

Write ratios to determine if the sides are proportional. Then, write similar or not similar.





Use the angle and side lengths given to create a triangle. Label the measurements on your drawing.

**5.** angle: 85°

sides: 2 inches and 4 inches

Will the following measurements make a triangle? Circle yes or no.

**6.** 7 centimeters, 5 centimeters, 14 centimeters

yes no




### Check What You Learned


### Geometry

Use the figure to the right to complete the following.


- 7. Which two lines are parallel?
- **8.** If  $\angle 11$  is 70°, what is the measure of  $\angle 10$ ?




Find the volume of each solid figure. Round answers to the nearest hundredth.



$$V = cm^3$$




$$V = m^3$$




$$V = in.^3$$

Name the shape that is created by the cross section.

10.





II. A rectangular parcel of land 121 yards long and 200 yards wide is for sale. A prospective buyer wants to know the area of the parcel of land. What is the area of this property?

The area of this property is \_\_\_\_\_ square yards.



**CHAPTER 6 PRETEST** 



### **Check What You Know**

### **Statistics**

Tell if each is an example of a sample or a population.

a

b

10 students' heights are measured

every student's time of arrival at school is recorded

\_\_\_\_

\_\_\_\_\_

2. every 5th water bottle is checked

a teacher records all students' test grades

\_\_\_\_\_

\_\_\_\_\_

Tell if each sample would be considered random or biased.

- 3. Felicia wants to know what middle school students' favorite sports are. She asks 20 people leaving a football game.
- **4.** Mr. Walsh puts every 7<sup>th</sup> grader's name into a jar. He shakes the jar and pulls out 4 students' names.

Complete the following items based on the data set below.

Joe records the daily high temperature every other day for one month. This is the information he collects about the daily high temperature in Fahrenheit:

5. Create a stem-and-leaf plot for the data.

**6.** Find the mean, median, mode, and range of the data.

mean: \_\_\_\_\_

mode: \_\_\_\_\_

median:

range:



### Check What You Know

### **Statistics**

Continue using the data set below to answer the questions.

Joe records the daily high temperature every other day for one month. This is the information he collects about the daily high temperature in Fahrenheit:

66, 68, 72, 79, 67, 82, 73, 85, 68, 81, 73, 82, 69, 73, 74

- 7. How many days from the sample were above 70 degrees?
- 8. What percentage of days from the sample were 69 degrees or less?
- 9. Based on a 30-day month, how many days were most likely above 80 degrees? \_\_\_\_\_

Use the two data sets below to answer the questions.

Juanita gathered information about the sizes of oranges and grapefruits. She chose 10 of each from the grocery store to weigh.

Weight of oranges (oz.)	Weight of grapefruits (oz.)
7.0, 7.5, 7.2, 6.5, 7.8, 7.3, 7.4, 7.7, 7.5, 7.2	10.2, 8.9, 9.4, 9.5, 10.0, 8.9, 9.2, 9.6, 10.1, 9.6

b

10. Draw a histogram for each set of data.

11. Find the measures of center and range for each set of data.

mean: \_\_\_\_\_

median:

median:

mode: \_\_\_\_\_

mode: \_\_\_\_\_

12. Tell one way the data sets are alike and one way they are different.

alike:

different:

## Lesson 6.1 Sampling

When a **population**, or data set, has a very large number of data points, sampling can be used to help summarize the data set.

To be sure that the description of the population is correct, **random sampling** should be used. If a summary is made based on **biased sampling**, the description of the population will not be accurate.

Diana is trying to find out what kind of music 7<sup>th</sup> graders prefer. If she was to interview the first 60 seventh graders to arrive at school one morning, she would be using random sampling because school arrival time has nothing to do with taste in music. If she was to interview 60 7<sup>th</sup> graders who are taking band, or who are at a concert for a specific band, she would be using biased sampling because both of those factors can affect someone's taste in music.

Tell if each sample would be considered random or biased.

- 1. Charlie puts a deck of cards in a bag. He shakes the bag and pulls 4 cards out of the bag.
- 2. Nicole wanted to know what 6<sup>th</sup> graders' favorite movie of the year was. She asked 10 girls from her homeroom class.
- 3. A garden has 100 pepper plants. John wants to know the number of peppers that are on each of the plants. He counts the number of peppers on the plants in one of the outside rows.
- **4.** Ben wants to know what time most  $7^{th}$  graders get on the bus in the morning. He surveys five students from each bus.
- 5. Anna wants to know how much middle school students weigh. She weighs I student from each homeroom.
- **6.** Jordan wants to know which restaurant makes the best burger in town. He stands on a block between two different burger restaurants at dinner time and asks the first 25 people that walk by.

# Lesson 6.1 Sampling

When sampling a data set, there are several approaches that can be used to create a random sample.

Types of Random Samples		
Simple Random Sample	A sample is chosen that is as random as any other sample that could have been chosen.	
Stratified Random Sample	The data set is divided into similar groups that do not overlap. Then, a sample is chosen from each group.	
Systematic Random Sample	The sample is chosen starting from a specific point and continuing for a chosen interval.	

There are also different ways of creating a biased sample.

Types of Biased Samples	
Convenience Sample	The sample is made up of data points that are easy to access instead of making an effort to gather a larger, more diverse sample.
Voluntary Response Sample	The data set is made up information from people who volunteered to participate. Volunteers are often biased toward one outcome.

Name the type of sampling used in each situation.

- 1. At a factory, every 100<sup>th</sup> piece is taken off the assembly line to be inspected.
- 2. A reporter for the school newspaper asks 10 students in the cafeteria who would make the best student council president.
- 3. Your math teacher calls on every 3<sup>rd</sup> name alphabetically to answer questions.
- **4.** 15 students from your school get to represent your school at a news conference. Everybody's names are put in a box by grade level and 5 names are drawn from each box.
- 5. Shana announces to her class that she wants to know which new movie is their favorite. She calls on the first 10 people to raise their hands.


108

# Lesson 6.2 Drawing Inferences from Data

Data sets from random samples can be used to make inferences about the data from the population.

Billy is collecting information on how long his classmates spend studying each week. He talks to 11 different students from his class of 29 and collects the information show on the histogram below.

**Number of Students** 



The following information can be determined using this data:

- 4 students spend 11-15 hours each week studying.
- 4 out of 11 is 36.36% of the sample.
- 36.36% of 29 is 10.54.

Count


 This means that it is most likely that 10 or 11 students in Billy's class spend 11-15 hours each week studying.

Use the data below to make inferences and answer the questions.

This histogram shows the test scores from a sample of 30 students. There are 125 students in the  $7^{th}$  grade.

- I. How many students from the sample scored between 70 and 80 on the test?
- 2. What percentage of students from the sample scored between 70 and 80 on the test?
- **3.** Predict how many students in the 7<sup>th</sup> grade scored between 70 and 80 on the test.

Test Scores of Students



- 4. What percentage of students from the sample scored between 90 and 100 on the test?
- **5.** Based on the percentage of students from the sample who scored between 90 and 100 on the test, how many students in 7<sup>th</sup> grade scored between 90 and 100?
- **6.** If there were 150 students in 7<sup>th</sup> grade, how many students would have scored between 60 and 70 on the test?

### Lesson 6.2 Drawing Inferences from Data

The coach of the Wilson High School baseball team is collecting information about how well his pitchers are performing. He keeps data about every third game.

	Walks	Hits	Strikeouts
Game 3	2	I	4
Game 6		2	3
Game 9	0	I	4
Game 12	0	4	6
Game 15	3	5	I
Game 18	3	4	2
Game 21	2	6	4
Game 24	4	5	6
Game 27	2	4	4
Game 30	I	4	2

The following information can be inferred using this data:

- Pitchers struck out 4 hitters in 4 games from the sample.
- 40% of the sample games had 4 strikeouts.
- It is most likely that there were 4 strikeouts in about 12 of the 30 games.

Use the data above to answer the questions.

I. What percentage of the sample games had no walks?

\_\_\_\_\_

2. How many total hits were given up in the sample?

\_\_\_\_\_

3. What would be a realistic prediction about the number of total hits in 30 games?

\_\_\_\_\_

4. How many out of the 30 games were most likely to have had 5 or more hits?

\_\_\_\_\_

5. What percentage of the sample games had 2 walks?

\_\_\_\_\_

6. What would be a realistic prediction about the number of total games that had 2 walks?

\_\_\_\_\_

110

### Lesson 6.2 Drawing Inferences from Data

Dawn is trying to find out how many brothers and sisters teachers in her school have. There are 54 teachers at the school, and she talks to 18 teachers. This is the data she collects: 1, 1, 1, 2, 0, 1, 2, 0, 1, 2, 4, 0, 1, 2, 3, 4, 5, 9.

This is the information that can be inferred about the data Dawn collected:

- 2 out of the 18 teachers sampled have 4 siblings.
- 11.11% of the teachers sampled have 4 siblings.
- It is most likely that 5 or 6 teachers at the school have 4 siblings.

Use the data below to answer the questions.

Mrs. Jones is giving a science test and she is trying to make sure students are spending enough time studying for the test. She chooses 5 students from each of her four classes and asks how many hours they spent studying. She collects the following information:  $\frac{1}{2}$ ,  $1\frac{1}{2}$ , 3, 1, 2,  $3\frac{1}{2}$ , 1,  $1\frac{1}{2}$ ,  $1\frac{1}{2}$ , 2,  $3\frac{1}{2}$ , 2, 2,  $3\frac{1}{2}$ , 2, 2,  $3\frac{1}{2}$ , 3, 3.

- I. How many students were included in Mrs. Jones's sample?
- 2. If she has 25 students in each class, how many students are in her population?
- 3. What percentage of the sample spent 2 hours studying for the test?
- 4. Based on this sample, about how many students from all of the classes spent 2 hours studying for the test?
- **5.** Based on this sample, about how many students from all of the classes spent at least  $2\frac{1}{2}$  hours studying for the test?
- **6.** Based on this sample, about how many students from all of the classes spent less than 2 hours studying for the test?

# **Lesson 6.3** Reviewing Measures of Center

The **mean** is the average of a set of numbers. It is found by adding the set of numbers and then dividing by the number of addends.

The **median** is the middle number of a set of numbers that is ordered from least to greatest. When there is an even amount of numbers, it is the mean of the two middle numbers.

The **mode** is the number that appears most often in a set of numbers. There is no mode if all numbers appear the same number of times.

The **range** is the difference between the greatest and least numbers in the set.

Find the mean, median, mode, and range of the following set of numbers.

mean: 
$$34 + 32 + 39 + 33 + 37 + 36 + 39 + 38 = \frac{288}{8} = 36$$

Arrange the numbers from least to greatest to find median, mode, and range.

median: 
$$\frac{36+37}{2} = 36.5$$
 mode: 39 range:  $39-32=7$ 

Find the mean, median, mode, and range of the following sets of numbers.

**I.** 8, 6, 9, 11, 12, 4, 9, 10, 9, 2

mean:

median:

mode:

range:

152, 136, 171, 208, 193, 163, 124, 212, 216, 171

mean:

median:

mode:

range:

b

40.7, 23.1, 18.5, 43.6, 52.1, 50.9, 44.8, 23.1

mean:

median:

mode:

range:

349, 562.5, 612, 349, 187, 612, 530, 716.5, 349, 902

mean:

median:

mode:


range:


### **Lesson 6.4** Comparing Similar Data Sets

Two data sets with similar characteristics can be compared by examining their distribution and measures of center.

Basketball Players' Heights (in.)	Football Players' Heights (in.)
69, 70, 72, 73, 73, 73, 74, 75, 75, 76	65, 66, 68, 69, 69, 70, 70, 71, 72

Compare the two data sets by setting them up on a graph.





These data sets have a similar range, 7 for both. However, when we look at the data sets spread out along the same scale of measurement, we can see that basketball players are generally taller than football players. This can be verified by finding the mean height of basketball players (73 in.) and the mean height of football players (69 in.).

Examine the distributions and measures of center of the data sets below. Then, write 2 to 3 sentences that compare the sets. Make an inference based on the data.

1. Compare the calorie counts of 10 different menu items at popular fast food restaurants.

Restaurant I	Restaurant 2
550, 520, 610, 600, 540, 750, 250, 670, 510, 590	320, 410, 360, 410, 380, 370, 290, 310, 320, 230

2. Compare the scores of two different science classes on the same science test.

Class I	Class 2
78, 78, 78, 80, 85, 88, 90, 92, 100	85, 85, 90, 90, 92, 93, 95, 97, 97, 100

3. Compare the prices of 10 different items at a clothing store.

Store I		Store 2
\$10, \$43,	\$6, \$15, \$20, \$48, \$68, \$99, \$47, \$28	\$12, \$46, \$8, \$17, \$19, \$45, \$68, \$100, \$48, \$30

## **Lesson 6.4** Comparing Similar Data Sets

Examine the distributions and measures of center of the data sets below. Then, write 2 to 3 sentences that compare the sets. Make an inference based on the data.

1. Compare the word counts of 10 different pages from novels read in 5<sup>th</sup> grade and 8<sup>th</sup> grade.

5 <sup>th</sup> Grade Word Count	8 <sup>th</sup> Grade Word Count
255, 225, 260, 187, 260, 253, 252, 270, 255, 232	273, 275, 310, 255, 180, 265, 271, 273, 280, 305

\_\_\_\_\_\_

2. Compare the amounts of money two families donate to charity over I year.

Family I	Family 2
\$25, \$50, \$25, \$75, \$25, \$50, \$75, \$100, \$50,	\$50, \$100, \$75, \$100, \$500, \$75, \$200, \$50, \$50,
\$25, \$25, \$200	\$50, \$75 <i>,</i> \$200

**3.** Compare family sizes in New York City and the United States.

Family Size in New York City	Family Size in United States
1, 2, 3, 1, 1, 3, 2, 1, 4, 2	2, 3, 1, 5, 4, 3, 4, 2, 6, 4

**4.** Compare the number of books read over the summer in two different 7<sup>th</sup> grade homeroom classes.

Homeroom A	Homeroom B
5, 9, 10, 15, 4, 3, 0, 9, 6, 7, 1, 2, 5, 10	6, 5, 7, 4, 8, 9, 9, 5, 10, 12, 15, 3, 0, 6

5. Compare the amounts of eggs each farm collected over I year.

Farm I	Farm 2
21, 25, 24, 30, 20, 15, 18, 26, 15, 14, 17, 21	22, 23, 24, 22, 26, 21, 20, 19, 15, 20, 14, 21

114

# Lesson 6.5 Problem Solving with Data

When a scientific question is identified, data can be collected based on an experiment. Then, the data can be compared using statistics.

Maria wants to know how much time she should spend studying for a test. She asks 15 classmates how long they studied for their last tests and then asks them how they scored on their tests. Here is the information she gathered:

Studied 0–2 Hours	80, 82, 90, 94, 85, 78, 82, 84
Studied More than 2 Hours	92, 94, 96, 88, 85, 90, 98

Studied 0-2 Hours Studied More than

4			TOURS	
Stem	Leaf		Stem	Leaf
7	8		8	58 02468
8	02245		9	02468
9	0 4			

The mean score for the students who studied 0–2 hours is 84.38, and the mean for the students who studied 2 or more hours is 91.86. So, students who studied 2 or more hours had better results overall than students who studied 0–2 hours. For Maria to have the best possible result on her next test, she should study for 2 or more hours.

Analyze the data sets below to make an inference about the situation.

1. Robert wants to know how many hours of light are best for growing tomato plants. He plants 20 tomato plants that are all close together in height. He gives one group of 10 plants 4 hours of light every day and gives the other 10 plants 10 hours of light every day. He measures them at the end of 3 weeks to find out how much each plant has grown.

Growth for 4-hour plants (in.)	3, 5, 5, 6, 4, 6, 3, 4, 6, 4
Growth for 10-hour plants (in.)	9, 10, 12, 8, 10, 11, 9, 8, 8, 9

2. Cheri wants to find out how different activities affect tablet battery life. She tested 10 of the same tablet with full batteries. She had one group watch videos until the battery ran out. She had the other group play a game until the battery ran out. She measured how long it took each tablet battery to run out.

Battery life with videos (hr.)	5.4, 5.6, 6.0, 5.9, 5.6
Battery life with game (hr.)	7.6, 7.7, 7.7, 7.3, 7.4

# **Lesson 6.5** Problem Solving with Data

Analyze the data sets below to make an inference about the situation.

1. Samantha is on the track team and wonders if height plays a role in long-jump ability. She talked to 20 people at her last track meet to check their heights and see how far they jumped during the meet. Here is the data she collected:

Students who are 70 inches or taller (in.)	180, 161, 129, 115, 193, 154, 130, 109, 152, 160
Students who are less than 70 inches tall (in.)	165, 109, 129, 115, 150, 142, 136, 113, 121, 120

Inference:

2. Ms. Daniels is a math teacher and wonders if the amount of study time each night is related to how well students perform on final tests. She talked to 30 students in her math class to check their study times and compared that to their grades on the final math test. Here is the data she collected:

Less than an hour each night of study time	65, 75, 69, 81, 95, 62, 78, 84, 83, 55, 68, 75, 90, 68, 95
I to 3 hours each night of study time	85, 95, 94, 89, 91, 75, 65, 93, 92, 90, 84, 89, 78, 90, 92

Inference:

3. Ross is a fisherman and wonders if how many pounds of bait you bring on a fishing trip is related to how many fish you catch. He talked to 20 fishermen at his marina to record the amount of bait brought and the amount of fish caught. Here is the data he collected:

50 pounds or less bait	18, 20, 15, 15, 14, 20, 25, 17, 19, 10
51 pounds or more bait	17, 18, 22, 22, 14, 13, 16, 19, 15, 11

Inference:

116



#### Check What You Learned

#### **Statistics**

Use the following data set to complete the problems.

Cars Across the Bridge Per Day 93, 105, 92, 111, 98, 97, 108, 101, 112, 115, 96, 104, 103, 91, 97

I. Make a stem-and-leaf plot to represent the data.

2. Find the mean, median, mode, and range of the data.

mean: \_\_\_\_\_

mode: \_\_\_\_\_

median: \_\_\_\_\_

range: \_\_\_\_\_

- 3. How many days did over 100 cars cross the bridge?
- **4.** If the sample represents a 75-day time period, what is the most likely number of days that over 100 cars crossed the bridge in that time? \_\_\_\_\_\_
- 5. How many days did between 90 and 95 cars cross the bridge?
- 6. What percentage of the sample represents between 90 and 95 cars crossing the bridge?

Tell if each sample would be considered *random* or *biased*.

7. Lonnie wants to know where most people like to go on vacation.

He surveyed 20 people at a mountain town in Colorado.

8. Antonio wants to know what is the most popular type of book to read.

He surveyed 100 people coming out of a bookstore over a 3-day weekend.



#### Check What You Learned

#### **Statistics**

Use the data sets below to answer the questions.

Seven dogs and seven rabbits run around a track. Their times are listed below.

Dogs' Times (seconds)	Rabbits' Times (seconds)
6.3, 7.2, 6.5, 7.5, 7.1, 6.6, 6.4	5.4, 6.0, 5.6, 6.2, 4.9, 5.6, 6.2

b

9. Draw histograms to represent both sets of data.

10. Find the measures of center and range for both sets of data.

mean:

median: \_\_\_\_\_

median: \_\_\_\_\_\_

mode: \_\_\_\_\_

mode: \_\_\_\_\_

range:

II. How are the two data sets alike and different?

different: \_\_\_\_

12. Based on this data, what is the difference between these two animals?

Tell if each is an example of a sample or a population.

13. every 7<sup>th</sup> person's bag is checked at the airport all children under the age of 2



#### Check What You Know

#### Probability


Complete a frequency table using the following data.

**1.** Daily High Temperature (°F): 66, 68, 72, 79, 67, 82, 73, 85, 68, 81, 73, 82, 69, 73, 74

Temperature	Frequency	Cumulative Frequency	Relative Frequency
66°–70°			%
71°–75°			%
76°-80°			%
81°–85°			%

Use the spinner to determine the probability of the following events. Write your answer as a fraction in simplest form.

- 2. spinning a gray section \_\_\_\_\_
- **3.** spinning a 3 \_\_\_\_\_
- 4. spinning an even number \_\_\_\_\_
- **5.** spinning a 2 \_\_\_\_\_




Color or label the shapes below so that the event will have uniform probability.





a

b



**7.** 







#### **Check What You Know**

#### Probability

Solve the problems below.

8. A bag is full of marbles. There are 27 green marbles, 33 red marbles, and 12 blue marbles.

**a.** What is the probability of pulling out a red marble?

**b.** What color is least likely to be pulled out of the bag?

**9.** A spinner is split into 8 sections. Five sections are red, 2 sections are blue, and 1 section has a star on it.

**a.** What is the probability of landing on a blue section?

**b.** What is the probability of landing on a red section?

10. Monica's closet has 9 shirts, 5 pairs of pants, and 4 pairs of shoes. How many combinations of outfits can she make that contain all 3 pieces of clothing?

Monica can make \_\_\_\_\_ combinations of clothing.

#### Create a tree diagram and then answer the questions.

11. Pepi's Pizza has a choice of thin crust or thick crust. The available toppings are mushrooms, onions, pepperoni, and sausage. Make a tree diagram showing the possible outcomes for a 1-topping pizza.

12. How many possible outcomes are there?

\_\_\_\_

13. What is the probability that the pizza will have thin crust?

\_\_\_\_\_

14. What is the probability that the pizza will have onions?

\_\_\_\_

15. What is the probability that the pizza will be thick crust and have mushrooms?

# **Lesson 7.1** Understanding Probability

An **experiment** is an activity in which results are observed. Each round of an experiment is called a **trial**, and the result of a trial is called an **outcome**. A set of one ore more outcomes is an **event**.

The **probability** of an event is a measure of the likelihood that the event will occur. This measure ranges from 0 to 1 and can be written as a ratio, fraction, decimal, or percent. To calculate probability, you must first know the number of possible outcomes.

The possible outcomes when you roll a die are the following: 1, 2, 3, 4, 5, and 6.

Every outcome is equally likely.

There is no chance that you can roll a 7.

Answer each question below based on the experiment described.

a

b

I. You flip a coin.

Possible outcomes?

Outcomes equally likely? (Yes or no)

2. You roll a pair of dice and find the sum.

Possible outcomes?

An impossible outcome?

\_\_\_\_\_

3. A bowl contains 15 red marbles and 5 green marbles.

Possible outcomes?

Most likely outcome?

\_\_\_\_\_\_

4. Twenty names are written on slips of paper in a basket.

Possible outcomes?

Outcomes equally likely? (Yes or no)

\_\_\_\_\_

\_\_\_\_

# **Lesson 7.2** Frequency Tables

A **frequency table** shows how often an item, a number, or a range of numbers occurs. The **cumulative frequency** is the sum of all frequencies up to and including the current one. The **relative frequency** is the percentage of a specific frequency.

Make a frequency table for these test scores:

71, 85, 73, 92, 86, 79, 87, 98, 82, 93, 81, 89, 88, 96

Score	Frequency	Cumulative Frequency	Relative Frequency
71-75	2	2	14.3%
76–80		3	7.1%
81-85	3	6	21.4%
86–90	4	10	28.6%
91-95	2	12	14.3%
96-100	2	14	14.3%

Test Scores

Use the following data to complete the frequency table.

Cats' weights (in pounds):

9.4375, 11.375, 12.1875, 11.625, 8.625, 9.6875, 8.875, 12.5, 9.375, 10.25, 10.625, 12.0625, 11.875, 8.9375, 9.75, 10.1875, 10.125, 10.1875, 12.0, 9.125

#### Cats' Weights

Weight (in pounds)	Frequency	Cumulative Frequency	Relative Frequency
8.6-8.99			%
9–9.5			%
9.6-9.99			%
10-10.5			%
10.6-10.99			%
11-11.5			%
11.6-11.99			%
12-12.5			%

Answer the following questions about the frequency table above.

- 2. How many cats weigh 12-12.5 pounds?
- 3. How many cats weigh 10.6-10.99 pounds?
- 4. How many cats weigh less than 10 pounds?
- 5. How many cats weigh 11 pounds or more?
- 6. What percentage of cats are 10-10.5 pounds?
- 7. What percentage of cats are less than 9 pounds?

122

## **Lesson 7.2** Frequency Tables

A frequency table can be created by looking at a data set, choosing ranges for examining the data, and calculating the frequency with which the data occurs in the set.

14, 15, 12, 15, 12, 13, 20, 15, 21, 25, 16, 18, 17, 21, 23, 16, 23, 19, 23, 22

- **Step I:** Choose the value ranges for the table.
- **Step 2:** Find the frequency for each value range.
- **Step 3:** Calculate the cumulative frequency by finding the sum of all frequencies up to and including the current one.

Values	Frequency	Cumulative Frequency	Relative Frequency
11-15	7	7	35%
16-20	6	13	30%
21-25	7	20	35%

**Step 4:** Find the relative frequency by calculating the percentage of the whole that is made up by each frequency.

Create a frequency table for each data set.

**1.** 6, 6, 5, 4, 6, 6, 8, 6, 3, 2, 4, 5, 6, 8, 8, 3, 3, 3, 4, 3

**2.** 24, 22, 26, 24, 25, 22, 21, 21

**3.** 8, 6, 8, 7, 7, 5, 8, 5, 5, 6, 8, 4, 2

## **Lesson 7.3** Calculating Probability

The **probability** of an event is the measure of how likely it is that the event will occur.

Probability (P) = 
$$\frac{\text{number of favorable outcomes}}{\text{number of possible outcomes}}$$

A bag contains 12 marbles, 7 blue and 5 red. If a marble is chosen at random, the probability that it will be red is:

Probability (P) = 
$$\frac{5}{12}$$
 — the number of red marbles — the total number of marbles

Solve each problem. Write answers as fractions in simplest form.

1. A bag contains 5 blue marbles, 3 red marbles, and 2 white marbles. What is the probability a selected marble will be red? \_\_\_\_\_\_

What is the probability that a selected marble will not be white?

What is the probability that a selected marble will be either blue or white?


Use the spinner to find the following probabilities. Write answers as fractions in simplest form.

**2.** 
$$P(3) =$$

**4.** 
$$P(1 \text{ or } 4) = \underline{\phantom{a}}$$

**5.** 
$$P(>4)=$$

**6.** 
$$P(<6) =$$



# **Lesson 7.3** Calculating Probability

**Probability** can also be thought of as the ratio of desired outcome(s) to the sample space. It can be expressed as a ratio, fraction, decimal, or percent.

When tossing a coin, what is the probability that it will land on heads?

desired outcome: heads sample space: heads, tails probability: 1:2,  $\frac{1}{2}$ , 50%, 0.5


Find the probability. Write answers as fractions in simplest form.

A box contains 3 red pencils, 4 blue pencils, 2 green pencils, and I regular pencil. If you take I pencil without looking, what is the probability of picking each of the following?

- I. a red pencil \_\_\_\_\_
- 2. a blue pencil \_\_\_\_\_
- 3. a green pencil \_\_\_\_\_
- 4. a regular pencil \_\_\_\_\_

If you spin the spinner shown at the right, what is the probability of the spinner stopping on each of the following?


- **5.** a letter \_\_\_\_\_
- 6. an odd number \_\_\_\_\_
- **7.** an even number \_\_\_\_\_
- 8. a vowel \_\_\_\_
- **9.** the number 3 \_\_\_\_\_
- 10. a consonant \_\_\_\_\_




# **Lesson 7.3** Calculating Probability

Determine the probability for each of the following events. Write answers as fractions in simplest form.

- I. drawing a gray marble \_\_\_\_\_
- 2. drawing a white marble \_\_\_\_\_
- 3. drawing a black marble \_\_\_\_\_
- 4. drawing either a gray or a black marble \_\_\_\_\_



- 5. spinning a gray section \_\_\_\_\_
- **6.** spinning a 4 \_\_\_\_\_
- **7.** spinning a | \_\_\_\_\_
- 8. spinning either a 4 or 5 \_\_\_\_\_
- 9. spinning an even number \_\_\_\_\_



- 10. spinning a red section \_\_\_\_\_
- II. spinning a blue section \_\_\_\_\_
- 12. spinning a yellow section \_\_\_\_\_




A jar contains 25 pennies, 20 nickels, and 15 dimes. If someone picks one coin without looking, what are the chances that they will pick the following:

- 13. penny \_\_\_\_\_
- 14. nickel \_\_\_\_\_
- 15. dime

126

## **Lesson 7.4** Uniform Probability Models

When all outcomes of an experiment are equally likely, the event has uniform probability.



This spinner has 8 equally divided sections. Every time it is used, there is an equal chance  $(\frac{1}{8})$  that it will land on any given number.

- Chance of spinning 6  $\frac{1}{8}$
- Chance of spinning  $3 \frac{1}{8}$
- Chance of spinning  $7 \frac{1}{8}$

Write yes or no to tell if each situation describes a uniform probability model.

rolling two dice

flipping a coin 2.

a spinner with 3 stars and 2 diamonds

calling on a girl in class

calling on any student in class

winning the lottery 4.

drawing an 8 from a deck of cards

calling on a boy in class 5.

a spinner with 5 red and 2 blue sections

flipping a coin and rolling a die 6.

a spinner with 3 squares and 3 triangles

# **Lesson 7.4** Uniform Probability Models


When all outcomes of an experiment are equally likely, the event has uniform probability.

To create a uniform probability problem, divide the event into equal sections of different possibilities.

Color one section red. Color one section yellow. Color one section blue. Color one section green.


There is a  $\frac{1}{4}$  chance of spinning red, blue, yellow, or green.

This is an example of a spinner that has uniform probability.




Follow the directions to set up uniform probabilities.


1. Draw a spinner that has an equal chance of spinning a star or a diamond.




2. Draw a spinner that has an equal chance of spinning a number 1 through 4.



**3.** Color the marbles so that there is an equal chance of pulling a blue or green marble.



**4.** Draw shapes in the bag so that there is an equal chance of pulling a triangle, a square, and a circle.



# **Lesson 7.5** Other Probability Models


When an event does not have uniform probability, the odds of each particular outcome are not equally likely.

When using this spinner, there is a greater chance of landing in the blue section than there is of landing in the red or white sections.

Chance of spinning blue  $-\frac{1}{2}$ 

Chance of spinning red  $-\frac{1}{4}$ 


Chance of spinning white —  $\frac{1}{4}$ 



For each situation pictured, state if the odds of all outcomes are equal or not equal.

I.





2.





000





000 000

3.





















## **Lesson 7.5** Other Probability Models


When a probability event has unequal odds, they can be rated the same way as fractions or other ratios.

A game is being played in which the spinner must land on a star to win.

Spinner I  $-\frac{2}{6}$  or  $\frac{1}{3}$  chance of spinning a star

Spinner 2 —  $\frac{3}{6}$  or  $\frac{1}{2}$  chance of spinning a star

 $\frac{1}{3} < \frac{1}{2}$ , so the greatest chance of winning is using spinner 2.




Spinner 2




Circle the spinner with the best odds of winning. Show your work.


I. Spin an even number:




10 8 6

2. Roll a sum of 10 with two dice numbered as shown:







3. Spin the color blue.



**4.** Choose a gray marble.





# **Lesson 7.5** Other Probability Models

Solve the problems below.

1. A spinner has 6 sections of equal size. One is red, two are blue, and 3 are yellow.

**a.** If you spin the spinner one time, what are the odds that you will land on blue?

- **b.** If you spin the spinner twice, what are the odds that you will land on yellow on the second spin?
- 2. You flip a coin that has a heads side and a tails side.

**a.** What are the odds that the coin will land on heads the first time you flip it?

**b.** You have flipped the coin 50 times. You have landed on heads 31 times and tails 19 times. What are the odds that the coin will land on tails on the next flip?

3. At the school festival, you can win a bicycle by pulling a red ball out of bag. The first bag has 52 white balls, 27 green balls, and 11 red balls. The second bag has 25 white balls, 25 green balls, 25 yellow balls, and 10 red balls.

**a.** What are the odds of pulling a red ball from the first bag?

**b.** What are the odds of pulling a red ball from the second bag?

c. Which bag has the best odds? \_\_\_\_\_

4. You roll two regular dice that are numbered 1-6. What is the probability of rolling the following sums:

**a.** 2: \_\_\_\_\_\_ **i.** 10: \_\_\_\_\_\_

**b.** 3: \_\_\_\_\_\_ **j.** 11: \_\_\_\_\_\_

**g.** 8: \_\_\_\_\_ **k.** 12: \_\_\_\_\_

**d.** 5: \_\_\_\_\_ **h.** 9: \_\_\_\_\_

Which sum gives you the best odds? \_\_\_\_\_

5. A bag contains 9 green marbles and 16 red marbles. You will choose one marble out of the bag without looking.

**a.** What are the odds of choosing a red marble?

**b.** You do not replace marbles after they are chosen. So far you have chosen 4 red marbles and 2 green marbles. What are the odds of choosing a red marble now?

## **Lesson 7.6** Understanding Compound Events

The Fundamental Counting Principle states that when an experiment is conducted that is considered a compound event, or an event that has more than one element, the number of possible outcomes can be calculated by considering the number of possible outcomes for each element. The number of possible outcomes for the first element (a) can be multiplied by the number of possible outcomes for the second element (b) to find the total number of possible outcomes (o). So,  $a \times b = o$ .

There are 3 balls (yellow, red, and green) in one bag and 4 balls (purple, blue, white, and black) in another bag. If a person draws one ball from each bag, how many possible outcomes are there?

- **Step I:** Find the number of outcomes for the first event.
- Step 2: Find the number of outcomes 4 for the second event.
- **Step 3:** Multiply these together.  $3 \times 4$
- **Step 4:** State the number of possible outcomes for the combined event. 12

Use the Fundamental Counting Principle to find the number of possible outcomes for each compound event described.

1. rolling two dice that are numbered 1-6

flipping a coin and rolling a die numbered 1-6

b

2. spinning a 4-part spinner and flipping a coin

pulling a card from a full deck and flipping a coin

3. spinning a 6-part spinner and rolling a die numbered 1-6

flipping a coin and rolling two dice numbered 1-6

4. spinning a 4-part spinner and pulling a card from a full deck

flipping 2 coins and rolling 2 dice numbered 1-6

132

# Lesson 7.6 Understanding Compound Events SHOW YOUR WORK

Use the Fundamental Counting Principle to find the number of possible outcomes. Show your work.

 3 coins are tossed and two six-sided dice are rolled. How many possible outcomes are there?

There are \_\_\_\_\_ possible outcomes.

2. Jed is shopping. He is looking at 5 different ties. 3 different sweaters, and 4 different shirts. How many possible combinations can he make?

Jed can make \_\_\_\_\_ possible combinations.

3. Miranda's jewelry box contains 8 necklaces, 10 pairs of earrings, and 4 bracelets. How many combinations, which contain all 3 kinds of jewelry, can she make?

Miranda can make \_\_\_\_\_ combinations of iewelry.

4. Robert has to color in 4 different shapes (circle. square, triangle, and rectangle) and has 5 colors to choose from (green, yellow, red, blue, and orange). If he can only use each color one time, how many ways can he color the shapes?

Robert can color the shapes \_\_\_\_\_ different

5. Spencer needs to put on gloves, a hat, and a scarf. He has 5 hats, 4 pairs of gloves, and 9 scarves to choose from. How many combinations of gloves, hat, and scarf can Spencer make?

Spencer can make \_\_\_\_\_ combinations.

6. Pilar wants to cook a meal that consists of a meat, a starch, and a vegetable. At the grocery store there are 8 choices of meat, 8 choices of vegetables, and 3 choices of starches. How many possible combinations can Pilar make?

Pilar can make combinations.

7. Jacob must collect a flower, a vegetable, and an herb. In the garden, there are 10 kinds of flowers, 7 kinds of vegetables, and 4 kinds of herbs. How many combinations can Jacob make?

Jacob can make \_\_\_\_\_ combinations.

Ι.

2.

3.

4.


5.

6.

## **Lesson 7.7** Representing Compound Events

A **sample space** is a set of all possible outcomes (or possible results) for an activity or experiment. To determine the sample space, it is helpful to organize the possibilities using a list, chart, picture, or tree diagram.

Show the sample space for tossing a nickel, a dime, and a quarter.



Make a tree diagram for each situation. Determine the number of possible outcomes.

1. The concession stand offers the drink choices shown in the table.

Drinks	Sizes	
Lemonade	Small	
Fruit Punch	Medium	
Apple Cider	Large	
	Jumbo	

There are \_\_\_\_\_\_ possible outcomes.

2. The Kellys are planning their vacation activities. The first day they can go to the zoo or the museum. The second day they can go to the pier or the dunes. The third day they have to choose sailing, swimming, or horseback riding.

There are \_\_\_\_\_ possible outcomes.

# **Lesson 7.7** Representing Compound Events

One way to show sample space for compound events is with a chart. What is the sample space if you roll I die and flip I coin?

#### Chart

Penny

ils
2
3
4
5
6
֡

What is the sample space? It is 12, because there are 12 possible outcomes.

#### Solve each problem.

- I. Juan flips a penny, a nickel, and a dime at the same time. How many different combinations of heads and tails can he get?
- 2. Latisha has red, blue, and black sneakers; blue, tan, and white pants; and black and gray sweatshirts. How many different outfits can she make?
- **3.** Jonathan, Kaitlin, and Ling are trying to decide in what order they should appear during their talent show performance. They made this chart showing the possible orders. Can you show the same results using a tree diagram? (Remember, each person can appear only once in the 1, 2, 3 order.) What is the total number of possible orders?

Ī	2	3
J	K	L
K	L	J
L	K	J
J	L	K
K	J	L
L	J	K

# **Lesson 7.7** Representing Compound Events

**Tables** can be used to represent compound events that have two elements.

John rolls two dice. What is the probability that he will roll a sum of nine?

- Step 1: Create a table with rows that match one part of the event and columns that match the other part of the event.

  Step 2: Fill in the headers for your table with the possible outcomes for each part of the event.

  Step 3: Fill in the table with the possible final outcomes.

- **Step 4:** Find the total number of possible final outcomes (36) and the number of final outcomes with the desired characteristic (4) to calculate the probability.

Possible Outcomes Die #1 #2 2 5 6 Ī 2 3 4 5 6 7 2 3 4 7 5 6 9 4 3 5 6 4 7 8 9 5 6 9 5 7 8 6 10 6 8 12

The shaded numbers are the final outcomes, or sums when the outcomes are added together.

The probability is  $\frac{4}{36}$ , or  $\frac{1}{9}$ .

#### Create a table to solve the problems.

1. Erin is getting dressed in the morning. She is choosing from 4 skirts (black, brown, blue, and khaki) and 5 sweaters (black, blue, red, green, and yellow). What is the probability that she will wear both black and blue?

2. Michael is playing a game in which you spin a spinner numbered 1–8 first, and then roll a die numbered 1-6. What is the probability that he will spin and roll a sum of 10?

### Lesson 7.8 Problem Solving

**SHOW YOUR WORK** 

Solve each problem. Use either the Fundamental Counting Principle, a tree diagram, or a table to solve each problem. Show your work.

Stephen flips a coin and pulls a marble from a bag which contains equal amounts of red, green, yellow, and blue marbles. How many outcomes are possible?

There are \_\_\_\_\_ possible outcomes.

Which strategy did you use to solve this problem?

2. Julie is playing a game. She has a bag with cards numbered I-IO and another bag with red and yellow bouncy balls. She pulls a number card out of one bag and a bouncy ball out of another bag. How many outcomes are possible?

There are \_\_\_\_\_ possible outcomes.

Which strategy did you use to solve this problem?

3. At the sandwich shop, Nick can order a sandwich on a sub roll, wheat bread, or a Kaiser roll. He can have ham, turkey, or roast beef. Then, he can add cheese, lettuce, or pickles. What is the probability that he will have a sandwich that is both on wheat bread and made with ham?

There is a \_\_\_\_\_ chance of his ordering a sandwich with both wheat bread and ham.

Which strategy did you use to solve this problem?

4. Jeff has a deck of cards and a coin. What is the chance that he will pull a 10 from the deck of cards and land on heads?

There is a \_\_\_\_\_ chance of Jeff pulling a 10 and flipping heads at the same time?

Which strategy did you use to solve this problem?

1.

2.

3.

#### **Lesson 7.8** Problem Solving

**SHOW YOUR WORK** 

Solve each problem. Use the Fundamental Counting Principle, a tree diagram, or a table to solve each problem. Show your work.

1. Mark and his friends are playing a game. They take turns pulling a number 1-5 out of one bag and a number 6-10 out of another bag. They keep their score and then put the numbers back. The first person to get a sum of 15 wins. What is the probability of winning on each turn?

There is a \_\_\_\_\_ chance of winning the game on each turn.

Which strategy did you use to solve this problem?

2. Mr. Roberts' son has a set of blocks that are made up of 12 different shapes and 4 different colors. Every shape comes in every color. How many blocks are in the set?

There are \_\_\_\_\_ blocks in the set.

Which strategy did you use to solve this problem?

3. Sarah is at the smoothie shop. She can choose a base of ice, banana, or yogurt. She can add blueberries, strawberries, or mangoes. Then, she can add honey, protein powder, or kale. How many combinations are possible?

Sarah has \_\_\_\_\_ combinations to choose from.

Which strategy did you use to solve this problem?

4. A box of chocolates is half milk chocolate and half dark chocolate. Each kind of chocolate is filled with coconut, caramel, nuts, or cherries. What is the probability of choosing a candy that is made of dark chocolate and cherries?

There is a \_\_\_\_\_ chance of choosing a candy made of dark chocolate and cherries.

Which strategy did you use to solve this problem?

Ι.

2.

3.

### Lesson 7.8 Problem Solving

**SHOW YOUR WORK** 

Solve each problem. Use the Fundamental Counting Principle, a tree diagram, or a table to solve each problem. Show your work.

I. A cube with six sides has the letters A–F on it. A spinner has the letters G–L on it. How many letter combinations are there when the cube is rolled and the spinner is spun?

There are \_\_\_\_\_ possible letter combinations.

Which strategy did you use to solve this problem?

2. A bakery has both donuts and bagels. They are each available in blueberry, chocolate, and plain. What is the probability of choosing at random a blueberry bagel?

There is a \_\_\_\_\_ chance of randomly choosing a blueberry bagel.

Which strategy did you use to solve this problem?

3. Customers have a choice of thin crust, hand-tossed crust, or deep dish pizzas. They can add a pesto, tomato, or olive oil base. Finally, they can add pepperoni, mushrooms, or onions. What is the probability that a customer will order a pizza with both thin crust and mushrooms?

There is a \_\_\_\_\_ chance that a customer will order a pizza with both thin crust and mushrooms.

Which strategy did you use to solve this problem?

**4.** Katie is trying to decide where to go on vacation. She has narrowed it down to Spain, Hawaii, and Puerto Rico. She can take between 7 and 10 days for her trip. How many options does she have?

Katie has \_\_\_\_\_ choices for her vacation.

Which strategy did you use to solve this problem?

Ι.

2.

3.



### Check What You Learned

# Probability

Fill in the missing data in the frequency table. Then, answer the questions.

#### Scores on Last Week's Quiz

	Score Range	Frequency	Cumulative Frequency	Relative Frequency
ı.	(0–5)		3	<u> </u> 8
2.	(6–10)		7	<u> </u>
3.	(11–15)		16	<u>3</u> 8
4.	(16–20)		24	1/3

- 5. How many students' scores were included in the table?
- 6. Which score range was most frequent? \_\_\_\_\_
- 7. What was the relative frequency of a score between 16 and 20? \_\_\_\_\_

Make a frequency table for the data below.


Cars Across the Bridge Per Day — 93, 105, 92, 111, 98, 97, 108, 101, 112, 115, 96, 104, 103, 91, 97

8.

**CHAPTER 7 POSTTEST** 

Use the spinner to answer the questions.

- 9. What is the probability of spinning a 3? \_\_\_\_\_
- 10. What is the probability of spinning an odd number? \_\_\_\_\_
- II. What is the probability of spinning a number less than 5? \_\_\_\_\_\_
- 12. What is the probability of spinning a number greater than 5? \_\_\_\_\_







#### Check What You Learned

### Probability


Create a tree diagram using the situation described below and use it to answer the questions.

13. Paul is getting a new bike. He can get either a racing bike or a mountain bike. His color choices are red, black, and silver. Make a tree diagram showing Paul's possible outcomes.


- 14. How many possible outcomes are there?
- 15. What is the probability that Paul will get a racing bike?
- 16. What is the probability that the bike will be red?
- 17. What is the probability that Paul will get a silver mountain bike?

Color or label the shapes below to set up an event with uniform probability.

18.



19.



20. Drew and Haley are going out to dinner. At the restaurant, each person orders an appetizer, an entrée, a dessert, and a drink. On the menu there are 7 choices of appetizers, 15 choices of entrées, 6 choices of desserts, and 5 choices of drinks. How many combinations can Drew make for his meal at the restaurant?

Drew can make \_\_\_\_\_ combinations for his meal.

# Final Test Chapters 1–7

Add, subtract, multiply, or divide.

a

b

C

$$2\frac{1}{4} + 2\frac{2}{3} =$$

$$(-5) + 8 =$$

$$(-7) + 2 = \underline{\hspace{1cm}}$$

**4.** 
$$3\frac{3}{10} - 2\frac{4}{5} =$$

$$(-6) - 5 =$$

5. 
$$(23) \times (-3) =$$

$$(-18) \times (-6) =$$

$$(-83) \times 7 =$$
\_\_\_\_\_

$$\frac{4}{5} \times \frac{1}{8} =$$
\_\_\_\_\_

$$(-95) \div 5 =$$

8. 
$$(-22) \div (-1) =$$

$$(-81) \div 9 =$$

Use long division to change each rational number into a decimal. Then, circle to indicate if each is terminating (T) or repeating (R).

a

b

C

**9.** 
$$\frac{3}{5} =$$
 \_\_\_\_\_ T or R

$$\frac{7}{50} =$$
\_\_\_\_\_ T or R

$$\frac{1}{125} =$$
\_\_\_\_\_ T or R

**SHOW YOUR WORK** 

Solve each problem. Use 3.14 for  $\pi$  when needed.

10. 331 students went on a field trip. Six buses were filled and 7 students traveled in cars. How many students were in each bus?

Let s represent the number of students on each bus.

Equation:

There were \_\_\_\_\_ students on each bus.

11. The length of a football field is 30 yards more than its width. If it is 100 yards long, how wide is the field?

Let w represent the width of the field.

Equation:

The football field is \_\_\_\_\_ yards wide.

12. Julia has 3 red marbles, 4 blue marbles, 3 yellow marbles, and 6 black marbles. She takes one marble out of the bag at random.

The probability that it is a black marble is \_\_\_\_\_\_.

The probability that it is a yellow marble is \_\_\_\_\_\_.

The probability that it is not a red marble is .

13. The municipal swimming pool is 50 meters long and 25 meters wide, and it is filled to a uniform depth of 3 meters. What is the volume of water in the pool?

The volume of the water is \_\_\_\_\_ cubic meters.

14. There are four hundred students at Thompson Middle School. If 54% of the students are female, what is the ratio of female students to male students?

The ratio of female to male students is \_\_\_\_\_.

15. Ben is putting in a 7-foot diameter circular flower bed at his school. He wants to put plastic edging along the outside edge of the flower bed. How much edging will he need?

Ben will need \_\_\_\_\_ feet of plastic edging.

10.

11.

12.

13.

14.

15.

Write yes or no to tell if each set of ratios is proportional.

d

16.

5 35 4 28

√30 ft.

Find the constant of proportionality for the set of values.


17.

х	7.5	10	17.5	20
У	4.5	6	10.5	12

$$k =$$

These similar triangles are drawn to scale. Find the missing side lengths.


18.



$$AC = cm$$

$$^{43.5 \text{ cm}}$$
  $DF =$  cm

$$FE = \underline{\hspace{1cm}} cm$$



$$ST = ft.$$

$$TU = ft.$$

$$VX =$$
 ft.

Find the area of each figure and the area and circumference of each circle. Use 3.14 for  $\pi$ . Round answers to the nearest hundredth.

19.




circumference: \_\_\_\_\_ cm

area:\_\_\_\_\_ sq. cm




\_\_\_\_\_ sq. in.




\_\_\_\_\_ sq. yd.


20.



 $A = in.^2$ 




 $A = \underline{\qquad} m^2$ 




 $A = \text{ft.}^2$ 

Answer the questions about the angles below.  $\angle M = 55^{\circ}$ ,  $\angle X = 35^{\circ}$ 


- **21.** ∠Y = \_\_\_\_\_
- **22.** ∠*Z* = \_\_\_\_\_
- **23.** ∠*W* = \_\_\_\_\_
- **24.** ∠N = \_\_\_\_\_






Find the volume of each figure. Round to the nearest hundredth.

25.




$$V = m^3$$

b



$$V = in.$$

C



$$V = \text{ft.}^3$$

Create a tree diagram using the situation described below and use it to answer the questions.

**26.** Tracy decides to visit the concession stand while she is at the movies. She wants a drink, popcorn, and candy. She can choose between a cola, juice, and water to drink. She can top her popcorn with butter or have it plain. Finally, she has a choice of chocolate mints, red licorice, or caramels for her candy. Make a tree diagram that shows all possible combinations.

- 27. What is the total number of possible outcomes?
- 28. What is probability of having red licorice?
- 29. What is the probability of having buttered popcorn and caramels?

Complete the items below.

Sample guiz scores are collected from two classes.

Quiz Scores — Class I	Quiz Scores — Class 2
9, 18, 12, 9, 13, 22, 8, 23, 16, 17	22, 20, 22, 15, 10, 17, 21, 23, 14, 11

**30.** Create a graphic display for both sets of quiz scores.

31. Find the measures of center and the range for both sets of quiz scores.

median: \_\_\_\_\_

median: \_\_\_\_\_

mode:

mode:

mean: \_\_\_\_\_

mean: \_\_\_\_\_

range:

range: \_\_\_\_\_

- **32.** If there are 30 students in Class 1, what is the best prediction for the number of students who scored a 10 or less on the quiz?
- **33.** If there are 25 students in Class 2, what is the best prediction for the number of students who scored more than 20 on the quiz?
- **34.** Tell one way the two data sets are alike and different.

alike:

different:

Tell which property is used in each equation (commutative, associative, or identity).

$$-5 + 5 = 0$$

146

## Scoring Record for Posttests, Mid-Tests, and Final Test

		Performance			
Chapter Posttest	Your Score	Excellent	Very Good	Fair	Needs Improvement
I	of 46	41–46	3 <i>7</i> –40	32–36	31 or fewer
2	of 32	29–32	26–28	23–25	22 or fewer
3	of 30	27–30	24–26	21-23	20 or fewer
4	of 23	22–23	19–21	1 <i>5</i> –18	14 or fewer
5	of 21	19–21	1 <i>7</i> –18	15–16	14 or fewer
6	of 26	24–26	21-23	19–20	18 or fewer
7	of 20	18–20	16-17	14–15	13 or fewer
Mid-Test	of 79	72–79	65–71	56-64	55 or fewer
Final Test	of 93	85–93	75–84	66–74	65 or fewer

Record your test score in the Your Score column. See where your score falls in the Performance columns. Your score is based on the total number of required responses. If your score is fair or needs improvement, review the chapter material.

### Chapter I

### Pretest, page 5

	a	b	c
ı.	-45	9	10
2.	-21	-6	31
3.	-52	89	-18
4.	7	34	58
5.	-35	-56	39

- identity 7. commutative
- 8. associative
- 9. associative identity IO. commutative commutative
- identity 11. associative 12. identity commutative

### Pretest, page 6

P 3			
а	b	c	d
4 11	5 <del>9</del>	6 <u>19</u>	4 <u>18</u> 35
4 12	<u> </u>  8	$2\frac{1}{2}$	2   14
-  -	 -  -	3 -13	
-	7	-6	
	4 11 4 12 4 12	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

### Lesson I.I, page 7

20.

3011	iii, page	- /	
	а	b	C
I.	-19	7	2
2.	-28	50	-10
3.	-92	31	<i>7</i> 4
4.	-936	-76	-65
5.	32	36	-73
6.	-55	47	-87
7.	61	-37	23
8.	-25	-68	53
9.	-71	99	-90
10.	-40	-44	77
11.	52	-66	95
12.	-15	20	9

### Lesson I.2, page 8

	а	b	c
ı.	91	19	9
2.	I	199	0
3.	762	78	302
4.	4002	-668	-8701
5.	23	56	-432
6.	53	694	-274
7.	516	883	-637
8.	413	590	739
9.	281	40	-826
10.	206	372	973
11.	-533	836	954
12.	344	-711	219

### Lesson 1.3, page 9

	a	b
ı.	8 + (-3)	9 + (-2)
2.	12 – 7	8 – 12
3.	52 + (-13)	23 + (-10)
4.	67 – 11	45 – 6
5.	30 + (-15)	74 + (-23)
6.	3 – 56	62 – 32
7.	87 + (-85)	54 + (-20)
8.	50 - 17	41 - 12
9.	89 + (-57)	46 + (-40)
10.	96 – 20	94 – 90
11.	83 + (-67)	98 + (-34)
12.	76 – 20	90 – 76

### Lesson 1.4, page 10

	а	b	C	d
1.	I $\frac{3}{8}$	<u>5</u>	$1\frac{3}{20}$	$ \begin{array}{c} \frac{1}{2} \\ 9 \\ 120 \\ \underline{13} \\ 15 \\ 4 \\ \underline{7} \\ 10 \\ 3 \\ \underline{235} \\ 6 \\ \underline{6} \\ 6 \end{array} $
2.	140 5 8 7 7 7 9 5 3	5 6 4 5 29 35 10 8 2 33 40 4 18	$ \begin{vmatrix} \frac{3}{20} \\ \frac{11}{12} \\ \frac{1}{56} \\ 6\frac{13}{21} \\ 5\frac{19}{24} \\ 4\frac{47}{70} \end{vmatrix} $	$1\frac{9}{20}$
3.	<u>5</u> 8_	<u>29</u> 35_	1 <u>1</u>	13 15
4.	$3\frac{7}{12}$	10 $\frac{7}{8}$	6 <u>13</u>	4 / 10
5.	7 / 9	2 <del>33</del> 40	5 <del>19</del>	$3\frac{22}{35}$
6.	5 <del>3</del>	4 / 18	4 47	$6\frac{5}{6}$
sson	1.5, page	11		

### Les

	a	b	c	d
ı.	7	-7	-1	1
2.	-6	0	0	6
3.	4	-4	-6	6
4.	-4	-10	4	10
5.	11	-3	3	-
6.	0	-16	16	0
7.	-3	3	-	I
8.	- [	11	-8	8
9.	3	-9	9	-3
10.	-10	-2	2	10

### Lesson 1.5, page 12

	α	b	C
ı.	8	5	-2
2.	3	-9	-1
3.	-16	-11	2
4.	-9		-
5.	0	-3	-10
6.	-24	85	58
7.	-12	21	0
8.	-24	9	-6
9.	48	-15	-11
10.	9	-8	-9

<b>55011</b>	1.0, page 13		
	α	b	c
ı.	-8	3	-10
2.	-15	I	-5
3.	-15	-10	43
4.	0	-11	-4
5.	7	9	-16
6.	28	12	14

7.	-15
8.	15

- [ 16

١.

2.

-27 -45

44

### -55 3

-3 37

### Lesson 1.6, page 14

	a
	-5

c 48

11.

14.

### Lesson I.7, page 15

-14

-93

5.

$$\frac{7}{20}$$
  $\frac{1}{2}$ 

3. 
$$\frac{1}{12}$$

#### I <del>88</del> $2\frac{1}{9}$ 6.

### Lesson 1.8, page 16

1. 
$$n + 17$$
  
2.  $x + (y + 2)$ 

$$3 + (g + h)$$
  
 $h + t$ 

- 9. identity
- 10. associative
- commutative identity
- II. associative
- commutative

#### 12. identity commutative Lesson 1.9, page 17

1. 
$$\frac{1}{4}$$
2.  $13\frac{31}{40}$ 

**3.** 9 
$$\frac{7}{12}$$

**4.** 
$$\frac{1}{10}$$

**5.** 
$$3\frac{31}{56}$$
;  $1\frac{17}{56}$ 

6. 
$$2\frac{11}{24}$$

### Lesson 1.9, page 18

1. 
$$1\frac{11}{12}$$

2. 
$$\frac{1}{12}$$

**4.** 
$$\frac{5}{24}$$

### Posttest, page 19

,	P-3		
	а	b	C
ı.	54	-19	-31
2.	6	-21	10
3.	-54	34	-86
4.	35	-43	35

-83

- -75 5. 6. commutative
- 7. associative
- 8. identity
- 9. commutative identity
- **10.** associative commutative 11. identity associative
- 12. commutative associative

### Posttest, page 20

	_ 5
13.	$\frac{2}{56}$

$$5\frac{7}{12}$$
  $\frac{3}{8}$ 

4

-3

Ь

$$4\frac{17}{24}$$
 $2\frac{31}{70}$ 

-7

-12

-10

C

-99

$$7\frac{1}{8}$$

d

14.

18. 
$$2\frac{1}{24}$$

**20.** 
$$5\frac{7}{12}$$

### Chapter 2

### Pretest, page 21

**a b 1.** 
$$x \times (3+7)$$
  $(8 \times b) + (8 \times 12)$ 

**1.** 
$$x \times (3 + 7)$$
  $(8 \times b) + (8 \times 2.0)$   $(8 \times b) + (8 \times 2.0)$   $(8 \times b) + (8 \times 2.0)$   $(8 \times b) + (8 \times 2.0)$ 

- 3. identity
- 4. commutative 5. zero
- 6. associative
- **7.** zero associative 8. identity commutative
- 9. 0.6 0.5 10. 0.25 0.7

b

-18

-4

C

10

### Pretest, page 22

	a
	3

11. 
$$\frac{3}{10}$$

**15.** 
$$3\frac{1}{4}$$

16. 6; 
$$\frac{3}{7}$$

18. 
$$612\frac{5}{8}$$

### Lesson 2.1, page 23

	a	b
ı.	$a \times (4 + 3)$	$(b \times 6) + (b \times 12)$
2.	$(4 \times a) + (4 \times b)$	$3 \times (a + b)$
3.	$d \times (5 - 2)$	$(5 \times 8) + (5 \times p)$
4.	$(d \times 8) - (d \times h)$	$(12 \times s) - (12 \times 10)$
5.	$(r \times 16) + (r \times s)$	$35 \times (t + y)$
6.	$8 \times (a + b)$	$(r \times q) - (r \times s)$
7.	$6 \times (12 - w)$	$(p \times 15) + (p \times z)$
8.	$(15 \times y) + (15 \times 0)$	$d \times (d + b)$
9.	$a \times (2 + 3 + 4)$	$(p \times a) + (p \times b) + (p \times 4)$
10.	$a \times (b + c - d)$	$(8 \times a) + (8 \times b) + (8 \times c)$
	0.0	

### Lesson 2.2, page 24

	а	b	c	d
ı.	<u>3</u>	<u>8</u> 15	$ \begin{array}{c} 9 \\ 16 \\ 3 \\ 35 \\ 5 \\ 9 \\ 3 \\ 1 \\ 1 \\ 2 \\ 3 \\ 3 \\ 4 \\ 8 \end{array} $	$\begin{array}{c} \mathbf{d} \\ \frac{1}{10} \\ \frac{6}{25} \\ \frac{4}{21} \\ 13 \frac{1}{2} \\ 17 \frac{1}{2} \\ 4 \frac{1}{2} \end{array}$
2.	3 8 21 40 15 64 3 67 6 24 94 7 8	8 15 15 13 12 67 29 29	$\frac{3}{35}$	$\frac{6}{25}$
<ol> <li>3.</li> <li>4.</li> <li>6.</li> </ol>	1 <u>5</u> 64	1/3	<u>5</u> 9	<del>4</del> 21
4.	3 <del>6</del> 7	$7\frac{1}{2}$	3 <del>11</del>	$13\frac{1}{2}$
5.	6 <u>11</u>	2 <del>6</del>	$31\frac{1}{2}$	$17\frac{1}{2}$
6.	94 <u>7</u>	$2\frac{2}{9}$	3 <del>25</del> 48	4 <u>1</u>

### **Lesson 2.3, page 25**

JOII 2	u, pagc			
	a	b	c	d
Ι.	6	-24	-24	12
2.	-56	-30	24	-44
3.	-32	4	-88	70
4.	40	-36	26	-81
5.	-1 <i>7</i>	-10	-42	35
6.	0	21	-60	15
7.	-16	40	-30	15
8.	-36	40	-40	45
9.	0	121	6	48
10	OH	20	24	20

### Lesson 2.3, page 26

	а	b	c
I.	8	-9	144
2.	-63	72	-48
3.	-10	28	-30

4.	-2	-22	36
5.	22	77	-84
6.	40	77	-6
7.	-12	-36	12
8.	14	24	-21
9.	18	-64	10
10.	54	-32	-30
11.	384	-98	76
12.	-451	132	-324
13.	-506	84	-65
14.	-432	-396	552

### Lesson 2.4, page 27

	а	Ь	c	d
ı.	5 <del> </del>	2 8 15 1 9 16 3 5	I <u>1</u>	21 <del>]</del>
2.	$11\frac{2}{3}$	۱ <del>9</del>	$1\frac{1}{2}$ $2\frac{6}{7}$	21 $\frac{1}{3}$ $\frac{3}{5}$
3.	11	<u>3</u> 5	$3\frac{1}{3}$	$2\frac{1}{6}$
4.	10	10 <u>15</u>	51	98
5.	2 <del>1</del>	10 <u>15</u> 1 <u>47</u> 1 <u>47</u>	<del>4</del> 5	98 <u>14</u> 15

### Lesson 2.5, page 28

α	b
$19$ ; $18 = -9 \times (-2)$	-7; -7 = -7 × 1
<b>2.</b> -5; $20 = -4 \times (-5)$	14; -84 = -6 × 14
<b>3.</b> -5; $15 = -3 \times (-5)$	$6$ ; $-54 = -9 \times 6$
<b>4.</b> $-5$ ; $-25 = 5 \times (-5)$	$3; -39 = -13 \times 3$
<b>5.</b> -9; $81 = (-9) \times (-9)$	$-12$ ; $-48 = 4 \times (-12)$
<b>6.</b> -9; $-72 = 8 \times (-9)$	$-3$ ; $36 = -12 \times (-3)$
<b>7.</b> -2; $22 = (-11) \times (-2)$	$-3$ ; $18 = -6 \times (-3)$

## Lesson 2.6, page 29

	а	b	C
ı.	3	-4	-2
2.	-7	-2	-4
3.	-27	-7	- 11
4.	-3	-19	19
5.	-1	-2	6
6.	10	-3	5
7.	-16	1 <i>7</i>	-9
8.	-1 <i>7</i>	-9	16
9.	14	-10	-2
10.	-16	15	-6

## Lesson 2.6, page 30

	а	b	C
ı.	14	-14	16
2.	13	15	-18
3.	-20	-3	-3
4.	-20	-14	6
5.	8	-5	18
6.	-18	-15	-9
<b>7.</b>	7	11	16
8.	-6	-18	-16
9.	7	-2	-18
10.	1 <i>7</i>	2	- 11
11.	16	-12	15
12.	-8	-13	6
13.	13	-62	8
13.	13	-62	

14.	61	86	-24

### Lesson 2.7, page 31

	а	b
Ι.	associative	identity
2.	commutative	zero
3.	zero	associative
4.	$z \times 15$	0
5.	I2a	$(14 \times 3) \times p$
6.	0	6 × (4 × n)

### Lesson 2.8, page 32

	а	b	C
ı.	0.25; T	2.6; T	0.625; T
2.	0.6; T	0.035; T	0.2424; R
3.	0.5454; R	0.14; T	4.136; T
4.	0.35: T	0.009009: R	0.008: T

### Lesson 2.8, page 33

	а	b	C
ı.	0.4	0.7	0.5
2.	0.375	0.18	0.428571
3.	0.18	0. <del>66</del>	0.5
4.	0.25	0.8	0.3
5.	0.6	0.714285	0.1818
6.	0.1	$0.8\overline{3}$	0.5

### Lesson 2.9, page 34

1.	<u>2</u> 3
2.	14 <u>7</u>
3.	5

**4.** 
$$\frac{1}{4}$$
 **5.**  $3\frac{1}{3}$ 

6. 
$$14\frac{5}{8}$$

### Lesson 2.9, page 35

1. 
$$\frac{1}{10}$$
2.  $\frac{3}{32}$ 

2. 
$$\frac{3}{32}$$
3.  $5\frac{7}{12}$ 

**4.** \$0.83 or  $\frac{29}{35}$  of a dollar

5. 
$$16(16\frac{1}{2})$$

**6.** 
$$3\frac{1}{8}$$

#### Posttest, page 36

	, I	
	α	b
ı.	$(7 \times 10) + (7 \times a)$	$2 \times (c + d)$
2.	$y \times (2 + 6)$	$(5 \times k) + (5 \times 4)$
3.	associative	
4.	zero	

5.	identity	
6.	commutative	
<b>7.</b>	commutative	associative
8.	identity	zero
9.	$0.\overline{22}$	0. <del>44</del>
10.	0.09	0.4

#### Posttest, page 37

	P 4 9 0 2		
	a	b	c
11.	<u> </u> 8	10 21 <u>23</u> 42	67/8
12.	3 <del>9</del>	42 42	$2\frac{1}{2}$
13. 14.	-42 -3	-12 3	10 -3
	1		

15.	6 <u>l</u>
16	21 =

17. 
$$10\frac{7}{8}$$

L	8.		

#### Chapter 3

### Pretest, page 38

	α	b
ı.	5 + (6 + 7)	56
2.	0	9 × 8
3.	$(3 \times 5) - (3 \times 2)$	$7 \times (2 \times 3)$
4.	n – 5	8 + n
5.	n ÷ 6	$2 \times n$
6.	3 + n = 12	n - 6 = 19
<b>7.</b>	$30 \div n = 3$	$5 \times n = 15$
8.	5 × a	6 + h = 16
9.	x - 19	$27 \div b = 9$
10.	c - 12 = 5	$6 \times k = 72$

#### Pretest, page 39

J. 03.	page or
11.	$1.50 \times p \le 22.00$ ; 14
12.	n + (n + 1) + (n + 2) = 51; 16
13.	$(b + 8) \div 2 = 20;32$
14.	$(c \div 2) + 15 = 30; 30$
15.	$(p + 5) \div 2 = 16; 27$

### Lesson 3.1, page 40

	a	b
ı.	7 + (6 + y)	724
2.	8 × z	0
3.	$(6 \times a) + (6 \times b)$	0
4.	y + 7	$(5 \times 6) \times 3$
5.	´45	$7 \times (3 + 7)$

### Lesson 3.1, page 41

	α	b
ı.	3 + d	8 × w
2.	12 – 7	2 + n = 9
3.	$n \div 6 = 8$	9 + 15
4.	5 + 6 = 11	$12 \div s = 4$
5.	t - 3 = 5	$2 \times b = 4$
6.	$5 \times 3 = y$	$20 \div n = 5$
7.	20 + 12	4 + 11 = 15

### **8.** $30 \div f = 3$

$$7 \times b = 63$$

### **Lesson 3.2, page 42**

α	b
<b>I.</b> $n - (0.07 \times n)$	$9 \times (7 + n)$
n × 0.93	$(9 \times 7) + (9 \times n)$
<b>2.</b> \$25 + (\$25 × 0.05)	n + 4n
\$25 × 1.05	5n

**3.** 
$$a \div 5 = 9$$
  $k + \frac{1}{5}$   
 $9 \times 5 = a$   $k + 0.2$   
**4.**  $12(15 - c)$   $\$44 + (44 \times .20)$   
 $(15 - c) \times 12$   $\$44 \times 1.2$ 

5. 
$$(7 + x) \times 10$$
  $h - 3\frac{1}{4}$   $h - 3.25$ 

### Lesson 3.3, page 43

$$d = (4 \times 40) - (4 \times 32)$$

$$d = 4 \times (40 - 32)$$
32

**3.** 
$$m = 3 \times (\$1.25 + \$2.00)$$
  
 $m = (3 \times \$1.25) + (3 \times \$2.00)$   
 $\$9.75$ 

### Lesson 3.3, page 44 (Equations may vary.)

1. 
$$s = \frac{3}{4} \times (37 \times \$20); \$185; \$555$$

**2.** 
$$s = (6 \times 2) \times \$5; \$60$$

**3.** 
$$m = 4 \times (\$8 + \$5); m = (4 \times \$8) + (4 \times \$5); \$52$$

**4.** 
$$p = 43 - 0.17p - 3; $34.19$$

**5.** 
$$t = [\$45 + (\$45 \times 0.2)] \div 2; \$27$$

#### Lesson 3.4, page 45 (Equations may vary.)

1. 
$$1.5 \times n = 90; 60; 30$$

**2.** 
$$(2 \times n) - \frac{3}{4} = 5\frac{1}{4}$$
; 3 miles;  $2\frac{1}{4}$  miles

**3.** 
$$(2 \times n) + $12 = $98; $43; $55$$

#### Lesson 3.4, page 46 (Equations may vary.)

1. 
$$60 \times p = $17,880; $298$$

**2.** 
$$\$1.55 = (3 \times \$0.25) + (d \times \$0.10); 8$$

**4.** 
$$[23 - (2 \times 7)] \div 3 = f$$
; 3

**5.** 
$$r = 792 - 5[(15 \times 5) + (25 \times 2)]; 167$$

### Lesson 3.4, page 47 (Equations may vary.)

1. 
$$$1.75 \times p = $8.75; 5$$

**2.** 
$$\$8.50 \times h = \$170; 20$$

**3.** 
$$(4 \times \$5) + (4 \times c) = \$28; \$2$$

**4.** 
$$20 = 6.25 + 6.5 + h$$
; 7.25

**5.** 
$$$38.50 = (2 \times $10.50) + (2 \times p); $8.75$$

#### Lesson 3.5, page 48







### **Lesson 3.5, page 49**

1. 
$$$20 \ge $5 + (r \times $2); 7$$

**2.** 
$$$75 \ge s + 2s$$
;  $$25$ 

**3.** 
$$$120 \le $7.50 \times h$$
; 16

### Lesson 3.5, page 50

1. 
$$10 \ge 2 + (50.55 \times d)$$
; 14

**2.** 
$$$250 \le (60 \times \$1.50) + (t \times \$10); 16$$

**3.** 
$$178 + 20 \le 42 \times b$$
; 5

**4.** 
$$$125 \ge m \times 6; $20.83$$

**5.** 
$$p \times \$0.25 \le \$26$$
; 104

#### Posttest, page 51

	α	b
ı.	5 × 4	$(6 \times 8) - (6 \times 5)$
2.	$12 \times (7 \times 8)$	3 + (4 + 5)
3.	32	0
4.	n – 7	8 + n
5.	6 × n	n ÷ 12
6.	$4 \times n = 16$	9 + n = 11
<b>7.</b>	n - 3 = 20	$25 \div n = 5$
8.	$x \div 10 = 11$	$b \times 5 = 25$
9.	b + 12	$32 \div a = 16$
10.	m – 15	$14 \div n = 2$

### Posttest, page 52

11. 
$$(2 \times \$5.00) + (e \times \$1.00) \le \$25.00$$
; 15

**12.** 
$$n + n + 1 + n + 2 = 75$$
; 24

**13.** 
$$40 - (3 \times f) = 7$$
; 11

**14.** 
$$50 - 10 = 2 \times s$$
; 20

**15.** 
$$(5 + c) \times 10 = 80; 3$$

#### Chapter 4

#### Pretest, page 53

,,	Page 50		
	а	b	c
I. 2.	45	I	8
2.	24	5	9
3.	$\left(\frac{3}{9}, \frac{1}{3}\right)$	$\left(\frac{6}{18}, \frac{2}{6}\right)$	$\frac{1}{2}$ , $\frac{1}{4}$
4.	2	$\frac{1}{3}$	
5.	1		

**<sup>3.</sup>**  $$150 = m + ($5 \times 8) + $50; $60$ 

### Pretest, page 54

- **6.** 160 **7.** 105
- **8.** 35
- **9.** \$37.40
- **10.**  $$54.34 = r \times 1.045;$
- 11.  $\frac{5}{24\frac{1}{2}} = \frac{e}{1}$ ;  $\frac{8}{32\frac{1}{3}} = \frac{d}{1}$ ; Dez

### Lesson 4.1, page 55

- $I_{\bullet} \frac{\$8}{2\frac{1}{2}} = \frac{c}{1}; \$3.20$

### Lesson 4.1, page 56

- 1.  $\frac{3}{27\frac{1}{2}} = \frac{c}{1}$ ;  $\frac{6}{53\frac{1}{2}} = \frac{m}{1}$ ; Melanie

### Lesson 4.2, page 57

b ı. yes

### **Lesson 4.2, page 58**

- 3.

- 5.
- 6.

- 10. (

### Lesson 4.2, page 59

- 7.

- 10.

5

### Lesson 4.3, page 60

- 2. 2
- 3.

## Lesson 4.3, page 61

- a

ı.

### Lesson 4.4, page 62

## Lesson 4.4, page 63

## Lesson 4.5, page 64

- ı.
- <u>1</u>

### Lesson 4.5, page 65

	iis, page os	
	a	b
ı.	<u>5</u> I	I
2.	<u>5</u> 4 4 3	<u>2</u>
3.	<u>4</u> 3	<u>I</u> 5

### **Lesson 4.6, page 66**

- I. \$4.84
- **2.** \$4.95; \$94.95
- **3.** 7
- **4.** 36
- **5.** 10; 69

### Lesson 4.6, page 67

- **I.** \$45.00
- **2.** \$26.00
- **3.** \$2.08
- **4.** \$147.00; \$747.00
- **5.** \$51.75
- **6.** \$4,462.50; \$19,462.50

### Posttest, page 68

	а	b	c
ı.	9	2	24
2.	4	25	112
3.	$\frac{15}{20}$ , $\frac{3}{4}$	$\frac{8}{12}$ , $\frac{10}{14}$	$(\frac{4}{3}, \frac{16}{12})$
4.	<u>l</u> 5	<u>I</u> 5	
_	3		

### Posttest, page 69

- **6.** 30
- **7.**  $16\frac{1}{3}$
- **8.**  $\frac{10}{5} = \frac{x}{10}$ ; 20
- **9.** \$59.40; \$719.40
- **10.** \$19.50; \$1,219.50
- 11.  $\frac{$108}{9} = \frac{x}{40}$ ; \$480
- $\frac{452}{2\frac{1}{4}} = \frac{a}{1}$ ;  $\frac{1045}{3\frac{1}{2}} = \frac{b}{1}$ ; Bobbi


#### Mid Test, page 70

	α	b	c	d
ı.	I	1 <u>5</u>	$7\frac{11}{12}$	$ \begin{array}{c} 4\frac{1}{2} \\ 2\frac{2}{3} \\ \frac{3}{80} \\ 2\frac{10}{27} \\ 15 \\ -20 \\ -6 \end{array} $
2.	<u> </u>	5   12   6   1   4   5   -17   -36   -7	$ 7\frac{11}{12} \\ 3\frac{1}{12} \\ 1\frac{13}{63} \\ 5\frac{1}{3} \\ 6 \\ -47 \\ 17 $	$2\frac{2}{3}$
3.	<u>5</u> 24	<u> </u> 	1 <u>13</u>	<u>3</u>
4.	1 5 24 1 6 -5 7 -6	4 <u>1</u> 5	5 <u>1</u>	2 <u>10</u> 27
5. 6. 7.	-5	-1 <i>7</i>	6	15
6.	7	-36	-4 <i>7</i>	-20
7.	-6	-7	1 <i>7</i>	-6

### Mid Test, page 71


	, , ,			
	a	b	c	d
9.	-24	8	-30	60
10.	-7	-2	-6	4
H.	0.6	0.14	0.009	
I 2.	5	-46	3	32
I 3.	no	yes	yes	no
14.	yes	yes	yes	no
I 5.	identity	associative	commutative	

#### Mid Test, page 72



### Mid Test, page 73

- **21.** 70
- **22.** \$60.75; \$510.75
- **23.** \$384




**26.**  $-\frac{5}{u}$ 

### Chapter 5

### Pretest, page 74

	α	b	C
ı.	6	4	20
2.	200.96: 50.24	153.86: 43.96	4.298.66: 232.36

**3.** missing side of triangle = 15



1031	, page , s		
	а	b	C
7.	588	400	560
8.	square		
9.	quadrilateral		

**10.** ∠POT II. ∠MOP or ∠QOT

- **12.** 12
- **13.** 150
- 14. 561

### Lesson 5.1, page 76

- 1.  $\frac{24}{36} = \frac{2}{3}$ ;  $\frac{28}{42} = \frac{2}{3}$ ;  $\frac{36}{54} = \frac{2}{3}$ ; similar
- **2.**  $\frac{18}{12} = \frac{3}{2}$ ;  $\frac{12}{8} = \frac{3}{2}$ ;  $\frac{12}{10} = \frac{6}{5}$ ; not similar
- **3.**  $\frac{30}{40} = \frac{3}{4}$ ;  $\frac{27}{36} = \frac{3}{4}$ ;  $\frac{24}{32} = \frac{3}{4}$ ; similar

### Lesson 5.1, page 77

- a 1. 21 ft.
- **b** 10 m

10 ft.

- 2. 24 m 3. 15 cm
  - 25 in.
- Lesson 5.1, page 78
  - 1a.  $\frac{AB}{XY} = \frac{BC}{YZ} \cdot \frac{1}{2} = \frac{1}{2}$  similar
  - **1b.**  $\frac{AB}{WX} = \frac{BC}{XY} \frac{2.3}{1.5} \neq \frac{1.5}{1}$  not similar
  - **2a.**  $\frac{AB}{TU} = \frac{BC}{UV} = \frac{CD}{VW} = \frac{DE}{WX} = \frac{EA}{XT}$  $\frac{2}{3} = \frac{2}{3} \neq \frac{1}{2} \neq \frac{1}{1} \neq \frac{1}{2}$  not similar
  - **2b.**  $\frac{AB}{WX} = \frac{BC}{XY} = \frac{CD}{YZ} = \frac{DA}{ZW}$  $\frac{6}{3} = \frac{12}{6} = \frac{10}{5} = \frac{5}{2.5}$  similar

### Lesson 5.2, page 79

- 1. 440
- **2.** 8
- **3.** 32
- **4.** 36

### Lesson **5.2**, page **80**

- 1. 54 feet
- 2. 80 feet
- **3.** 17 inches
- **4.**  $25\frac{1}{2}$  miles
- **5.** I inch = 7 feet
- **6.** I inch =  $\frac{4}{5}$  foot

### Lesson 5.3, page 81

Use a protractor and ruler to check the accuracy of the drawings.

### Lesson 5.3, page 82

Answers may vary. Use a protractor and ruler to check the accuracy of the drawings.

#### Lesson 5.3, page 83

C ١. no yes yes 2. no no yes 3. yes yes no 4. no yes yes

### Lesson 5.4, page 84

a b

1. square or rectangle rectangle
2. quadrilateral rectangle
3. square or rectangle quadrilateral

### Spectrum Math

### Grade 7

### Lesson 5.4, page 85

	α	b
ı.	triangle	quadrilateral
2.	quadrilateral	triangle
3.	triangle	triangle

#### Lesson 5.5, page 86

а	b	C
1.5 ft.	0.75 ft.	
	1.75 m	10.99 m
6.5 in.		20.41 in.
8.5 yd.	4.25 yd.	
,	3.75 cm	23.55 cm
30 in.		94.2 in.
2.5 m	1.25 m	
	2.5 km	15.7 km
10 ft.	5 ft.	
90 cm		282.6 cm
	2 yd.	12.56 yd.
3 mi.	1.5 mi.	
	6.5 in. 8.5 yd. 30 in. 2.5 m 10 ft. 90 cm	1.75 m 6.5 in. 8.5 yd. 4.25 yd. 3.75 cm 30 in. 2.5 m 1.25 m 2.5 km 10 ft. 5 ft. 90 cm 2 yd.

#### Lesson 5.5, page 87

	a	b	c
ı.		4	12.56
2.	9		56.52
3.	4.6		28.89
4.		11	34.54
5.		24.4	76.62
6.	2.5		1 <i>5.7</i>
7.		34	106.76
8.		7	21.98
9.	6.5		40.82
10.	1.9		11.93
11.		6	18.84
12.	3.5		21.98
13.	2		12.56
14.		9	28.26
15.		11.2	35.1 <i>7</i>

#### Lesson 5.5, page 88

	a	b	C
ı.	18.84 m	15.7 cm	46.47 in.
	1.57 km	69.08 ft.	32.03 m
3.	144.44 yd.	20.41 cm	131.88 mm
	13.50 m	81.64 cm	125.6 in.
5.	3.93 cm	219.8 yd.	2.20 m
6.	0.06 mi	6 28 vd	79 25 m

#### Lesson 5.6, page 89

	а	b	c
ı.	50.2 sq. ft.	113 sq. m	530.7 sq. cm
<b>2.</b>	,017.4 sq. yd.	452.2 sq. km	153.9 sq. in.
3.	6 in.		28.3 sq. in.
4.		9 ft.	254.3 sq. ft.
5.		8.5 m	226.9 sq. m
6.	64 cm		3,215.4 sq. cm

#### Lesson 5.6, page 90

	a	b	C
I.		8	50.24
2.	6		113.04
3.		3	7.07
4.		22	379.94

<b>9.</b> 4.1 <b>10.</b> 5.5	0.50 25,434 78.5 63.59 52.78 94.99
11. 6 12. 24 13. 14 14. 18	28.26 452.16 615.44 254.34 379.94

### Lesson 5.6, page 91

	а	b	C
ı.	197.46 m <sup>2</sup>	21.23 cm <sup>2</sup>	60.79 in. <sup>2</sup>
2.	19.63 km²	3.80 ft. <sup>2</sup>	$706.5 \text{ m}^2$
3.	32.15 yd. <sup>2</sup>	15.90 cm <sup>2</sup>	1,319.59 mm <sup>2</sup>
4.	8.76 m <sup>2</sup>	28.26 cm <sup>2</sup>	100.24 in. <sup>2</sup>
5.	$10.63 \text{ cm}^2$	452.16 yd. <sup>2</sup>	$10.75 \text{ m}^2$
6.	0.03 mi. <sup>2</sup>	1,533.61 yd. <sup>2</sup>	$0.05 \text{ m}^2$

### **Lesson 5.7, page 92**

- vertical
- 2. supplementary
- 3. supplementary
- 4. vertical
- 5. vertical
- 6. supplementary
- **7.** 72°
- **8.** 68°
- **9.** 37°
- **10.** 60°

#### **Lesson 5.7, page 93**

- I. ∠ĠHJ or ∠GHM
- **2.** ∠FHG
- **3.** ∠JMK or ∠IMH
- 4. ML
- **5.** ∠*IMH*
- **6.** ∠*IMJ* or ∠*KMH*
- **7.** ∠CFD
- **8.** ∠*GFE*
- **9.** ∠AFC or ∠DFG
- **10.** ∠CFE or ∠GFB
- 11. 77°
- 12. 68°
- **13.** 52°; 104°
- **14.** 79°; 158°

#### **Lesson 5.7, page 94**

- I. ∠FBE/∠EBD, ∠GIH, HIJ
- Answers will vary but may include ∠ABC/∠CBE, ∠CBD/∠DBF, ∠CBE/∠EBF, ∠EBF/∠FBA, ∠FBA/∠ABC, ∠UK/∠UH, ∠UK/∠KU, ∠UG/∠GU, ∠UH/∠HU, ∠HIJ/∠JIK
- **3.**  $\angle ABC/\angle FBE$ ,  $\angle CBE/\angle FBA$ ,  $\angle KIL/\angle HIJ$ ,  $\angle LIH/\angle KIJ$
- **4.** Answers will vary but may include H.
- 5. Answers will vary.
- **6.** 51°
- **7.** 135°
- **8.** 135°
- **9.** 41°

#### 10. 59°

### Lesson 5.8, page 95

- I. 145°
- **2.** 75°
- **3.** 35°
- **4.** 110° **5.** 98°
- **6.** 58°

### **Lesson 5.9, page 96**

	а	b	c
ı.	5 <del>4</del>	84	56.25
2.	15	6	135
3.	165	12.5	11

## Lesson 5.10, page 97

	a	В	C
ı.	210	14	199.5
2.	270	162	272
3.	348	230	312.5

### Lesson 5.11, page 98

	а	b	C
ı.	2,340	3,600	968
2.	300	324	1,728
3.	1.056	648	375

#### **Lesson 5.12, page 99**

	a	b	c
ı.	256	825	168.75
2.	546.88	1,296	400
3.	122.5	0.72	11,200

### Lesson 5.13, page 100

- **I.** 3
- **2.** \$1,383.75
- **3.** \$189
- **4.** 437.5
- **5.** 50.24

#### Lesson 5.13, page 101

- **I.** |
- **2.** 51
- **3.** 15,360
- **4.** 42
- **5.**  $3\frac{1}{8}$
- **6.** 400

### Lesson 5.13, page 102


- I. 336
- 2. 10,000
- **3.** 432
- **4.** \$42.00
- **5.** 750
- **6.** 0.025

#### Posttest, page 103

α	b	c
I. 6	12	75
<b>2.</b> 530.66; 81.64	254.34: 56.52	38.47: 21.98

- **3.** missing side of triangle = 10
- 4. similar

5.



6. no

### Posttest, page 104

- 7.  $\overrightarrow{WX}$  and  $\overrightarrow{YZ}$
- 8. 110°
- 9. 300

- 3,200
- 10. triangle rectangle
- H. 24,200

### **Chapter 6**

### Pretest, page 105


- Ь

420

- sample ı. 2.
- population sample population
- 3. biased
- 4. random
- 5. Stem Leaf 667889
  - 233349 8 1 2 2 5
- **6.** 74.13; 73; 73; 19

#### Pretest, page 106

- **7.** 10
- **8.** 33.33%
- 9. 8



7.0 7.5 8.0 8.5 9.0 9.5 10.0 9.54; 9.55; 8.9 and 9.6; 1.3

b

- 12. Answers will vary

#### Lesson 6.1, page 107

- I. random
- 2. biased
- 3. biased
- 4. random
- 5. random
- 6. biased

### Lesson 6.1, page 108

- systematic random
- 2. simple random
- 3. systematic random
- 4. stratified random
- 5. voluntary response

#### **Lesson 6.2, page 109**

- **2.** 16.67%
- 3. 20 or 21
- **4.** 26.67%
- **5.** 33 or 34
- **6.** 20

### Lesson 6.2, page 110

- I. 20%
- **2.** 36
- **3.** 108
- **4.** 9
- **5.** 30%
- **6.** 9

#### Lesson 6.2, page III

- I. 20
- 2. 100
- **3.** 25%
- **4.** 25 **5.** 35
- 6. 40

### Lesson 6.3, page 112

	,	
	a	Ь
ı.	8	37. I
	9	42.15
	9	23.1
	10	33.6
2.	1 <i>7</i> 4.6	516.9
	1 <i>7</i> I	546.25
	1 <i>7</i> I	349
	92	715

### **Lesson 6.4, page 113**

- 1. The calorie range is much wider for restaurant 1 (500 as compared to 180). The mean calories are higher for restaurant I than they are for restaurant 2. The inference is that restaurant 2 is generally healthier.
- 2. The range of scores is smaller in class 2 than it is in class one. The mean score in class 2 is about 7 points higher than the mean score in class 1. It appears that the students in class 2 were better prepared for the test.
- **3.** The range is higher by \$1 for store # 1. However, the mean is about \$1.10 lower. The inference is that both stores offer clothes of similar value.

### Lesson 6.4, page 114

- 1. The range for the number of words in a sample of 8th grade pages is larger than the range of the number of words in a sample of 5th grade pages. There is about a 20-word difference between their means. There is little difference between the number of words on a page between 5th and 8th grade books.
- 2. The range of scores is larger for family 2 than for family 1. In addition, the mean donation of family 2 is about double the mean donation from family 1. Family 2 consistently donated more money to charity than family 1.
- 3. Both data sets have a small range. However, when looking at the distribution on the same scale, family size in New York City leans heavily toward small families while family size throughout the United States is more evenly spread across the scale.
- 4. The mean of Homeroom A is 6 books, and the mean of

- Homeroom B is 7 books. Therefore, Homeroom B read on average more books than Homeroom A.
- 5. Both farms average the same amount of eggs over the course of the entire year.

### **Lesson 6.5, page 115**

- 1. The mean growth for plants that were given light for 4 hours was 4.6 inches, while the mean growth for plants that were given light for 10 hours was 9.4 inches. Therefore, plants that are given more light grow more successfully.
- 2. The mean battery life for tablets playing videos was 5.7 hours. The mean battery life for tablets playing games was 7.54. Overall, tablets playing games lasted almost two hours longer than tablets playing videos.

### Lesson 6.5, page 116


- 1. It appears the students 70 inches or taller travel on average 18 inches farther in the long jump than students who are less than 70 inches tall.
- 2. The inference is students who study between I and 3 hours per night scored on average about 10 points higher than students who study less than an hour each night.
- 3. It appears that there is no correlation between the amount of bait brought and the amount of fish caught. The fishermen who brought less than 50 pounds of bait caught on average 0.6 more fish than those who brought 50 pounds or more.


### Posttest, page 117

I. Stem	Leaf
9	1236778
10	13458
- 11	125

- **2.** 101.5; 101; 97; 24
- **3.** 8
- **4.** 40
- **5.** 3
- **6.** 20%
- 7. biased
- 8. random

### Posttest, page 118





12. Rabbits are faster than dogs.

13. sample population

mean speed of rabbits

### Pretest, page 119


	Frequency	Cumulative	Relative
	,	Frequency	Frequency
ı.	5	5	33.33%
	5	10	33.33%
	I	11	6.67%
	4	1.5	26 67%

- 2. <u>2</u> 1
- 3. 8 5 8 1 4
- 4.

5.

b Answers will vary. Answers will vary. **6.** 1, 2, 3, 4, 5, 6 A, B, C, D, E, F, G, H **7.** 1, 2, 3, 4, 5, 6, 7, 8, 9 red, green, blue, yellow, orange, purple

### Pretest, page 120



- 12. 8
- <u>1</u>2 13.
- 14.
- 15.

#### Lesson 7.1, page 121

α	b
<ol> <li>heads, tails</li> </ol>	yes
<b>2.</b> 2, 3, 4, 5, 6, 7,	Answers will vary.
8, 9, 10, 11, 12	,
3 rad marble groon marble	rad marbla

ed marble, green marble all names yes

#### Lesson 7.2, page 122

3011	/.z, page		
	Frequency	Cumulative	Relative
		Frequency	Frequency
ı.	3	3	15%
	3	6	15%
	2	8	10%
	4	12	20%
	I	13	5%
	1	14	5%
	2	16	10%
	4	20	20%

- 2. 4
- **3.** |
- **4.** 8
- **5.** 7
- **6.** 20% **7.** 15%

### Lesson 7.2, page 123

UII /	·.z, puge			
	Answers n	nay vary based	on intervals sele	cted.
	Values	Frequency	Cumulative	Relative
			Frequency	Frequency
ı.	2-3	6	6	30%
	4-5	5	11	25%

	6–7	6	1 <i>7</i>	30%
	8–9	3	20	15%
2.	20-2 I	2	2	25%
	22-23	2	4	25%
	24-25	3	7	37.5%
	26-27	I	8	12.5%
3.	2-3	1	I	7.69%
	4–5	4	5	30.77%
	6–7	4	9	30.77%
	9_0	ц	13	30 77%

### Lesson 7.3, page 124

- <u>1</u>3 <u>5</u>6 <u>2</u>3 6.
- 3. 7.
- 4.

### **Lesson 7.3, page 125**

- <u>3</u>  $\frac{1}{2}$ ١. 5. <u>1</u> 2. 6. 10.
- 3. 7. 4. 8. ĪŌ

### Lesson 7.3, page 126

- $\frac{1}{2}$ ı. 6. 6 3 10 2.
  - <u>1</u> 7. 12. <u>5</u> 12 8. 13.

6

11.

<u>|</u>5  $\frac{1}{3}$ 4. 9. 14. ĪŌ 5. 10. 15.

### Lesson 7.4, page 127

3.

a b ı. yes no 2. yes no 3. no yes 4. no yes 5. nο no 6. yes yes

#### **Lesson 7.4, page 128**

- 1. Spinner must have an equal number of same size spaces with an equal number of stars and diamonds.
- 2. Spinner must have an equal number of same size spaces with numbers 1, 2, 3, and 4.

not equal

- 3.
- 4. Answers will vary but may include

### **Lesson 7.5, page 129**

not equal

not equal ı. equal 2. equal not equal 3. equal equal









### **Lesson 7.5, page 131**

- Ib. la.  $\frac{1}{2}$ 2b. 2a.
- $\frac{10}{85}$  or  $\frac{2}{17}$ 3b. 3a. 90
- the first bag 3c.
- 4b. 4a. 36 <u>3</u> 4c. 4d. 4e. 4g.
  - 4i. 4k. best odds:
  - **5b.**  $\frac{12}{19}$ 5a.


### Lesson **7.6**, page 132

	а	b
ı.	36	12
2.	8	104
3.	36	72
4.	208	144


### **Lesson 7.6, page 133**

**1.** 288 **2.** 60 **3.** 320 **4.** 20 **5.** 180 **6.** 192 **7.** 280

### Lesson 7.7, page 134



#### **2.** 12



### Lesson 7.7, page 135

ı.	8	
2.	18	-KI -II
3.	6;	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

4.

### Lesson 7.7, page 136

	son ray page ree				
ı.		black	brown	blue	khaki
	black	bl/bl	bl/br	bl/blu	bl/k
	blue	blu/bl	blu/br	blu/blu	blu/k
	red	r/bl	r/bl	r/bl	r/k
	green	g/bl	g/br	g/blu	g/k
	yellow	y/bl	y/br	y/blu	y/k

$$\frac{2}{20}$$
 or  $\frac{1}{10}$ 

		20	10						
2.		I	2	3	4	5	6	7	8
		2	3	4	5	6	7	8	9
	2	3	4	5	6	7	8	9	10
	3	4	5	6	7	8	9	10	
	4	5	6	7	8	9	10	П	12
	5	6	7	8	9	10		12	13
	6	7	8	9	10		12	13	14
		5	5						

## 48

### **Lesson 7.8, page 137**

Strategies will vary.

1. 8 2. 20 3. 
$$\frac{1}{9}$$
 4.  $\frac{1}{26}$ 

### **Lesson 7.8, page 138**

Strategies will vary.

1. 
$$\frac{1}{25}$$
 2. 48 3. 27 4.  $\frac{1}{8}$ 

### **Lesson 7.8, page 139**

Strategies will vary.

**1.** 36 **2.** 
$$\frac{1}{6}$$
 **3.**  $\frac{1}{9}$  **4.** 12

### Posttest, page 140

- **1.** 3 **2.** 4 **3.** 9 **4.** 8 **5.** 24 **6.** 11–15 **7.**  $\frac{1}{3}$
- 8. Answers will vary depending on intervals chosen in column 1.

, , , , , , , , , , , , , , , , , , ,							
Cars	Frequency	Cumulative Frequency	Relative Frequency				
91–95	3	3	20%				
96-100	4	7	26.67%				
101-105	4	11	26.67%				
106-110	I	12	6.67%				
111-115	3	1.5	20%				

9. 
$$\frac{1}{8}$$
 10.  $\frac{1}{2}$  11.  $\frac{1}{2}$  12.  $\frac{3}{8}$ 

### Posttest, page 141



- 14. 6 15.  $\frac{1}{2}$  16.  $\frac{1}{3}$  17.  $\frac{1}{6}$
- 18. OOOO Answers may vary.
- 19. Answers will vary but may include 1, 1, 2, 2.
- **20.** 3,150

#### Final Test, page 142

	., 6-3	-	
	а	b	c
ı.	-4	4 <u>11</u>	3
2.	4	-2	-5
2. 3.	-3	I	-6
4.	$\frac{1}{2}$	-11	-1

- 5. -69 360 108 --581 6. -355 ΪŌ 7. -5 6 -19 -9 8. 22 -6
- 9. 0.6; T 0.14; T 0.008; T

### Final Test, page 143

- **10.**  $(6 \times s) + 7 = 331; 54$
- 11. 100 = 30 + w; 70 12.  $\frac{3}{8}$ ;  $\frac{3}{16}$ ;  $\frac{13}{16}$
- **13.** 3,750
- 14.  $\frac{27}{23}$
- **15.** 21.98

### Final Test, page 144

	а	b	C	d
16.	yes_	no	yes	yes
17.	1.66			

- **18.** 29; 31.5; 30 24; 18; 25 **19.** 50.24; 200.96 37.68; 113.04 113.04; 1,017.36
- 270 2.16

#### Final Test, page 145

- 145° 21.
- 22. 35°
- 145° 23.
- 24. 35°


plain

b a **c** 1,296 25. 60 1,408

red licorice

caramels

26. chocolate mints chocolate mints butter € -red licorice red licorice caramels caramels chocolate mints chocolate mints



- 27. 18  $\frac{1}{3}$ 28.
- 29.

36.

### Final Test, page 146

Answers will vary.	
14.5; 9; 14.7; 15	18.5; 22; 17.5; 13
9	
10	
Answers will vary.	
commutative	identity
	14.5; 9; 14.7; 15 9 10 Answers will vary.

associative

b

identity

-red licorice

caramels

# Stop the summer slide. Start Summer Bridge Activities<sup>®</sup>.

You've probably heard of "summer learning loss," or the "summer slide." Studies have shown that children can *lose up to 2.5 months of learning* over the summer. But did you know that summer learning loss could have a cumulative effect with a long-term impact on children's skills and success?

**Summer Bridge Activities**® are an easy, effective, and fun way to keep your child's mind sharp all summer long.

Inside each book you'll find:

- Essential math, language arts, reading, social studies, science, and character development skills
- \* Encouraging stickers and certificates to keep kids motivated
- \* Outdoor fitness activities to keep them moving
- \* Free access to the Summer Bridge Activities® online companion site

With **Summer Bridge Activities**®, your child will be on track for a terrific school year, and beyond. That's why we say; *just 15 minutes a day goes a long way!* 



Newly updated, **Summer Bridge Activities**® books align to state learning standards.

# Math



## Supporting your child's educational journey every step of the way.


Spectrum® provides specific support in the skills and standards that your child is learning in today's classroom.


- Comprehensive, grade-specific titles to prepare for the year ahead
- Subject-specific practice to reinforce classroom learning
- Skill-specific titles to enrich and enhance educational concepts
- Test preparation titles to support test-taking skills

No matter your need, Spectrum is with you every step of the way.

Spectrum is available in these titles for seventh grade success:















Other titles available:

**Algebra**Grades 6–8

Data Analysis & Probability
Grades 6–8

**Geometry** Grades 6–8

Measurement Grades 6–8

